

# Belt & Belt Tensioners Catalogue

November 2023

 KRAMP

# CONTENTS

Ahlmann .....	3	Steyr .....	75
Atlas .....	4	Takeuchi .....	78
Case-IH .....	5	Terex .....	79
Challenger .....	10	Valtra-Valmet .....	80
Claas .....	11	Volvo .....	82
Cummins .....	15	Werklust .....	83
David Brown .....	16	Zetor .....	84
Deutz-Fahr .....	17		
Fendt .....	21		
Fiat .....	24		
Ford .....	26		
FTP .....	29		
Hurlimann .....	30		
Iveco .....	33		
John Deere .....	34		
Kubota .....	40		
Lamborghini .....	41		
Landini .....	44		
Liebherr .....	45		
Lindner .....	46		
Massey Ferguson .....	47		
McCormick .....	53		
Mercedes Benz .....	55		
MWM .....	57		
New Holland .....	58		
Perkins .....	62		
Renault .....	65		
SAME .....	66		
Schulter .....	70		
Sisu .....	72		
Standard (Hotchkiss) .....	74		


# Ahlmann

KR-AVX131000	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 982mm	Suitable for:
Outside Length: 1000mm	Wheel Loader AZ14
	


# Atlas


<b>KR-AVX101175</b>	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for:
Outside Length: 1175mm	Wheel Loader AR65
	


# Case-IH


<b>KR-5094418</b>	
Profile:	OEM: 5094418
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	JX55, 65, 75, 85, 95
	


<b>KR-84811C1</b>	
Profile:	OEM: 84811C1
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	5120, 5130, 5140, 5150
	

<b>KR-87301964AB</b>	
Profile:	OEM: 87301964
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	PUMA 165, 170, 180, 185, 195, 200, 210, 215, 225
	

<b>KR-8PK1460</b>	
Profile: PK	OEM: J911562
Ribs/Width: 8	
Pitch Length: 1460mm	Suitable for:
Outside Length:	5130, 5140, 5150, 5250, MX150, 170
	

<b>KR-8PK1500</b>	
Profile: PK	OEM: J911558
Ribs/Width: 8	
Pitch Length: 1500mm	Suitable for:
Outside Length:	5120, 5130, MX100, 110, 120, 135
	

<b>KR-8PK1549</b>	
Profile: PK	OEM: J911563
Ribs/Width: 8	
Pitch Length: 1549mm	Suitable for:
Outside Length:	MAXXUM 100, 110, 115, 120, 125, 130, 135, 140, 145, 150, MXU100, 110, 115, 125, 130, 135, PUMA 115, 125, 130, 140, 145, 155
	

<b>KR-8PK1740</b>	
Profile: PK	OEM: J911580
Ribs/Width: 8	
Pitch Length: 1740mm	Suitable for:
Outside Length:	Wheel Loader 621B
	


<b>KR-AVX101175</b>	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for:
Outside Length: 1175mm	1294, 1394, 1494, JX55, 60, 65, 70, 70U, 75, 80U, 85, 90U, 95, 100U, JX1060C, 1070C, 1075C
	


<b>KR-AVX101275</b>	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1260mm	Suitable for: CS94
Outside Length: 1275mm	
	

<b>KR-AVX101450</b>	
Profile: AVX10	OEM: 241895A2
Ribs/Width: 10mm	
Pitch Length:	Suitable for: CX70, 80, 90, 100
Outside Length: 1450mm	
	

<b>KR-AVX13875</b>	
Profile: AVX13	OEM: 132000130020
Ribs/Width: 13mm	
Pitch Length:	Suitable for: CS68, 75, 78, 86, 94, CVX120, 130, 150, 170, 1135, 1145, 1155, 1170, 1190
Outside Length: 875mm	
	

<b>KR-AVX13900</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: CS68, 75, 78, 80, 85, 86, 90, 94, 95, 100, 105, 120, 130, 150
Outside Length: 900mm	
	

<b>KR-AVX13950</b>	
Profile: AVX13	OEM: 80754165
Ribs/Width: 13mm	
Pitch Length:	Suitable for: CVX140, 150, 160, 175, 195, 1195
Outside Length: 950mm	
	


<b>KR-AVX13975</b>	
Profile: AVX13	OEM: 301525A1
Ribs/Width: 13mm	
Pitch Length: 957mm	Suitable for: 7110, 7120, 7130, 7140, 7210, 7220, 7230, 7240, 7250
Outside Length: 975mm	
	

<b>KR-AVX131000</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 982mm	Suitable for: 5140, 5150, 5240, 5250, CS110, MX150, 170
Outside Length: 1000mm	
	

<b>KR-AVX131025</b>	
Profile: AVX13	OEM: 142000130005
Ribs/Width: 13mm	
Pitch Length: 1007mm	Suitable for: CS100, 110, MX100, 110, 120, 135
Outside Length: 1025mm	
	

<b>KR-AVX131050</b>	
Profile: AVX13	OEM: 1806189C1
Ribs/Width: 13mm	
Pitch Length: 1032mm	Suitable for: 956, 1056, 1255, 1455, CVX140, 150, 160, 175, 195, 1195
Outside Length: 1050mm	
	

<b>KR-AVX131100</b>	
Profile: AVX13	OEM: 3228282R1
Ribs/Width: 13mm	
Pitch Length: 1082mm	Suitable for: 946, 955, 956, 1046, 1055, 1056, 1246, 1455
Outside Length: 1100mm	
	

<b>KR-AVX131125</b>	
Profile: AVX13	OEM: 3218043R1
Ribs/Width: 13mm	
Pitch Length: 1107mm	Suitable for: 956, 1056, 1255, 1455
Outside Length: 1125mm	
	

<b>KR-AVX131145</b>	
Profile: AVX13	OEM: 1329161C1
Ribs/Width: 13mm	
Pitch Length: 1127mm	Suitable for: 956, 1056
Outside Length: 1145mm	
	


<b>KR-AVX131175</b>	
Profile: AVX13	OEM: 294462A1, 3228131R1
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: 1255, 1455
Outside Length: 1175mm	
	

<b>KR-AVX131200</b>	
Profile: AVX13	OEM: 3228279R1
Ribs/Width: 13mm	
Pitch Length: 1182mm	Suitable for: 956, 1056, 1255, 1455
Outside Length: 1200mm	
	

<b>KR-AVX131250</b>	
Profile: AVX13	OEM: 130300060002
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: C55, 64, 70, CS48, 52, 58, 63, 68, 75, 78, 86, 94
Outside Length: 1250mm	
	

<b>KR-AVX131300</b>	
Profile: AVX13	OEM: 3055715R1
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for: 353, 383, 423, 433, 453, 523, 533, 553, 624, 633, 644, 654, 724, 733, 734, 743, 744, 745, 745S, 824, 833, 834, 844, 844S
Outside Length: 1300mm	
	

<b>KR-AVX131325</b>	
Profile: AVX13	OEM: 3144678R1
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 353, 383, 423, 440, 453, 540, 640, 740, 743, 745, 745S, 840, 844, 844S, 844XL, 845, 856, 940
Outside Length: 1325mm	
	

<b>KR-AVX131350</b>	
Profile: AVX13	OEM: 3136258R1, 3218951R1
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: 553, 654, 724, 734, 743, 745, 824, 834, 844XXL, 845, 946, 955, 1046, 1055, 1246, 1255, 1455, CS78, 86, 94
Outside Length: 1350mm	
	

<b>KR-AVX131375</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: CS68, 75, 78, 80, 86, 90, 94, 100, 110
Outside Length: 1375mm	
	

<b>KR-AVX131400</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: CS110
Outside Length: 1400mm	
	

<b>KR-AVX131425</b>	
Profile: AVX13	OEM: 3218952R1
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 946, 955, 956, 1046, 1055, 1056, 1246, 1255, 1455, CS68, 75, 120, 130, 150
Outside Length: 1425mm	
	

<b>KR-AVX131450</b>	
Profile: AVX13	OEM: 3228287R91
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: 956, 1056, 1255, 1455, CS75, 110, 120, 130, 150, CVX120, 130, 150, 170, 1135, 1145, 1155, 1170, 1190
Outside Length: 1450mm	
	

<b>KR-AVX131475</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: CS110, 120, 130, 150
Outside Length: 1475mm	
	


<b>KR-AVX131500</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1482mm	Suitable for: CVX120, 130, 150, 170, 1135, 1145, 1155, 1170, 1190
Outside Length: 1500mm	
	

<b>KR-AVX131550</b>	
Profile: AVX13	OEM: 3129140R1
Ribs/Width: 13mm	
Pitch Length: 1532mm	Suitable for: 484, 485, 495, 574, 584, 585, 595, 674, 684, 685, 695, 784, 785, 795, 884, 885, 895, 995, 3210, 3220, 3230, 4210, 4220, 4230, 4240
Outside Length: 1550mm	
	

<b>KR-AVX131575</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1557mm	Suitable for: 454, 484, 485, 995
Outside Length: 1575mm	
	

<b>KR-AVX131600</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1582mm	Suitable for: 995, 4240
Outside Length: 1600mm	
	


<b>KR-AVX131700</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1682mm	Suitable for: 585, 685, 785, 885, CS78, 86, 94
Outside Length: 1700mm	
	


<b>KR-VPE6167</b>	
Profile: AV13	OEM: 84766C1
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 5120, 5130, 5140, 5150, MX150, 170
Outside Length: 996mm	
	


<b>KR-VPE6170</b>	
Profile: AV13	OEM: A184652
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 5120, 5130, MX100, 110, 120, 135
Outside Length: 1015mm	
	





<b>KR-VPE6210</b>	
Profile: AV10	OEM: 5140009
Ribs/Width: 10mm	
Pitch Length:	Suitable for:
Outside Length: 1015mm	JX55, 60, 65, 70, 70U, 75, 80, 80U, 85, 90, 90U, 95, 100U
	

<b>KR-VPE6303</b>	
Belt Set of 2	OEM: 389069A1 x2
	Suitable for: CX70, 80, 90, 100, MX80C, 90C, 100C


<b>KR-VPE6304</b>	
Air Conditioner Belt	OEM: 248265A2,
	Suitable for: CX70, 80, 90, 100, MX80C, 90C, 100C

<b>KR-VPE6336</b>	
Profile:	OEM: 243373A1, 84229205
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length: 1715mm	PUMA 130, 145, 150, 155, 160, 165
	

<b>KR-X696623200000AB</b>	
Profile: AVX13	OEM: 235414A1
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	Combine Harvester 2365, 2366, 2388
	


<b>KR-BTK2721</b>	
	OEM: 87436755
	Suitable for: Combine Harvester 2388, Tractor MX210, 230, 255, 285, MXM120, 130, 140, 155, 175, 190, STEIGER 335, STX275, 280, 325, 330

<b>KR-BTK2722</b>	
	OEM: 87326910, J918944
	Suitable for: 5120, 5130, 5140, 5150, 5220, 5230, 5240, 5250, 7110, 7120, 7130, 7140, 7210, 7220, 7230, 7240, 7250, 9210, 9230, 9240, MX100, 110, 120, 135, 150, 170, 180, 200, 220, 240, 270

<b>KR-VPE3750</b>	
	OEM: 87326910, J918944, J934817, J936203
	Suitable for: Combine Harvester 2188, 2344, 2365, 2366, 2388, CF70, CF80, Tractor 5120, 5130, 5140, 5150, 5220, 5230, 5240, 5250, 7110, 7120, 7130, 7140, 7210, 7220, 7230, 7240, 7250, 9210, 9230, 9240, MX100, 110, 120, 135, 150, 170, 180, 200, 220

<b>KR-VPE6315</b>	
	OEM: 87801838, 87840057
	Suitable for: MXM120, 130, 140, 155, 175, 190


# Challenger


KR-8PK1460	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1460mm	
	Suitable for: MT735, 745, 755, 765


KR-AVX131225	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1207mm	
Outside Length: 1225mm	Suitable for: TERRA-GATOR 2244
	

# Claas


<b>KR-7700063621AB</b>	
	OEM: 7700063621
	Suitable for: ARES 547, 557, 567, 577, CELTIS 426, 436, 446, 456


<b>KR-7700066725</b>	
	OEM: 7700066725
	Suitable for: Combine Harvester TUCANO 330-320, 340, 430, 440, 450, Tractor ARES 616, 617, 656, 657, 696, 697, AXION 800, 810, 820, 830, 840, 850, 870


<b>KR-8PK1460</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1460mm	
	Suitable for: Combine Harvester MEDION 330-310, 340, MEGA 350, 370-360

<b>KR-8PK1549</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1549mm	
	Suitable for: CELTIS 426, 436, 446, 456


<b>KR-8PK1956</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1956mm	
	Suitable for: CELTIS 456


<b>KR-8PK2285</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 2285mm	
	Suitable for: Combine Harvester LEXION 410-405, 430-410, 430-415, 460-440

<b>KR-8PK2295</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 2295mm	
	Suitable for: Combine Harvester LEXION 460-440, 460-450, 470, 530-510, 560-540, Tractor ARES 816, 826, 836

<b>KR-8PK2315</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 2315mm	
	Suitable for: Combine Harvester LEXION 560-540,

<b>KR-8PK2450</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 2450mm	Suitable for: ARES 547, 557, 567, 577
Outside Length: Info	
	

<b>KR-8PK2585</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 2585mm	Suitable for: Combine Harvester LEXION 570
	

<b>KR-8PK2620</b>	
Profile: PK	OEM: 7700050889
Ribs/Width: 8	
Pitch Length: 2620mm	Suitable for: ARES 616, 617, 656, 657, 696, 697, 816, 826, 836
	

<b>KR-AVX101525</b>	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: DIONIS 110, 120, 130, 140, FRUCTUS 110, 120, 130, 140, PALES 210, 230, 240
Outside Length: 1525mm	
	

<b>KR-AVX13900</b>	
Profile: AVX13	OEM: 0006590250
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Self Propelled Forager JAGUAR 680-675, 690-685, 695-685SL
Outside Length: 900mm	
	

<b>KR-AVX131250</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: Combine Harvester DOMINATOR 68
Outside Length: 1250mm	
	

<b>KR-AVX131300</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for: Combine Harvester DOMINATOR 38, 58-48, 96
Outside Length: 1300mm	
	

<b>KR-AVX131325</b>	
Profile: AVX13	OEM: 0001336301
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Combine Harvester COMMANDOR 114, 115, 228-116, DOMINATOR 68, 78, 88, 98, 118-108, MEGA 202, 204-203, Self Propelled Forager JAGUAR 675, 680, 680-675, 685, 685SL, 690, 690SL, 690-685, 695SL, 695-685SL
Outside Length: 1325mm	
	


<b>KR-AVX131375</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: Combine Harvester DOMINATOR 86
Outside Length: 1375mm	
	


<b>KR-AVX131500</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1482mm	Suitable for: Combine Harvester LEXION 570
Outside Length: 1500mm	
	


<b>KR-AVX131550</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1532mm	Suitable for: Combine Harvester DOMINATOR 98, 118-108, MEGA 204-203
Outside Length: 1550mm	
	


<b>KR-AVX131575</b>	
Profile: AVX13	OEM: 0005120870
Ribs/Width: 13mm	
Pitch Length: 1557mm	Suitable for: Self Propelled Forager JAGUAR 820, 840, 840-820, 860, 880, 880- 860, 8500
Outside Length: 1575mm	
	

<b>KR-SPA1307</b>	
Profile: SPA	OEM:
Ribs/Width: 12.7mm	
Pitch Length: 1307mm	Suitable for: Combine Harvester DOMINATOR 58-48, 68
Outside Length: 1325mm	
	


<b>KR-VB131300</b>	
Profile: A	OEM:
Ribs/Width: 13mm	
Pitch Length: 1330mm (A51)	Suitable for: Combine Harvester DOMINATOR 58-48, 68, 78, 88, 98
Outside Length: 1350mm	
	


<b>KR-VB131375</b>	
Profile: A	OEM:
Ribs/Width: 13mm	
Pitch Length: 1405mm (A54)	Suitable for: Combine Harvester DOMINATOR 68, MEDION 330-310
Outside Length: 1425mm	
	


<b>KR-VB131550</b>	
Profile: A	OEM:
Ribs/Width: 13mm	
Pitch Length: 1580mm (A61)	Suitable for: Combine Harvester COMMANDOR 228-116, DOMINATOR 128-108, LEXION 570, MEGA 204-203, 218-208
Outside Length: 1612mm	
	


<b>KR-VB171275</b>	
Profile: B	OEM:
Ribs/Width: 17mm	
Pitch Length: 1315mm (B50)	Suitable for: Combine Harvester DOMINATOR 118-108
Outside Length: 1344mm	
	


<b>KR-VB171400</b>	
Profile: B	OEM: 0007501932
Ribs/Width: 17mm	
Pitch Length: 1440mm (B55)	Suitable for: Self Propelled Forager JAGUAR 680-675, 690-685, 695-685SL
Outside Length: 1469mm	
	


<b>KR-VB172800</b>	
Profile: B	OEM:
Ribs/Width: 17mm	
Pitch Length: 2840mm (B110)	Suitable for: Combine Harvester COMMANDOR 228-116
Outside Length: 2869mm	
	


<b>KR-VPE6318</b>	
Profile:	OEM: 7700062485
Ribs/Width: 8	
Pitch Length:	Suitable for: CELTIS 426, 436, 446, 456
Outside Length: 2710mm	
	

KR-VPE6334	
Profile: PK	OEM: 7700050644
Ribs/Width: 8	
Pitch Length:	Suitable for:
Outside Length: 2515mm	ARES 725, 735, 815, 825, 836
	

KR-VPE6349	
Profile:	OEM: 0011035850
Ribs/Width: 8	
Pitch Length:	Suitable for:
Outside Length: 2580mm	ARION 510, 520, 530, 540, 610, 620, 630, 640, AXION 810, 820, 830, 840, 850
	

KR-VPE6358	
Profile:	OEM: 7700066735
Ribs/Width: 8	
Pitch Length:	Suitable for:
Outside Length: 2579mm	ARES 616, 656, 696
	


KR-VPE6359	
Profile:	OEM: 7700068536
Ribs/Width: 8	
Pitch Length:	Suitable for:
Outside Length: 1610mm	ARES 616, 656, 696
	


KR-VPE6360	
Profile:	OEM: 7700071570
Ribs/Width: 8	
Pitch Length:	Suitable for:
Outside Length: 2404mm	ARES 617, 657, 697
	

KR-VPE6429	
	OEM: 0011380740, 0011614340, 6005033245
	Suitable for: ARES 546, 556, 566, 617, 657, 697, 816, 826, 836, CELTIS 426, 436, 446, 456


KR-VPE6434	
	OEM: 7700061630
	Suitable for: ARES 540, 550, 610, 620, 630, 640


# Cummins


<b>KR-8PK1460</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1460mm	
Suitable for: 6T-590	
	

<b>KR-8PK1500</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1500mm	
Suitable for: 4TA-390, 6-590, 6T-590	
	

<b>KR-AVX131000</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 982mm	
Outside Length: 1000mm	Suitable for: 6T-590
	

<b>KR-VPE6170</b>	
Profile: AV13	OEM:
Ribs/Width: 13mm	
Pitch Length:	
Outside Length: 1015mm	Suitable for: 4TA-390, 6-590, 6T-590
	

<b>KR-BTK2722</b>	
	OEM:
	Suitable for: 4TA-390, 6-590, 6T-590, 6T-830, 6TA-830, 6TAA-830

<b>KR-VPE3750</b>	
	OEM: 3914086
	Suitable for: 4TA-390, 6-590, 6T-590, 6T-830, 6TA-830, 6TAA-830

# David Brown

KR-AVX101075	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1060mm	Suitable for: 950, 990, 995, 996, 1210, 1212, 1410, 1412
Outside Length: 1075mm	
	

KR-AVX101175	
Profile: AVX10	OEM: K68073,
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 990, 995, 996, 1200, 1210, 1212, 1290, 1294, 1390, 1394, 1490, 1494
Outside Length: 1175mm	
	



# Deutz-Fahr

KR-AVX10975	
Profile: AVX10	OEM: 01179777
Ribs/Width: 10mm	
Pitch Length: 960mm	Suitable for: AGROTRON 230MK2, 230MK3, 260MK2, 260MK3, DX230, 250
Outside Length: 975mm	
	

KR-AVX101075	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1060mm	Suitable for: Engine BF6L913, Tractor DX140, 160, DX6.50
Outside Length: 1075mm	
	

KR-AVX101140	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 55, 210, 220, 230, AGROKID 35, 45
Outside Length: 1140mm	
	

KR-AVX101150	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1132mm	Suitable for: 2506
Outside Length: 1150mm	
	

KR-AVX101175	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: Engine BF6L913, F2L912, F6L913, Tractor 2506, 2807, 3006, 3607, AGROPRIMA 6.16, AGROSTAR 6.61, DX140, 145, 160, 180, DX6.50, DX7.10, INTRAC 6.60
Outside Length: 1175mm	
	

KR-AVX101200	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: AGROPLUS 70, 80
Outside Length: 1200mm	
	

KR-AVX101350	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: AGROSTAR TG6.71, 6.81, DX110, DX120
Outside Length: 1350mm	
	

KR-AVX101475	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1460mm	Suitable for: 6007C, 6507C, 7007C, 7207C, 7807C, AGROCOMPACT 3.30, 3.50, 3.70, 3.90
Outside Length: 1475mm	
	

<b>KR-AVX101500</b>	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: Engine F3L912, F3L913, F4L912, F4L913, Tractor 4006, 4007, 4506, 4507, 4807, 5006, 5206, 5207, 5506, 6006, 6007, 6206, 6207, 6507, 6806, 6807, 6907, 7006, 7007, 7206, 7207, 7807, AGROPLUS 60, DX3.60, 3.65, 3.70, 3.90, DX4.10, DX80
Outside Length: 1500mm	
	


<b>KR-AVX101525</b>	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 7506, 9006, AGROPRIMA 4.31, DX3.50, 3.60, 3.65, 3.70, 3.90, DX4.30
Outside Length: 1525mm	
	

<b>KR-AVX101550</b>	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1535mm	Suitable for: Engine F3L912, F3L913, F4L912, F4L913, F5L912, F6L912, F6L913, Tractor 8006, 10006, AGROPRIMA 4.31, AGROXTRA 3.57, 4.07, 4.17, DX85, 90, 110, 120, DX3.10, 3.30, 3.5, 3.60, 3.65, 3.70, 3.80, 3.90, DX4.10, 4.17, 4.30, DX6.10, 6.30
Outside Length: 1550mm	
	

<b>KR-AVX101575</b>	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: DX4.50, 4.70, DX6.05, 6.10, 6.30, DX86, 92, INTRAC 6.30
Outside Length: 1575mm	
	

<b>KR-AVX13875</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: AGROSTAR 6.60, DX230
Outside Length: 875mm	
	

<b>KR-AVX13900</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 6007, 6507, 6907, 7007, 7207, 7807, AGROSTAR 6.61, DX85, 90, 110, 120, 140, 145, 160, DX6.10, 6.30, 6.50, 7.10, INTRAC 6.30, 6.60
Outside Length: 900mm	
	

<b>KR-AVX13950</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: AGROTRON K430, K610
Outside Length: 950mm	
	

<b>KR-AVX131000</b>	
Profile: AVX13	OEM: 01180848, 04452801
Ribs/Width: 13mm	
Pitch Length: 982mm	Suitable for: AGROSTAR FREISICHT 4.68, 4.78, 6.08, 6.28, 6.38, AGROTRON 108 NEW, 118 NEW, 120 NEW, 128 NEW, 130 NEW, 150 NEW, 210 NEW, 215NEW 230MK2, 230MK3, 235 NEW, 260MK2, 260MK3, 265, AGROTRON K430, K610, AGROTRON M600, M610, M620, AGROXTRA 4.47, 4.57, 6.07, 6.17
Outside Length: 1000mm	
	

<b>KR-AVX131025</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1007mm	Suitable for: 6807, 7007, 7207, 7807, AGROPRIMA 4.31, 4.51, 4.56, 6.06, 6.16, AGROSTAR 4.61, 4.71, 6.11, 6.21, 6.31, 6.61, AGROSTAR FREISICHT 4.68, 4.78, 6.08, 6.28, 6.38, AGROXTRA 4.07, 4.17, 4.47, 4.57, 6.07, 6.17
Outside Length: 1025mm	
	

<b>KR-AVX131050</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1032mm	Suitable for: AGROXTRA 4.07, 4.17, M640
Outside Length: 1050mm	
	

<b>KR-AVX131075</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1057mm	Suitable for: Combine Harvester 5670, 5680, 5690, Tractor D40
Outside Length: 1075mm	
	

<b>KR-AVX131100</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1082mm	Suitable for: AGROTRON L720
Outside Length: 1100mm	
	

<b>KR-AVX131150</b>	
Profile: AVX13	OEM: 01181076
Ribs/Width: 13mm	
Pitch Length: 1132mm	Suitable for: AGROTRON 80, 80MK3, 90, 90MK3, 100 NEW, 100MK3, 105 NEW, 105MK3, 110 NEW, 110MK3, AGROTRON K100, K110, D40
Outside Length: 1150mm	
	


<b>KR-AVX131175</b>	
Profile: AVX13	OEM: 01181076
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: 410, 420, 430, 6160 AGROTRON P- CSHIFT, AGROFARM 85, 100, 410, 420, 430, TTV420, TTV430, AGROTRON 80, 80MK3, 85MK3, 90, 90MK3, 100MK3, 105MK2, 105MK3, 106, 106MK3, 110 NEW, 110MK3, 115MK2, 115MK3, 210 NEW, 215 NEW, 230MK2, 230MK3, 235 NEW, 260MK2, 260MK3, 265, AGROTRON K90, K100, K110, K120, K410, K420
Outside Length: 1175mm	
	

<b>KR-AVX131200</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1182mm	Suitable for: AGROTRON 80, 85, 100MK2, 105MK2, 106, 110MK2, 115MK2, 4.70, 4.80, 4.85, 4.90, 4.95, 6.00, 6.01, 6.05, 6.15
Outside Length: 1200mm	
	

<b>KR-AVX131275</b>	
Profile: AVX13	OEM: 01180350,
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: AGROTRON 100MK2, 120MK2, 120MK3, 130 NEW, 135MK2, 135MK3, 140 NEW, 150.7 NEW, 150MK2, 150MK3, 155 NEW, 160MK2, 160MK3, 165 NEW, 165.7 NEW, 165MK3, 175MK2, 175MK3, 180.7, 195, 200MK2, 200MK3, 205MK3, AGROTRON 6.20, 6.30, 6.45, AGROTRON TTV1130, 1145, 1160
Outside Length: 1275mm	
	

<b>KR-AVX131285</b>	
Profile: AVX13	OEM: 241191770, 2.4119.177.0
Ribs/Width: 13mm	
Pitch Length: 1267mm	Suitable for: 70F3, AGROCOMPACT 70F3, AGROPLUS F70, F75, S70, S75, F70F3, F75, S70, S75, S90, S100
Outside Length: 1285mm	
	

<b>KR-AVX131300</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for: AGROPLUS 75, AGROTRON 80MK3, 85MK3, 90MK3, 100MK2, 100MK3, 105MK2, AGROTRON 4.70, 4.80, 4.85, 4.90, 4.95, 6.01, DX250
Outside Length: 1300mm	
	

<b>KR-AVX131350</b>	
Profile: AVX13	OEM: 241191820, 2.4119.182.0
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: 6120.4, 6130.4, 6135G, 6140, 6140.4, 6150.4, 6155G, 6160.4, 6175G, 6185G, 6205G, 7230TTV, 7250TTV, AGROTRON M410, 420, 610, 615, 625, 640, 650, AGROTRON TTV410, 420, 430, 610, 620, 630, DX230
Outside Length: 1350mm	
	

<b>KR-AVX131375</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: AGROSTAR 6.61
Outside Length: 1375mm	
	

<b>KR-AVX131400</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: DX3.10, 3.30, 3.50, 3.60, 3.65, 3.80
Outside Length: 1400mm	
	

<b>KR-AVX131425</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: AGROPRIMA 4.31, 4.51, 4.56, 6.06, 6.16, DX3.70, 3.90
Outside Length: 1425mm	
	

<b>KR-AVX131450</b>	
Profile: AVX13	OEM: 241190990, 2.4119.099.0
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: 110, 130, 150, AGROSTAR 4.61, 4.71, 6.11, 6.21, 6.31, AGROTRAC 110, 115, 115.6, 125, 130, 150, 170, 610, 620, DX4.10, 4.30, 4.50, 4.70, 6.05, DX80, 86, 92
Outside Length: 1450mm	
	

<b>KR-AVX131475</b>	
Profile: AVX13	OEM: 000709670, 0.007.0967.0
Ribs/Width: 13mm	
Pitch Length: 1457mm	Suitable for: 110, 130, 150, 410, 420, 430, AGROFARM 85, 100, AGROPLUS 75, 77, 85, 95, 100, AGROTRAC 110, 115, 115.6, 125, 130, 150, 170, 610, 620
Outside Length: 1475mm	
	


<b>KR-AVX131500</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1482mm	Suitable for: D40
Outside Length: 1500mm	
	

<b>KR-AVX131525</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: AGROPLUS 75, AGROTRON 100MK2, 105MK2, 105MK3, 106, 110MK2, 115MK2, AGROTRON 4.70, 4.80, 4.85, 4.90, 4.95, 6.00, 6.01, 6.05, 6.15, AGROTRON 80, 85
Outside Length: 1525mm	
	

<b>KR-AVX131550</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1532mm	Suitable for: AGROSTAR TG6.71, 6.81, AGROTRON 80MK3, 85MK3, 90MK3, 100MK3, 106MK3, 110MK3, 115MK3, DX3.60
Outside Length: 1550mm	
	

<b>KR-AVX131600</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1582mm	Suitable for: AGROTRON 120MK2, 120MK3, 130 NEW, 135MK2, 135MK3, 140 NEW, 150.7 NEW, 150MK2, 150MK3, 155 NEW, 160MK2, 160MK3, 165 NEW, 165.7 NEW, 165MK3, 175MK2, 175MK3, 180.7, 200MK2, 200MK3, AGROTRON 6.20, 6.30, 6.45, DX4.70, TTV1130, 1145, 1160
Outside Length: 1600mm	
	

<b>KR-AVX131625</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1607mm	Suitable for: TTV1130, 1145, 1160
Outside Length: 1625mm	
	

<b>KR-X696623200000AB</b>	
Profile: AVX13	OEM: 04325382
Ribs/Width:	
Pitch Length:	Suitable for: DX7.10, INTRAC 6.30, 6.60
Outside Length:	
	

# Fendt

## KR-AVX101175

Profile: AVX10	OEM: OEM
Ribs/Width: 10mm	OEM
Pitch Length:	Suitable for:
Outside Length: 1175mm	F345GT, F350GT, F360GT, F365GTA, F370GT, F380GT, F390GTA, F395GTA, FARMER 5S/106, GF370GT, GT345GT, GT350GT, GT360GT
	

## KR-AVX101200

Profile: AVX10	OEM: OEM
Ribs/Width: 10mm	OEM
Pitch Length:	Suitable for:
Outside Length: 1200mm	FARMER 102, 103, 104, 105, 108, FARMER 207, 208, 209, FARMER 5S/106
	

## KR-AVX101275

Profile: AVX10	OEM: OEM
Ribs/Width: 10mm	OEM
Pitch Length: 1260mm	Suitable for:
Outside Length: 1275mm	F231GTW, FARMER 303, 304, 308, 310, 311
	

## KR-AVX101325

Profile: AVX10	OEM: OEM
Ribs/Width: 10mm	OEM
Pitch Length:	Suitable for:
Outside Length: 1325mm	FARMER 304, 305, 306, 307, 308, 309, 312, FAVORIT 509, 512
	

## KR-AVX101350

Profile: AVX10	OEM: OEM
Ribs/Width: 10mm	OEM
Pitch Length: 1335mm	Suitable for:
Outside Length: 1350mm	F370GT, F380GT, F390GTA, F395GTA, FARMER 309, 312, FAVORIT 509, 511, 512, 514, GF370GT
	

## KR-AVX101450

Profile: AVX10	OEM: OEM
Ribs/Width: 10mm	OEM
Pitch Length:	Suitable for:
Outside Length: 1450mm	FAVORIT 611, 612, 614, 615
	

## KR-AVX101475

Profile: AVX10	OEM: OEM
Ribs/Width: 10mm	OEM
Pitch Length: 1460mm	Suitable for:
Outside Length: 1475mm	FARMER 200, 203, 204, 240, 250, 260, 270, 275, 280, FAVORIT 610, 611, 612, 614, 615
	


## KR-AVX101500

Profile: AVX10	OEM: OEM
Ribs/Width: 10mm	OEM
Pitch Length:	Suitable for:
Outside Length: 1500mm	FARMER 200, 204
	

<b>KR-AVX13875</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: F390GTA, F395GTA, FARMER 312, GF370GT, GT370GT, GT390GT, GT395GT
Outside Length: 875mm	
	

<b>KR-AVX13900</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: FARMER 304, 305, 306, 307, 308, 310, 311, 312, FAVORIT 509, 511, 512, 514, 515
Outside Length: 900mm	
	

<b>KR-AVX13918</b>	
Profile: AVX13	OEM: X696623300000
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 207, 208, 209, 210, 211, 916, 920, 924, 926, 930, FAVORIT 611, 612, 614, 615, FAVORIT 816, 818, 822, 824, FAVORIT 916, 920, 924, 926
Outside Length: 918mm	
	


<b>KR-AVX13975</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 957mm	Suitable for: FAVORIT 816, 818, 822, 824
Outside Length: 975mm	
	

<b>KR-AVX131025</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1007mm	Suitable for: FARMER 409, 410, 411, 412, FAVORIT 514, 515
Outside Length: 1025mm	
	

<b>KR-AVX131040</b>	
Profile: AVX13	OEM: X696624100000
Ribs/Width: 13mm	
Pitch Length: 1022mm	Suitable for: 309, 310, 311, 312, 313, 411, 412, 413, 414, 415, 512, 513, 514, 516, 711, 712, 714, 716, 718, 720, 722, 724, 815, 817, 818, 820, FARMER 409, 410, 411, 412, FAVORIT 711, 712, 714, 716
Outside Length: 1040mm	
	

<b>KR-AVX131050</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1032mm	Suitable for: FARMER 409, 410, 411, 412, FAVORIT 711, 712, 714, 716
Outside Length: 1050mm	
	

<b>KR-AVX131100</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1082mm	Suitable for: FARMER 304, 305, 306, 307, 308, 309, 310, 311
Outside Length: 1100mm	
	

<b>KR-AVX131125</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1107mm	Suitable for: FARMER 304
Outside Length: 1125mm	
	


<b>KR-AVX131150</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1132mm	Suitable for: FARMER 206, 207, 208, 209, FARMER 304, 305, 306, 307, 308, 309
Outside Length: 1150mm	
	

<b>KR-AVX131175</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: FARMER 308, 309, 312
Outside Length: 1175mm	
	

<b>KR-AVX131200</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1182mm	Suitable for: FAVORIT 509, 511, 512, 514
Outside Length: 1200mm	
	


<b>KR-AVX131225</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1207mm	Suitable for: FARMER 102, 103, 104, 105, 108, FARMER 240, 250, 260, 270, 275, 280, FARMER 5S/106
Outside Length: 1225mm	
	

<b>KR-AVX131300</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for: FARMER 304, 308, 309
Outside Length: 1300mm	
	

<b>KR-AVX131350</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: FARMER 240, 250, 260, 270, 275, 280
Outside Length: 1350mm	
	

<b>KR-AVX131400</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: FARMER 307, 308, 309
Outside Length: 1400mm	
	

<b>KR-AVX131450</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: FAVORIT 626
Outside Length: 1450mm	
	

<b>KR-VPE6239</b>	
Profile: PK	OEM: F716200040020
Ribs/Width: 8	
Pitch Length:	Suitable for: FARMER 409, 410, 411, 412, FAVORIT 711, 712, 714, 716
Outside Length: 1700mm	
	

# Fiat

KR-AVX101125	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 466, 566, 666
Outside Length: 1125mm	
	

KR-AVX101140	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 500, 550, 1000
Outside Length: 1140mm	
	

KR-AVX101150	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1132mm	Suitable for: 400, 450, 480, 540, 600, 640, 880/5, 980, 1180, 1280, 1380
Outside Length: 1150mm	
	

KR-AVX101175	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 580, 680, 780, 45/66, 45/76, 50/66, 50/86, 55/66, 55/76, 55/86, 55/88, 55/90, 60/66, 60/76, 60/86, 60/90, 60/93, 60/94, 62/86, 65/66, 65/88, 65/90, 65/93, 65/94, 70/66, 70/76, 70/86, 70/88, 70/90, 72/86, 72/93, 72/94, 80/66, 80/76, 80/88, 80/90, 82/86, 82/93, 82/94, 85/90, 88/94, 90/90, 100/90, 110/90, 115/90, 130/90, 140/90
Outside Length: 1175mm	
	

KR-AVX101350	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: 1580, 1880, 160/90, 180/90,
Outside Length: 1350mm	
	

KR-AVX131325	
Profile: AVX13	OEM: 2614B654
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 650, 750, 850
Outside Length: 1325mm	
	


KR-AVX131375	
Profile: AVX13	OEM: 1909636,
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: 1300
Outside Length: 1375mm	
	

KR-VPE6210	
Profile: AV10	OEM: 5125884, 5140009
Ribs/Width: 10mm	
Pitch Length:	Suitable for: L60, 65, 75, 85, 95
Outside Length: 1015mm	
	



KR-VPE6315	
Profile:	OEM: 87801838, 87840057
Ribs/Width:	
Pitch Length:	Suitable for: M100, 115, 135, 160
Outside Length:	
	

# Ford

KR-6PK2550	
Profile: PK	OEM:
Ribs/Width: 6	
Pitch Length: 2550mm	
Outside Length:	
	
<b>Suitable for:</b> Engine POWERSTAR 4.4, 5.0, 5.0T, 6.6, 7.5, 7.5T, Tractor 5640, 6640, 7740, 7840, 8240, 8340	

KR-82850751AB	
Profile:	OEM: 82850751
Ribs/Width:	
Pitch Length:	
Outside Length:	
	
<b>Suitable for:</b> Engine POWERSTAR 4.4, 5.0, 5.0T, Tractor 5640, 6640	

KR-AVX101125	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	
Outside Length: 1125mm	
	
<b>Suitable for:</b> 3435, 3935, 4135	

KR-AVX13800	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 782mm	
Outside Length: 800mm	
	
<b>Suitable for:</b> 5110, 5610, 6410, 6610, 6710, 6810, 7610, 7710	

KR-AVX131150	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1132mm	
Outside Length: 1150mm	
	
<b>Suitable for:</b> 7810	

KR-AVX131175	
Profile: AVX13	OEM: 80443634
Ribs/Width: 13mm	
Pitch Length: 1157mm	
Outside Length: 1175mm	
	
<b>Suitable for:</b> 5600, 6600, 6700, 7600, 7700	


KR-AVX131375	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	
Outside Length: 1375mm	
	
<b>Suitable for:</b> 2000, 3000, 4000, 5000, 7000, 9000, DEXTA, SUPER DEXTA	


KR-AVX131400	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1382mm	
Outside Length: 1400mm	
	
<b>Suitable for:</b> Engine BSD326, 329, 330, 332, 333, 438, 442, 442T, 444, 444T, 666, GENESIS 4.4, 5.0T, 6.6, Tractor 764, 774, 964, 974, 1164, 2310, 2600, 2610, 2810, 2910, 3230, 3430, 3600, 3610, 3900, 3910, 4100, 4110, 4130, 4600, 4610, 4630, 5030, 5110, 5600, 5610, 5610S, 5700, 5900, 6410, 6600, 6610, 6610S, 6700, 6710, 6810, 6810S, 7410, 7600, 7610, 7610S, 7700, 7710, 7810, 7810S, 7910, 8000, 8200, 8210, 8600	


<b>KR-AVX131425</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Engine BSD442, 444, 444T, GENESIS 4.4, 5.0T, 6.6, Tractor 4830, 5030, 5610, 5610S, 6610, 6610S, 6710, 6810S, 7610, 7610S, 7710, 7810S, 8530, 8630, 8730, 8830
Outside Length: 1425mm	
	

<b>KR-AVX131450</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: 7910, 8210, 8530, 8630, 8730, 8830, 9000, TW10, TW20, TW30
Outside Length: 1450mm	
	

<b>KR-AVX131475</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1457mm	Suitable for: 7910, 8210, 8600, 9700, TW5, TW10, TW15, TW20, TW25, TW30, TW35
Outside Length: 1475mm	
	

<b>KR-VPE6007</b>	
Profile: SPA	OEM: 81805736, 81827336, C5NE8620B, C9NN10C318B
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Engine BSD326, 329, 333, 442, 666, Tractor 654, 754, 2000, 3000, 3055, 4000, 5000, 8000, 8200, 8600
Outside Length: 1400mm	
	

<b>KR-VPE6016</b>	
Profile: AV13	OEM: 83904815, 86514616, D5NN10C318C
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Engine BSD438, 442, 442T, 444, 444T, Tractor 5110, 5610, 5700, 5900, 6410, 6600, 6610, 6700, 6710, 6810, 7410, 7600, 7610, 7700, 7710
Outside Length: 765mm	
	


<b>KR-VPE6340</b>	
Profile: PK	OEM: 87316556
Ribs/Width: 6	
Pitch Length: 2217mm	Suitable for: Engine POWERSTAR 5.0, 5.0T, Tractor 6640, 7740, 7840, 8240, 8340
Outside Length:	
	

<b>KR-VPE6299</b>	
Inner Diameter: 17.0mm	OEM: 83995241, 84412927, F0NN8A618AA
Outer Diameter: 79.2mm	
Width: 25.7mm	Suitable for: Engine POWERSTAR 4.4, 5.0, 5.0T, 6.6, 7.5, 7.5T, Tractor 5640, 6640, 7740, 7840, 8240, 8340
	

<b>KR-VPE6300</b>	
Inner Diameter: 17.0mm	OEM: 81871906
Outer Diameter: 110.0mm	
Width: 27.2mm	Suitable for: Engine POWERSTAR 4.4, 5.0, 5.0T, 6.6, 7.5, 7.5T, Tractor 5640, 6640, 7740, 7840, 8240, 8340,
	


<b>KR-VPE6302</b>	
Inner Diameter: 17.0mm	OEM: 87801102
Outer Diameter: 75.8mm	
Width: 28.0mm	Suitable for: Engine POWERSTAR 4.4, 5.0, 5.0T, 6.6, 7.5, 7.5T Tractor 5640, 6640, 7740, 7840, 8240, 8340
	

<b>KR-534069510</b>	
Profile:	OEM: 87801689
Ribs/Width:	
Pitch Length:	Suitable for: 5640, 6640, 7740, 8240, 8340
Outside Length:	
	

KR-BTK2721	
Profile:	OEM:
Ribs/Width:	
Pitch Length:	Suitable for: Engine POWERSTAR 7.5, 7.5T, 7.5TI
Outside Length:	
	

KR-VPE6315	
Profile:	OEM: 87801838, 87840057
Ribs/Width:	
Pitch Length:	Suitable for: Engine POWERSTAR 7.5, 7.5T, 7.5TI
Outside Length:	
	

# FPT

KR-VPE6336	
Profile:	OEM:
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	Engine F4DFE613B*A004, F4DFE613C*A005, F4DFE613K*B006, F4DFE613K*B008, F4DFE613M*B003, F4DFE613N*B006, NEF6.7TI
	

# Hurlimann


KR-AVX101140	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: PRINCE 35, 45, 55
Outside Length: 1140mm	
	

KR-AVX101200	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: H356, H358
Outside Length: 1200mm	
	

KR-AVX101350	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: H345, H351, H365, H372, H375
Outside Length: 1350mm	
	

KR-AVX101500	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: H496 TURBO
Outside Length: 1500mm	
	

KR-AVX13918	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: H361, H6165, H6190
Outside Length: 918mm	
	

KR-AVX13950	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: XM115, 125
Outside Length: 950mm	
	

KR-AVX131000	
Profile: AVX13	OEM: 04452801
Ribs/Width: 13mm	
Pitch Length: 982mm	Suitable for: H496 TURBO, H5110 TURBO, H5116 TURBO, H6160 TURBO, XL130, 140, 150, 160, XM115, 125
Outside Length: 1000mm	
	

KR-AVX131150	
Profile: AVX13	OEM: 01181076
Ribs/Width: 13mm	
Pitch Length: 1132mm	Suitable for: XM100, 110
Outside Length: 1150mm	
	

KR-AVX131175	
Profile: AVX13	OEM: 01181076
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: SX1200, 1350, 1500, 1600, 1800, 2000, XB MAX 85, 100, 110, XM90, 100, 110, 120
Outside Length: 1175mm	
	


KR-AVX131225	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1207mm	Suitable for: XF70, 75, 90, 100, XS70, 75, 90, 100
Outside Length: 1225mm	
	

KR-AVX131250	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: H358, H468, H478, H488, XA606, 607, 655, 656, 657, 658, XF55, 70, 75, 90, 100, XS90, 100, XT908, 909, 910.4
Outside Length: 1250mm	
	

KR-AVX131275	
Profile: AVX13	OEM: 01180350
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: XL150.7, 165.7, 180.7
Outside Length: 1275mm	
	

KR-AVX131285	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1267mm	Suitable for: XF70, 75, XS70, 75
Outside Length: 1285mm	
	

KR-AVX131300	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for: H305, H306
Outside Length: 1300mm	
	

KR-AVX131350	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: H307, H356, H358, H466, H468, H468.4, H476, H478, H478.4, H486 TURBO, H488 TURBO, XL175, 185
Outside Length: 1350mm	
	

KR-AVX131375	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: H55, H70, H75, H90, H100, H358, H468, H476, H478, H481, H486 TURBO, H488 TURBO, H491, H4105
Outside Length: 1375mm	
	

KR-AVX131400	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: H358, H468, H478, H488 TURBO, XA606, 607, 655, 656, 657, 658, XT908, 909, 910.4
Outside Length: 1400mm	
	

KR-AVX131450	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: H6115, H6135, H6165, H6190, XT105, 115, 130, 910.6, 911, 913
Outside Length: 1450mm	
	

KR-AVX131475	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1457mm	Suitable for: H6115, H6135, H6165, H6190, XB MAX 85, 100, 110, XT105, 115, 130, 910.6, 911, 913
Outside Length: 1475mm	
	


KR-AVX131600	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1582mm	Suitable for: XL150.7, 165.7, 180.7
Outside Length: 1600mm	
	

KR-AVX131625	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1607mm	Suitable for: H6170 TURBO
Outside Length: 1625mm	
	





KR-VPE6210	
Profile: AV10	OEM: 5125884, 5140009
Ribs/Width: 10mm	
Pitch Length:	Suitable for:
Outside Length: 1015mm	Engine 8035.05, 8035.06, 8035.25, 8045.05, 8045.06, 8045.25
	


# John Deere


<b>KR-6PK1700</b>	
Profile: PK	OEM:
Ribs/Width: 6	
Pitch Length: 1700mm	
	Suitable for: 6100


<b>KR-6PK1740</b>	
Profile: PK	OEM: L111148
Ribs/Width: 6	
Pitch Length: 1740mm	
	Suitable for: 6100, 6200, 6300, 6400


<b>KR-8PK1500</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1500mm	
	Suitable for: Combine Harvester 2254


<b>KR-8PK1740</b>	
Profile: PK	OEM: L111685,
Ribs/Width: 8	
Pitch Length: 1740mm	
	Suitable for: 6100, 6200, 6300, 6400


<b>KR-8PK1900</b>	
Profile: PK	OEM: L114487
Ribs/Width: 8	
Pitch Length: 1900mm	
	Suitable for: 6810, 6910, 6910S


<b>KR-8PK1910</b>	
Profile: PK	OEM: L153280
Ribs/Width: 8	
Pitch Length: 1910mm	
	Suitable for: Engine 4045, 6068, Tractor 5100M, 6330, 6430, 6820, 6830, 6920, 6930, 7330, 7420, 7425, 7430, 7520, 7525, 7530


<b>KR-8PK1915</b>	
Profile: PK	OEM: L114488
Ribs/Width: 8	
Pitch Length: 1915mm	
	Suitable for: Engine 4045, 6068, Tractor 5090M, 6130, 6230, 6505, 6510, 6520, 6530, 6534, 6610, 6620, 6630, 7130, 7220, 7230, 7320, SE6510, SE6520, SE6610, SE6620, SE6920


<b>KR-8PK1930</b>	
Profile: PK	OEM: L114489
Ribs/Width: 8	
Pitch Length: 1930mm	
	Suitable for: Engine 4045, Tractor 5070, 5080, 5090, 5100, 5620, 5720, 5820, 6010, 6020, 6110, 6120, 6205, 6210, 6220, 6310, 6320, 6410, 6420, SE6010, SE6020, SE6110, SE6120, SE6210, SE6220, SE6310, SE6320, SE6410, SE6420


<b>KR-8PK2145</b>	
Profile: PK	OEM: L115661
Ribs/Width: 8	
Pitch Length: 2145mm	Suitable for: 6100, 6200, 6300, 6400, 6506, 6600, 6800, 6900, SE6100, SE6200, SE6300, SE6400
	


<b>KR-8PK2155</b>	
Profile: PK	OEM: L110603
Ribs/Width: 8	
Pitch Length: 2155mm	Suitable for: Forage Harvester 7400, 7500, 7700, Tractor 6100, 6200, 6300, 6400, 6506, 6600
	


<b>KR-8PK2200</b>	
Profile: PK	OEM: L101411
Ribs/Width: 8	
Pitch Length: 2200mm	Suitable for: 6100, 6300, 6800, 6900
	


<b>KR-8PK2205</b>	
Profile: PK	OEM: L110605
Ribs/Width: 8	
Pitch Length: 2205mm	Suitable for: Engine 4039, 4045, 6059, Tractor 6200, 6400, 6500, 6506, 6600, SE6100, SE6200, SE6300, SE6400
	


<b>KR-8PK2211</b>	
Profile: PK	OEM: L110391
Ribs/Width: 8	
Pitch Length: 2211mm	Suitable for: Engine 4039, 4045, Tractor 6100, 6300, SE6100, SE6200, SE6300, SE6400
	


<b>KR-8PK2225</b>	
Profile: PK	OEM: L111170
Ribs/Width: 8	
Pitch Length: 2225mm	Suitable for: 6100, 6200, 6300, 6400, 6506, 6600
	


<b>KR-8PK2230</b>	
Profile: PK	OEM: L110606
Ribs/Width: 8	
Pitch Length: 2230mm	Suitable for: 6100, 6300
	


<b>KR-8PK2268</b>	
Profile: PK	OEM: L115657
Ribs/Width: 8	
Pitch Length: 2268mm	Suitable for: 6800, 6900
	

<b>KR-8PK2285</b>	
Profile: PK	OEM: L115658
Ribs/Width: 8	
Pitch Length: 2285mm	Suitable for: 6200, 6400, 6506, 6600, 6800, 6900, SE6100, SE6200, SE6300, SE6400
	

<b>KR-8PK2295</b>	
Profile: PK	OEM: L115659
Ribs/Width: 8	
Pitch Length: 2295mm	Suitable for: 6100, 6200, 6300, 6400, 6506, 6600
	


<b>KR-8PK2315</b>	
Profile: PK	OEM: L110609
Ribs/Width: 8	
Pitch Length: 2315mm	Suitable for: 6100, 6300
	


<b>KR-8PK2353</b>	
Profile: PK	OEM: L111801
Ribs/Width: 8	
Pitch Length: 2353mm	Suitable for: 6430, 6810, 6910, 6910S
	


<b>KR-8PK2380</b>	
Profile: PK	OEM: L114290, L153281
Ribs/Width: 8	
Pitch Length: 2380mm	Suitable for: 5080, 5090, 5100, 5620, 5720, 5820, 6110, 6120, 6130, 6210, 6220, 6230, 6310, 6320, 6330, 6410, 6420, 6430, 6510, 6520, 6530, 6534, 6610, 6620, 6630, 6820, 6830, 6920, 6930, 7430, 7530, SE6010, SE6020, SE6110, SE6120, SE6210, SE6220, SE6310, SE6320, SE6410, SE6420, SE6520, SE6620, SE6920
	

<b>KR-8PK2450</b>	
Profile: PK	OEM: L155538
Ribs/Width: 8	
Pitch Length: 2450mm	Suitable for: 5100M, 6330, 6430, 6820, 6830, 6920, 6930, 7330, 7420, 7520
	

<b>KR-8PK2458</b>	
Profile: PK	OEM: L111600
Ribs/Width: 8	
Pitch Length: 2458mm	Suitable for: Combine Harvester 6700, 6700S, Tractor 5090M, 7230
	

<b>KR-8PK2505</b>	
Profile: PK	OEM: L114292, L153282
Ribs/Width: 8	
Pitch Length: 2505mm	Suitable for: Engine 4045, 6068, Tractor 5100M, 6330, 6430, 6530, 6810, 6820, 6830, 6910, 6910S, 6920, 6920S, 6930
	

<b>KR-8PK2523</b>	
Profile: PK	OEM: L114293
Ribs/Width: 8	
Pitch Length: 2523mm	Suitable for: Forage Harvester 7200, 730, 7400, 7500, Tractor 5070, 5080, 5090, 5620, 5720, 5820, 6010, 6020, 6110, 6120, 6210, 6220, 6320, 6420, 6520, 6530, 6534, 6620, SE6010, SE6020, SE6110, SE6120, SE6210, SE6220, SE6320, SE6420, SE6520, SE6620
	

<b>KR-8PK2585</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 2585mm	Suitable for: 7430, 7700, 7800
	

<b>KR-AVX131175</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: Combine Harvester 330, 430, 530, 630, 930, 940, 950, 952, 960, 970, 1032, 1042, 1052, 1155, 1157, 1158, 2270, 2280, 2420, 9900, 9910
Outside Length: 1175mm	Windrower 2270, 2280, 2420
	

<b>KR-AVX131400</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: Combine Harvester 975 HYDRO/5, 986, 1075 HYDRO/5
Outside Length: 1400mm	
	

<b>KR-AVX131425</b>	
Profile: AVX13	OEM: R79024
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 1425mm	4040S
	

<b>KR-AVX131500</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1482mm	Suitable for:
Outside Length: 1500mm	Combine Harvester 975 HYDRO/5, 985 HYDRO/5, 986, 1075 HYDRO/5, Tractor 3050, 3150, 3350
	

<b>KR-AVX131625</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1607mm	Suitable for:
Outside Length: 1625mm	Combine Harvester 1085, 1085 HYDRO/5, 1178, 1188, 1188 HYDRO/4, 1188 HYDRO/5
	

<b>KR-BX171215</b>	
Profile: BX	OEM:
Ribs/Width: 17mm	
Pitch Length: 1215mm (BX46)	Suitable for:
Outside Length: 1244mm	830, 930, 1030, 1130, 1630, 1830, 2030, 2130
	


<b>KR-BX171390</b>	
Profile: BX	OEM: R87153
Ribs/Width: 17mm	
Pitch Length: 1390mm (BX53)	Suitable for:
Outside Length: 1419mm	Engine 4039, 6329, Tractor 2250, 2450, 2650, 2650N, 2850, 3030, 3130, 5500, 5500N
	


<b>KR-BX171412</b>	
Profile: BX	OEM: R73785, R87154
Ribs/Width: 17mm	
Pitch Length: 1412mm (BX54)	Suitable for:
Outside Length: 1441mm	Engine 4039, 4045, 4239, 6359, Tractor 2250, 2355, 2450, 2555, 2650, 2755, 2850, 2855N, 2940, 3040, 3140, 3200, 3210, 3300, 3310, 3340, 3400, 3410
	


<b>KR-BX171440</b>	
Profile: BX	OEM: R82174
Ribs/Width: 17mm	
Pitch Length: 1440mm (BX55)	Suitable for:
Outside Length: 1469mm	3100, 3110, 3640
	


<b>KR-VB171400</b>	
Profile: B	OEM:
Ribs/Width: 17mm	
Pitch Length: 1440mm (B55)	Suitable for:
Outside Length: 1469mm	Combine Harvester 1066, 1068H, 1072, 1075, 1075 HYDRO/5, 1167, 1169, 1174 HYDRO/5, 1175, 1178
	


<b>KR-VPE6025</b>	
Profile: AB	OEM: T23505
Ribs/Width: 17.5mm	
Pitch Length:	Suitable for:
Outside Length: 1181mm	Engine 3164, 4202, 4219, Tractor 1020, 1120, 1530, 2020, 2120
	


<b>KR-VPE6027</b>	
Profile: AB	OEM: CDX14020A, R73784
Ribs/Width: 17.5mm	
Pitch Length:	Suitable for:
Outside Length: 1340mm	Engine 3029, 3179, 4239, 6303, 6329, Tractor 840, 940, 1040, 1140, 1350, 1550, 1640, 1750, 1840, 1850, 1950, 2040, 2140, 2150, 2155, 2240, 2255, 2355, 3120, 3130, 5103, 5105, 5203, 5205, 5220, 5300, 5303, 5310, 5320, 5400, 5403, 5410
	


<b>KR-VPE6189</b>	
Profile: AB	OEM: R87152
Ribs/Width: 17mm	
Pitch Length:	Suitable for:
Outside Length: 1540mm	Engine 6359, Tractor 3050, 3150, 3350, 3650
	


<b>KR-VPE6295</b>	
Profile: AB	OEM: R87153
Ribs/Width: 17mm	
Pitch Length:	Suitable for:
Outside Length: 1390mm	Engine 3029, 4239, Tractor 2250, 2355, 2450, 2555, 2650, 2755, 2850, 2855, 5303
	


<b>KR-VPE6318</b>	
Profile:	OEM: R128210
Ribs/Width: 8	
Pitch Length:	Suitable for:
Outside Length: 2710mm	Engine 6068, 6081, Tractor 7610, 7710, 7810
	


<b>KR-VPE6334</b>	
Profile: PK	OEM: L114468
Ribs/Width: 8	
Pitch Length:	Suitable for:
Outside Length: 2515mm	Engine 4045, 6068, Tractor 5090M, 5820, 6130, 5230, 6310, 6410, 6510, 6520, 6530, 6610, 6620, 6630, 6810, 6910, SE6310, SE6410, SE6510, SE6610, SE6920
	

<b>KR-VPE6349</b>	
Profile:	OEM:
Ribs/Width: 8	
Pitch Length:	Suitable for:
Outside Length: 2580mm	Engine 4045, 6068
	

<b>KR-VPE6358</b>	
Profile:	OEM:
Ribs/Width: 8	
Pitch Length:	Suitable for:
Outside Length: 2579mm	Engine 6068T
	

<b>KR-VPE6359</b>	
Profile:	OEM:
Ribs/Width: 8	
Pitch Length:	Suitable for:
Outside Length: 1610mm	Engine 6068T
	

<b>KR-VPE6360</b>	
Profile:	OEM:
Ribs/Width: 8	
Pitch Length:	Suitable for:
Outside Length: 2404mm	Engine 6068H
	

<b>KR-X696623200000AB</b>	
Profile: AVX13	OEM: Z48472
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	Forage Harvester 6610, 6710, 6810, 6910
	

<b>KR-532085610</b>	
	OEM: AL157596
	Suitable for: 1104, 5070, 5080, 5090, 5100, 5620, 5720, 5820, 6110, 6120, 6130, 6210, 6215, 6220, 6225, 6230, 6310, 6320, 6330, 6410, 6420, 6425, 6430, 6510, 6520, 6525, 6530, 6534, 6610, 6615, 6620, 6630, 6810, 6820, 6830, 6910, 6910, 6920, 6930, 7130, 7220, 7230, 7320, 7330, 7430, 7530, SE6120, SE6220, SE6320, SE6420, SE6520, SE6620, SE6920, SE7520

<b>KR-535013110</b>	
Profile: PK	OEM: AL166836
Ribs/Width: 8	
Pitch Length: Offset: 7.6mm	<b>Suitable for:</b>
	1654, 1854, 2054, 2104, 5070, 5080, 5090, 5100, 5620, 5720, 5820, 6020, 6090, 6095, 6100, 6105, 6110, 6115, 6120, 6125, 6130, 6135, 6140, 6145, 6150, 6155, 6165, 6170, 6175, 6185, 6190, 6195, 6210, 6215, 6220, 6225, 6230, 6250, 6320, 6325, 6330, 6415, 6420, 6425, 6430, 6515, 6520, 6525, 6530, 6534, 6615, 6620, 6630, 6715, 6820, 6830, 6920, 6930, 6R140, 6R150, 6R165, 6R185, 6R215, 7130, 7220, 7230, 7320, 7420, 7520, SE6020, SE6120, SE6220, SE6320, SE6420, SE6520, SE6620, SE6920

<b>KR-535026110</b>	
Profile: PK	OEM: AL166835
Ribs/Width: 8	
Pitch Length: Offset: 16.0mm	<b>Suitable for:</b>
	6020, 6120, 6215, 6220, 6320, 6415, 6420, 6520, 6615, 6620, 6715, 6820, 6920, 7220, 7320, 7420, 7520, SE6020, SE6120, SE6220, SE6320, SE6420, SE6520, SE6620

<b>KR-VPE6429</b>	
	OEM: RE170084, RE548027
	<b>Suitable for:</b>
	Engine 4045T, 6068, 6081, 6125, Tractor 7185, 7205, 7710, 7715, 7720, 7810, 7815, 7820, 7920, 8120, 8120T, 8220, 8220T, 8320, 8320T, 8420, 8420T, 8520, 8520T, 9220, 9300T, 9320, 9320T, 9400T, 9420, 9420T, 9520, 9520T, 9620, 9620T

<b>KR-VPE6432</b>	
	OEM: AL110621
	<b>Suitable for:</b>
	Engine 4039, 4045, 6059, 6068, Tractor 6100, 6200, 6300, 6400, 6500, 6600, 6800, 6900, SE6100, SE6200, SE6300, SE6400

<b>KR-VPE6433</b>	
	OEM: AL156090
	<b>Suitable for:</b>
	Engine 4045, 6068, Tractor 1654, 1854, 2054, 2104, 5620, 5720, 5820, 6020, 6120, 6130, 6220, 6230, 6320, 6330, 6420, 6430, 6520, 6530, 6534, 6620, 6630, 6820, 6830, 6920, 6930, 7130, 7220, 7230, 7320, 7330, 7420, 7425, 7430, 7520, 7525, 7530, SE6020, SE6120, SE6220, SE6320, SE6420, SE6520, SE6620

<b>KR-VPE6434</b>	
	OEM: AL111330
	<b>Suitable for:</b>
	Engine 4039, 4045, 6059, 6068, Tractor 6100, 6200, 6300, 6400, 6500, 6600, 6800, 6900, SE6100, SE6200, SE6300, SE6400

# Kubota

## KR-AVX131075

Profile: AVX13	OEM: 1546997010, 15469-97010
Ribs/Width: 13mm	
Pitch Length: 1057mm	<b>Suitable for:</b> Mini Excavator KX101-3A, KX101-3A2, KX121-2
Outside Length: 1075mm	
	Tractor L1421, L2421, L2850, L3250, L3430, L3540, L3600, L3830, L4200, L4240, L4630, L5030, ST30, STV32, 36, 40

## KR-AVX131100

Profile: AVX13	OEM: 1519697010, 15196-97010
Ribs/Width: 13mm	
Pitch Length: 1082mm	<b>Suitable for:</b> Mini Excavator U45
Outside Length: 1100mm	
	Tractor L2850, ME5700



# Lamborghini

## KR-AVX10975

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 960mm	Suitable for: VICTORY 230, 260
Outside Length: 975mm	



## KR-AVX101140

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: R1.35, R1.45, R1.55
Outside Length: 1140mm	



## KR-AVX101200

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: AGILE 660V, 775V
Outside Length: 1200mm	



## KR-AVX101325

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: GRIMPER 555, 560
Outside Length: 1325mm	



## KR-AVX101350

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: AGILE 660V, 775V, CRONO 564-65F, 574-70, 574-75F, R235, R483, R513V, R550
Outside Length: 1350mm	



## KR-AVX101450

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: R654
Outside Length: 1450mm	



## KR-AVX101475

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1460mm	Suitable for: R654, R684, R754, R784, R854, R955
Outside Length: 1475mm	




## KR-AVX101500

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: R955
Outside Length: 1500mm	



KR-AVX13918	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: PLUS 660F, RACING 150, 165, 190, RACING HIGH PERFORMANCE
Outside Length: 918mm	
	

KR-AVX13950	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: R6.115, 6.125
Outside Length: 950mm	
	

KR-AVX131000	
Profile: AVX13	OEM: 04452801
Ribs/Width: 13mm	
Pitch Length: 982mm	Suitable for: R6.115, 6.125, 6.130, 6.140, 6.150, 6.160, R8.215, 8.265, VICTORY 230, 260
Outside Length: 1000mm	
	

KR-AVX131100	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1082mm	Suitable for: R1156, R7.210
Outside Length: 1100mm	
	

KR-AVX131150	
Profile: AVX13	OEM: 01181076
Ribs/Width: 13mm	
Pitch Length: 1132mm	Suitable for: R6.100, R6.110
Outside Length: 1150mm	
	

KR-AVX131175	
Profile: AVX13	OEM: 01181076
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: CHAMPION 120, 135, 150, 160, 180, 200, R3 EVO 85, 100, 110, R6.100, 6.110, 6.120, R8.215, 8.265, VICTORY 230, 260
Outside Length: 1175mm	
	

KR-AVX131200	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1182mm	Suitable for: AGILE 660V, 775V
Outside Length: 1200mm	
	


KR-AVX131225	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1207mm	Suitable for: RS.70, .75, .90, .100, RV.70, .75, .90, .100
Outside Length: 1225mm	
	

KR-AVX131250	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: GRAND PRIX 674-70, 774-80, 874- 90 TURBO, PREMIUM 850, 950, 1050, RF.55, .70, .75, .90, .100, RV.70, .75, .90, .100, SPRINT 654-55, 664- 60, 664-65, 674-70, 674-75, 684-85
Outside Length: 1250mm	
	

KR-AVX131275	
Profile: AVX13	OEM: 01180350
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: R6.130, 6.140, 6.150, 6.150.7, 6.165, 6.165.7, 6.180.7, R7.175, 7.190, 7.200
Outside Length: 1275mm	
	

KR-AVX131285	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1267mm	Suitable for: RS.70, .75, RV.70, .75
Outside Length: 1285mm	
	

KR-AVX131325	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 1506 TURBO
Outside Length: 1325mm	
	

KR-AVX131350	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: 674-70, 774-80, 874-90 TURBO, CROSS 674-70, R6.150, 6.170, 6.175, 6.185, 6.190
Outside Length: 1350mm	
	

KR-AVX131375	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: 874-90 TURBO, 956-100, 1306 TURBO, FORMULA 105, GRAND PRIX 674-70, 774-80, 874-90 TURBO, PLUS 55, 70, 75, 90, 100, 775, 880, 990
Outside Length: 1375mm	
	

KR-AVX131400	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: 1306 TURBO, GRAND PRIX 674-70, 774-80, 874-90 TURBO, PREMIUM 850, 950, 1050, SPRINT 654-55, 664- 60, 664-65, 674-70, 674-75, 684-85
Outside Length: 1400mm	
	

KR-AVX131425	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 956-100, 1106, 1306 TURBO
Outside Length: 1425mm	
	

KR-AVX131450	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: FORMULA 115, 135, PREMIUM 1060, 1100, 1300, R4.105, R5.115, 5.130, RACING 150, 165, 190, RACING HIGH PERFORMANCE
Outside Length: 1450mm	
	

KR-AVX131475	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1457mm	Suitable for: FORMULA 115, 135, PREMIUM 1060, 1100, 1300, R3 EVO 85, 100, 110, R4.105, R5.115, 5.130, RACING 150, 165, 190, RACING HIGH PERFORMANCE
Outside Length: 1475mm	
	

KR-AVX131600	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1582mm	Suitable for: R6.130, 6.140, 6.150, 6.150.7, 6.165, 6.165.7, 6.180.7
Outside Length: 1600mm	
	

KR-AVX131625	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1607mm	Suitable for: 1706 TURBO
Outside Length: 1625mm	
	


# Landini


KR-AVX131175	
Profile: AVX13	OEM: 3386214M1
Ribs/Width: 13mm	
Pitch Length: 1157mm	<b>Suitable for:</b>
Outside Length: 1175mm	55, 60, 65, 75, 85, 4560, 5560, 5860, 5870, 6060, 6070, 6560, 6860, 6870, 6880, 7560, 7860, 7880, 8530, 8560, 8860, 8870, 8880, BLIZZARD 50, 60, 65, 75, 85, C6830, C7830, C8860, CF4830, CF5030, CF5830, CF6030, CF6060, GLOBUS 50, TREKKER 55, 60, 65, 70, 75, 85, VIGNETI RED CAB 55, 60 65
	


KR-AVX131200	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1182mm	<b>Suitable for:</b>
Outside Length: 1200mm	5560, 5860, 5870, 6060, 6070, 6560, 6860, 6870, 6880, 7560, 7860, 7870, 7880, 8560, 8860, 8870, 8880, ADVANTAGE 55, 60, 65, 75, 85, BLIZZARD 50, 60, 65, 75, 85, GLOBUS 50
	

KR-AVX131275	
Profile: AVX13	OEM: 1447778M91
Ribs/Width: 13mm	
Pitch Length: 1257mm	<b>Suitable for:</b>
Outside Length: 1275mm	6550, 8550
	

KR-AVX131300	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	<b>Suitable for:</b>
Outside Length: 1300mm	6550, 7550, 8550, POWERFARM 110
	

KR-VB131041	
Profile: A	OEM:
Ribs/Width: 13mm	
Pitch Length: 1071mm (A41)	<b>Suitable for:</b>
Outside Length: 1091mm	9080, 9880, ADVANTAGE 95, BLIZZARD 95
	

KR-VB131450	
Profile: A	OEM:
Ribs/Width: 13mm	
Pitch Length: 1480mm (A57)	<b>Suitable for:</b>
Outside Length: 1500mm	6560, 6880, 7560, 7880, 8560, 8880, BLIZZARD 65, 75, 85
	

KR-VPE6366	
Profile: AVX13	OEM: 3671159M1
Ribs/Width: 13mm	
Pitch Length:	<b>Suitable for:</b>
Outside Length: 2214mm	125TDI, 135TDI, LANDPOWER 125, 130, 160, MYTHOS 115, NEW LEGEND 130 TDI
	

# Liebherr

KR-AVX101150	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1132mm	Suitable for: Wheel Loader L522 (422)
Outside Length: 1150mm	
	

KR-AVX101350	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: Wheel Loader L522 (422)
Outside Length: 1350mm	
	

# Lindner

<b>KR-AVX131300</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for:
Outside Length: 1300mm	GEOTRAC 70, 80
	

# Massey Ferguson

## KR-3787792M1AB

Profile:	OEM: 3787792M1
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	7485, 7490, 7495



## KR-3808704M1AB

Profile:	AVX13	OEM: 3808704M1
Ribs/Width:		
Pitch Length:		Suitable for:
Outside Length:		4225, 4235, 4240, 4245, 4255



## KR-3809175M1AB

Profile:	OEM: 3809175M1
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	4215



## KR-4273269M1AB

Profile:	OEM: 4273269M1
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	7480, 8470, 8480



## KR-7700066725

Profile:	OEM:
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	8450, 8460



## KR-AVX101350

Profile:	AVX10	OEM: 3383044M91
Ribs/Width:	10mm	
Pitch Length:	1335mm	Suitable for:
Outside Length:	1350mm	3050, 3060, 3065, 3070



## KR-AVX13975

Profile:	AVX13	OEM:
Ribs/Width:	13mm	
Pitch Length:	957mm	Suitable for:
Outside Length:	975mm	2640



## KR-AVX131125

Profile:	AVX13	OEM:
Ribs/Width:	13mm	
Pitch Length:	1107mm	Suitable for:
Outside Length:	1125mm	2685



KR-AVX131150	
Profile: AVX13	OEM: 3386214M1
Ribs/Width: 13mm	
Pitch Length: 1132mm	Suitable for: 2720
Outside Length: 1150mm	
	

KR-AVX131175	
Profile: AVX13	OEM: 3386214M1
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: 35, 65, 274, 290, 294, 353, 354, 356, 363, 364, 373, 374, 376, 377, 383, 384, 387, 393, 394, 396, 397, 765, 2625, 2640, 2645, 2680, 2685, 2725
Outside Length: 1175mm	
	

KR-AVX131200	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1182mm	Suitable for: 35, 135, 154, 155, 164, 165, 274, 350, 355, 360
Outside Length: 1200mm	
	


KR-AVX131225	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1207mm	Suitable for: 158, 174, 184, 194
Outside Length: 1225mm	
	

KR-AVX131250	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: 165
Outside Length: 1250mm	
	

KR-AVX131275	
Profile: AVX13	OEM: 1447778M91
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: 168, 175, 178, 185, 188, 265, 285
Outside Length: 1275mm	
	

KR-AVX131300	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for: 230, 240, 245
Outside Length: 1300mm	
	

KR-AVX131325	
Profile: AVX13	OEM: 241191480, 2.4119.148.0, 2614B654, 3780603M91
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 3315, 3325
Outside Length: 1325mm	
	

KR-AVX131350	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: 250, 3050, 3060, 3065, 3070, 3080, 3090, 3425, 3435, 3445, 3455, 8210, 8220
Outside Length: 1350mm	
	

KR-AVX131375	
Profile: AVX13	OEM: 2614B159
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: 265, 290, 362, 365, 375, 390, 398, 675, 690, 1014, 1114, 1134
Outside Length: 1375mm	
	



KR-AVX131400	
Profile: AVX13	OEM: 1669923M1
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: 265, 290, 575, 590
Outside Length: 1400mm	
	

KR-AVX131425	
Profile: AVX13	OEM: 3780606M91
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 265, 275, 285, 560, 565, 575, 590, 4260, 4270, 4360, 4370, 5320, 5445, 5455, 5460, 5465, 6235, 6245, 6255, 6260, 6265, 6270, 6280, 6290, 6445, 6455, 6465, 6475, 6480, 7465, 7475, 7480
Outside Length: 1425mm	
	

KR-AVX131450	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: 399, 699, 1100
Outside Length: 1450mm	
	

KR-AVX131475	
Profile: AVX13	OEM: 3617180M91
Ribs/Width: 13mm	
Pitch Length: 1457mm	Suitable for: 2680, 2685, 2720, 2725
Outside Length: 1575mm	
	


KR-AVX131500	
Profile: AVX13	OEM: 1693745M1
Ribs/Width: 13mm	
Pitch Length: 1482mm	Suitable for: 390, 595, 698, 1134, 3630, 3635, 3645, 3650, 3655, 8240, 8250
Outside Length: 1500mm	
	


KR-AVX131525	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 148, 1080, 2620, 2625, 2640, 2645
Outside Length: 1525mm	
	


KR-AVX131550	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1532mm	Suitable for: 3610, 3615
Outside Length: 1550mm	
	


KR-AVX131625	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1607mm	Suitable for: 2680, 2685, 2720, 2725
Outside Length: 1625mm	
	


KR-SPA1307	
Profile: SPA	OEM:
Ribs/Width: 12.7mm	
Pitch Length: 1307mm	Suitable for: 230, 240, 245, 250
Outside Length: 1325mm	
	


KR-V32889500AB	
Profile: XPA	OEM: V32889500
Ribs/Width:	
Pitch Length:	Suitable for: 4435, 4445, 4455
Outside Length:	
	

<b>KR-VB17965</b>	
Profile: B	OEM:
Ribs/Width: 17mm	
Pitch Length: 1005mm (B38)	Suitable for: TEF20
Outside Length: 1034mm	
	


<b>KR-VB20975</b>	
Profile:	OEM:
Ribs/Width: 20mm	
Pitch Length: 1025mm	Suitable for: 835, FE35, TEA20, TED20, TEF20
Outside Length: 1054mm	
	

<b>KR-VPE6001</b>	
Profile: SPA	OEM: 0070108, 0070190, 186976M1, 1874973M1, 230350M1, 893575M1
Ribs/Width: 12.5mm	
Pitch Length:	Suitable for: 145, 152, 165, 168, 175, 178, 185, 188, 260, 560
Outside Length: 1268mm	
	


<b>KR-VPE6007</b>	
Profile: SPA	OEM: 1669923M1, 1875956M1
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 265, 275, 285, 290, 565, 575, 590
Outside Length: 1400mm	
	


<b>KR-VPE6053</b>	
Profile: AVX10	OEM: 3383044M91
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 3050, 3060, 3065, 3070
Outside Length: 1375mm	
	


<b>KR-VPE6103</b>	
Profile:	OEM: 3619356M91
Ribs/Width: 9.5mm	
Pitch Length:	Suitable for: 3075, 6110, 6120, 6130, 6140, 6150
Outside Length: 1400mm	
	


<b>KR-VPE6175</b>	
Profile: AVX13	OEM: 3780138M91
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 6235, 6245, 6255, 6260, 6265, 6270, 6280, 6290, 6460, 6470
Outside Length: 1416mm	
	


<b>KR-VPE6210</b>	
Profile: AV10	OEM: 3809174M1
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 4225, 4235, 4240, 4245, 4255
Outside Length: 1015mm	
	


<b>KR-VPE6371</b>	
Profile: AVX13	OEM: 3582951M1
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 8170, 8180
Outside Length: 1160mm	
	


<b>KR-VPE6383</b>	
Profile:	OEM: 4284908M1, 4284908M2
Ribs/Width: 4	
Pitch Length:	Suitable for: 5445, 5455, 5460, 6445, 6455
Outside Length: 1044mm	
	


<b>KR-VPE6384</b>	
Profile:	OEM: 4285560M3
Ribs/Width: 8	
Pitch Length:	Suitable for:
Outside Length: 1594mm	5465, 5475, 6465, 6475, 6480, 7465, 7475, 7480
	


<b>KR-VPE6385</b>	
Profile:	OEM: 4286263M1
Ribs/Width: 6	
Pitch Length:	Suitable for:
Outside Length: 1365mm	5465, 5475, 6465, 6475, 6480, 6485, 6490, 6495, 6497, 6499, 7465, 7475, 7480, 7485, 7490, 7495, 7497, 7499
	


<b>KR-VPE6386</b>	
Profile:	OEM: 4286906M1
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 980mm	5470, 5480, 6460, 6470
	


<b>KR-VPE6387</b>	
Profile:	OEM: 4292995M1, 4292995M2
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 1111mm	5445, 5455, 6445, 6455
	


<b>KR-VPE6388</b>	
Profile:	OEM: 4294242M1
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 1149mm	5425, 5435
	


<b>KR-VPE6389</b>	
Profile:	OEM: 4294249M1, 4294249M2
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 1072mm	5425, 5435
	


<b>KR-VPE6392</b>	
Profile:	OEM: 4275784M1
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 1060mm	6460, 6470
	


<b>KR-VPE6393</b>	
Profile:	OEM: 4350583M1, 4350583M2
Ribs/Width: 6	
Pitch Length:	Suitable for:
Outside Length: 1143mm	4708, 5611, 5613, 5710, 5711, 5712, 6612, 6613, 6614, 6615, 6616, 6713, 7614, 7615, 7616, 7618, 7619, 7620, 7622, 7624, 7626
	


<b>KR-VPE6394</b>	
Profile:	OEM: 4351264M1
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 1122mm	5445, 5450, 5455, 6445, 6455
	


<b>KR-VPE6395</b>	
Profile:	OEM: 4351267M1
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 1159mm	5410, 5420, 5425, 5430, 5435, 5440
	


<b>KR-VPE6396</b>	
Profile:	OEM: 4351269M1
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 1054mm	5445, 5455, 5460, 6445, 6455, 6497, 6499
	

<b>KR-VPE6397</b>	
Profile:	OEM: 4351270M1
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 1091mm	5425, 5435
	

<b>KR-VPE6398</b>	
Profile:	OEM: 4353674M1
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 926mm	4707, 4708, 4709, 5611, 5613, 5710, 5711, 5712, 5713, 6712, 6713
	

<b>KR-VPE6409</b>	
Profile:	OEM: 4355841M1
Ribs/Width: 6	
Pitch Length:	Suitable for:
Outside Length: 856mm	5465, 5475, 6465, 6475, 6480
	

<b>KR-VPE6412</b>	
Profile:	OEM: 4377736M2
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 937mm	5608, 5609, 5610
	


<b>KR-VPE6427</b>	
Profile: AVX13	OEM: V684120918
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 1920mm	4435, 4445, 4455
	


<b>KR-VPE6435</b>	
Profile:	OEM: 4282175M2
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	6612, 6613, 6614, 6615, 6616, 7614, 7615, 7616, 7618, 7619, 7620, 7622, 7624, 7626, 8650, 8660, 8670, 8680, 8690
	

<b>KR-VPE6436</b>	
Profile:	OEM: 4226287M91, 4227209M91
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	5465, 5475, 7465, 7475, 7480
	

<b>KR-VPE6437</b>	
Profile:	OEM: ACW0177590
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	5608, 5609, 5610
	

# McCormick

<b>KR-8PK1460</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1460mm	Suitable for: MTX150, 175
Outside Length:	
	


<b>KR-8PK1500</b>	
Profile: PK	OEM: J911558
Ribs/Width: 8	
Pitch Length: 1500mm	Suitable for: MTX110, 120
Outside Length:	
	


<b>KR-AVX131000</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 982mm	Suitable for: MTX150, 175
Outside Length: 1000mm	
	


<b>KR-AVX131400</b>	
Profile: AVX13	OEM: 435074A1, 435074A2
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: MTX110, 125, 140
Outside Length: 1400mm	
	


<b>KR-AVX131525</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: MTX155, 175
Outside Length: 1525mm	
	


<b>KR-VPE6170</b>	
Profile: AV13	OEM: A184652
Ribs/Width: 13mm	
Pitch Length:	Suitable for: MTX110, 120, 135
Outside Length: 1015mm	
	


<b>KR-VPE6303</b>	
Profile: Belt Set of 2	OEM: 389069A1 x2
Ribs/Width:	
Pitch Length:	Suitable for: CX70, 75, 80, 85, 90, 95, 100, 105, MC80, 90, 100, 115, 120, 135
Outside Length:	
	


<b>KR-VPE6304</b>	
Profile: Air Conditioner Belt	OEM: 248265A2
Ribs/Width:	
Pitch Length:	Suitable for: CX70, 75, 80, 85, 90, 95, 100, 105, MC80, 90, 100
Outside Length:	
	

KR-VPE6401	
Profile: SPA	OEM: 700464A1
Ribs/Width: 13mm	
Pitch Length:	Suitable for: MTX155, 175
Outside Length: 1157mm	
	

KR-VPE6408	
Profile: AVX13	OEM: 435074A1, 435074A2
Ribs/Width: 13mm	
Pitch Length:	Suitable for: MTX110, 125, 140, 155, 175, 200
Outside Length: 1400mm	
	


KR-VPE6417	
Profile: AVX13	OEM: 706505A2
Ribs/Width: 13mm	
Pitch Length:	Suitable for: C70, 80, 100, CX75, 85, 90, 95, 100, 105, 110, MC95, 105, 110, 115, 130, X60.50
Outside Length: 1450mm	
	

KR-BTK2722	
Profile:	OEM:
Ribs/Width:	
Pitch Length:	Suitable for: MTX110, 120, 135, 150, 175, 185
Outside Length:	
	


KR-VPE3750	
Profile:	OEM: J918944, J934817, J936203
Ribs/Width:	
Pitch Length:	Suitable for: MTX110, 120, 135, 150, 175, 185
Outside Length:	
	

# Mercedes Benz

KR-AVX13900	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: UNIMOG U100, U110, U125
Outside Length: 900mm	
	

KR-AVX13950	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: MB-TRAC 1100, 1300, 1500
Outside Length: 950mm	
	


KR-AVX131100	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1082mm	Suitable for: UNIMOG U100, U110, U125
Outside Length: 1100mm	
	

KR-AVX131125	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1107mm	Suitable for: UNIMOG U100, U110, U125
Outside Length: 1125mm	
	

KR-AVX131150	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1132mm	Suitable for: MB-TRAC 700, 800
Outside Length: 1150mm	
	


KR-AVX131175	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: MB-TRAC 1000
Outside Length: 1175mm	
	

KR-AVX131200	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1182mm	Suitable for: UNIMOG U100, U110, U125
Outside Length: 1200mm	
	

KR-AVX131225	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1207mm	Suitable for: MB-TRAC 700, 800
Outside Length: 1225mm	
	

KR-AVX131250	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: MB-TRAC 700, 800, 900, 1000
Outside Length: 1250mm	
	

KR-AVX131275	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: MB-TRAC 1400 TURBO, 1600 TURBO
Outside Length: 1275mm	
	

KR-AVX131350	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: MB-TRAC 700, 800, 1100, 1300
Outside Length: 1350mm	
	


KR-AVX131375	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: MB-TRAC 700, 800
Outside Length: 1375mm	
	

KR-AVX131425	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: MB-TRAC 1500
Outside Length: 1425mm	
	


KR-AVX131450	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: MB-TRAC 1000 UNIMOG U100, U110, U125
Outside Length: 1450mm	
	




# MWM


<b>KR-VPE6103</b>	
Profile:	OEM:
Ribs/Width: 9.5mm	
Pitch Length:	Suitable for:
Outside Length: 1400mm	Engine TD228.6.2
	


# New Holland


<b>KR-5094418</b>	
Profile:	OEM: 5094418
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	TD60D, 65D, 70D, 75D, 80D, 85D, 90D, 95D
	


<b>KR-6PK2550</b>	
Profile: PK	OEM:
Ribs/Width: 6	
Pitch Length: 2550mm	Suitable for:
Outside Length:	5640, 6640, 7740, 7840, 8240, 8340, TS80, 90, 100, 110, 115
	

<b>KR-82850751AB</b>	
Profile:	OEM: 82850751
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	5640, 6640, 7740, TS80, 90, 100
	

<b>KR-87301964AB</b>	
Profile:	OEM: 87301964
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	T7.220, 7.235, 7.250, 7.260, 7.270, T7030, 7040, 7050, 7060
	

<b>KR-87643267</b>	
Profile:	OEM: 87643267
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	TD60D, 65D, 70D, 75D, 80D, 85D, 90D, 95D
	

<b>KR-8PK1471</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1471mm	Suitable for:
Outside Length:	8160, 8260, 8360, 8560, M100, 115, 135, 160, TM115, 125, 135, 150, 165
	

<b>KR-8PK1549</b>	
Profile: PK	OEM: 2858019, 4899178, J911563
Ribs/Width: 8	
Pitch Length: 1549mm	Suitable for:
Outside Length:	T5.110, 5.120, 5.130, 5.140, T6.120, 6.125, 6.140, 6.145, 6.150, 6.155, 6.160, 6.165, 6.175, 6.180, T6010, 6020, 6030, 6040, 6050, 6060, 6070, 6080, 6090, T7.170, 7.185, 7.200, 7.210, TS100A, 110A, 115A, 125A, 130A, 135A
	

<b>KR-8PK1956</b>	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1956mm	Suitable for:
Outside Length:	8160, 8260, 8360, 8560, M100, 115, 135, 160, TM115, 125, 135, 150, 165
	


<b>KR-AVX101175</b>	
Profile: AVX10	OEM: 98473705
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 4635, 4835, 5635, 6635, 7635, L60, 65, 75, 85, 95, TD60D, 70D, TN55, 60, 65, 70, 75, 80, 85, 90, 95
Outside Length: 1175mm	
	

<b>KR-AVX101350</b>	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: Combine Harvester 1530
Outside Length: 1350mm	
	

<b>KR-AVX101450</b>	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: Combine Harvester TF42, TF44
Outside Length: 1450mm	
	

<b>KR-AVX13875</b>	
Profile: AVX13	OEM: 132000130020
Ribs/Width: 13mm	
Pitch Length:	Suitable for: TVT135, 145, 155, 170, 190
Outside Length: 875mm	
	

<b>KR-AVX13900</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Combine Harvester 1540, 1550
Outside Length: 900mm	
	

<b>KR-AVX13950</b>	
Profile: AVX13	OEM: 80754165
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Combine Harvester AL59, 519, CS6050, 6060, 6070, 6080, 6090, CSX7040, 7050, 7060, 7070, 7080, TC56, TX34, 36, 62, 65, 66, 67, 68, Tractor T7510, 7520, 7530, 7540, 7550, TVT135, 145, 155, 170, 190, 195
Outside Length: 950mm	
	

<b>KR-AVX131050</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1032mm	Suitable for: T7510, 7520, 7530, 7540, 7550, TVT195
Outside Length: 1050mm	
	

<b>KR-AVX131175</b>	
Profile: AVX13	OEM: 80443634
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: Combine Harvester 8030, 8040, 8055, TX30, 32, 34, 36
Outside Length: 1175mm	
	

<b>KR-AVX131275</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: Combine Harvester TX30, 32
Outside Length: 1275mm	
	

<b>KR-AVX131285</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1267mm	Suitable for: Combine Harvester 8060, 8070
Outside Length: 1285mm	
	


KR-AVX131450	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: TVT135, 145, 155, 170, 190, 195
Outside Length: 1450mm	
	

KR-AVX131500	
Profile: AVX13	OEM: 162000060007
Ribs/Width: 13mm	
Pitch Length: 1482mm	Suitable for: TVT135, 145, 155, 170, 190, 195
Outside Length: 1500mm	
	


KR-AVX131600	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1582mm	Suitable for: Combine Harvester TC54, 56
Outside Length: 1600mm	
	

KR-AVX131625	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1607mm	Suitable for: Combine Harvester 8030, 8040, 8055, 8080
Outside Length: 1625mm	
	

KR-SPA1307	
Profile: SPA	OEM:
Ribs/Width: 12.7mm	
Pitch Length: 1307mm	Suitable for: Combine Harvester 1550
Outside Length: 1325mm	
	


KR-VB17965	
Profile: B	OEM:
Ribs/Width: 17mm	
Pitch Length: 1005mm (B38)	Suitable for: Combine Harvester 1530, 1545
Outside Length: 1034mm	
	


KR-VB171400	
Profile: B	OEM:
Ribs/Width: 17mm	
Pitch Length: 1440mm (B55)	Suitable for: Combine Harvester 1520, 1530, 1540, 1545, 1550
Outside Length: 1469mm	
	


KR-VB172800	
Profile: B	OEM:
Ribs/Width: 17mm	
Pitch Length: 2840mm (B110)	Suitable for: Combine Harvester 8080
Outside Length: 2869mm	
	

KR-VB172900	
Profile: B	OEM:
Ribs/Width: 17mm	
Pitch Length: 2940mm (B114)	Suitable for: Combine Harvester 1530, 1545
Outside Length: 2969mm	
	

KR-VPE6210	
Profile: AV10	OEM: 5125884, 5140009
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 4635, 4835, 5635, 6635, 7635, L60, 65, 75, 85, 95, TL70, 80, 90, 100
Outside Length: 1015mm	
	

<b>KR-VPE6336</b>	
Profile:	OEM: 84229205
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length: 1715mm	T6080, 6090, T7.170, 7.175, 7.185, 7.190, 7.200, 7.210, 7.225
	

<b>KR-VPE6340</b>	
Profile: PK	OEM: 87316556
Ribs/Width: 6	
Pitch Length: 2217mm	Suitable for:
Outside Length:	Combine Harvester TC52, 54, 56, Tractor 5640, 6640, 7740, 7840, 8240, 8340, TS110, 115
	


<b>KR-X696623200000AB</b>	
Profile: AVX13	OEM:
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	Combine Harvester CX5080, 5090, CX6080, 6090, TC4.90, TC5.70, 5.80, 5.90, TC5060, 5070, 5080
	

<b>KR-VPE6299</b>	
Inner Diameter: 17.0mm	OEM: 83995241, 84412927, F0NN8A618AA
Outer Diameter: 79.2mm	
Width: 25.7mm	Suitable for:
	5640, 6640, 7740, 7840, 8240, 8340, TS80, 90, 100, 110, 115
	

<b>KR-VPE6300</b>	
Inner Diameter: 17.0mm	OEM: 81871906
Outer Diameter: 110.0mm	
Width: 27.2mm	Suitable for:
	5640, 6640, 7740, 7840, 8240, 8340, TS90, 100, 110, 115
	

<b>KR-VPE6302</b>	
Inner Diameter: 17.0mm	OEM: 87801102
Outer Diameter: 75.8mm	
Width: 28.0mm	Suitable for:
	5640, 6640, 7740, 7840, 8240, 8340, TS80, 90, 110, 115
	

<b>KR-534069510</b>	
Profile:	OEM: 87801689
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	5640, 6640, 7740, 8240, 8340, TS90, 100, 110, 115
	

<b>KR-BTK2721</b>	
Profile:	OEM: 87436755
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	8160, 8260, 8360, 8560, M100, 115, 135, 160, T9010, 9020, TG210, 230, 255, 285, TM110, 115, 120, 125, 130, 135, 140, 150, 155, 165, 175, 180, 190, TV140
	

<b>KR-VPE6315</b>	
Profile:	OEM: 87801838, 87840057
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	Engine POWERSTAR 7.5, 7.5T, 7.5TI, Tractor 8160, 8260, 8360, 8560, TM110, 115, 120, 125, 130, 135, 140, 150, 155, 165, 175, 180, 190, TV140
	


# Perkins


KR-AVX101350	
Profile: AVX10	OEM:  Suitable for: Engine A4.236, A4.248, AT4.236
Ribs/Width: 10mm	
Pitch Length: 1335mm	
Outside Length: 1350mm	
	


KR-AVX131175	
Profile: AVX13	OEM:  Suitable for: Engine A3.152, A4.192, A4.236, A4.248, AD3.152, AT3.152.4
Ribs/Width: 13mm	
Pitch Length: 1157mm	
Outside Length: 1175mm	
	


KR-AVX131200	
Profile: AVX13	OEM: 2614B642  Suitable for: Engine 1004, 1006, 4.236, T1004, T1006, T4.236
Ribs/Width: 13mm	
Pitch Length: 1182mm	
Outside Length: 1200mm	
	


KR-AVX131425	
Profile: AVX13	OEM:  Suitable for: Engine 1004-4T, 1004-40T, 1004- 40TWG, 1006-6, 1006-6T, 1006- 60NA, 1006-60T, 1104C-44T, 1104C- 44TA, 1104D-44TA, 1104D-E44TA, 1106C-E60TA, 1106C-E66TA, 1106D- E66TA
Ribs/Width: 13mm	
Pitch Length:	
Outside Length: 1425mm	
	


KR-VPE6001	
Profile: SPA	OEM: 0070108, 0070190  Suitable for: Engine A4.236, A4.248, AD3.152, AD4.203
Ribs/Width: 12.5mm	
Pitch Length:	
Outside Length: 1268mm	
	


KR-VPE6007	
Profile: SPA	OEM:  Suitable for: Engine A4.236, A4.248
Ribs/Width: 13mm	
Pitch Length:	
Outside Length: 1400mm	
	


KR-VPE6103	
Profile:	OEM:  Suitable for: Engine 1004-4T, 1004-4TH, 4.41, A4.236
Ribs/Width: 9.5mm	
Pitch Length:	
Outside Length: 1400mm	
	


KR-VPE6175	
Profile: AVX13	OEM:  Suitable for: Engine 1004-4T, 1004-40T, 1004- 40TWG, 1006-6, 1006-6T, 1006- 60NA, 1006-60T, 1104C-E44TA
Ribs/Width: 13mm	
Pitch Length:	
Outside Length: 1416mm	
	


<b>KR-VPE6210</b>	
Profile: AV10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: Engine 1004-4, 1004-4T
Outside Length: 1015mm	
	


<b>KR-VPE6303</b>	
Profile: Belt set of 2	OEM:
Ribs/Width:	
Pitch Length:	Suitable for: Engine 1004-4T, 1004-42
Outside Length:	
	


<b>KR-VPE6304</b>	
Profile: Air Conditioner Belt	OEM:
Ribs/Width:	
Pitch Length:	Suitable for: Engine 1004-4T
Outside Length:	
	


<b>KR-VPE6383</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104C-44TA, 1104D-44TA, 1104D-E44TA, 1106C-E60TA
Outside Length: 1044mm	
	


<b>KR-VPE6384</b>	
Profile:	OEM:
Ribs/Width: 8	
Pitch Length:	Suitable for: Engine 1106C-E60TA
Outside Length: 1594mm	
	


<b>KR-VPE6387</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104C-44TA, 1104D-44TA, 1104D-E44TA
Outside Length: 1111mm	
	


<b>KR-VPE6388</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104D-44TA
Outside Length: 1149mm	
	


<b>KR-VPE6389</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104D-44TA
Outside Length: 1072mm	
	


<b>KR-VPE6392</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104C-E44TA
Outside Length: 1060mm	
	

<b>KR-VPE6394</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104C-44T, 1104C-44TA, 1104D-44TA, 1104D-E44TA
Outside Length: 1122mm	
	

KR-VPE6395	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104D-44T, 1104D-44TA
Outside Length: 1159mm	
	

KR-VPE6396	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104C-44T, 1104C-44TA, 1104D-44TA, 1104D-E44TA
Outside Length: 1054mm	
	

KR-VPE6397	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104D-44TA
Outside Length: 1091mm	
	

KR-VPE6409	
Profile:	OEM:
Ribs/Width: 6	
Pitch Length:	Suitable for: Engine 1106C-E60TA, 1106D-E66TA
Outside Length: 856mm	
	

KR-VPE6436	
Profile:	OEM:
Ribs/Width:	
Pitch Length:	Suitable for: Engine 1106D-E66TA
Outside Length:	
	



# Renault

## KR-AVX101175

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 90, 351M, 421M, 461
Outside Length: 1175mm	



## KR-AVX101200

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 60, 421M, 460S, 496, 551S, 556S, 651S, 652, 656S, 751, 752, 781S, 851S, 951, 61-12, 61-14, 68-12, 75-12, 75-14, 77-12, 80-12, 85-12, 85-14, 95-12, 95-14
Outside Length: 1200mm	



## KR-AVX101275

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1260mm	Suitable for: 65-32, 75-32, 85-32, 85-34, 90-32, 90-34
Outside Length: 1275mm	



## KR-AVX101350

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: 133-14, 133-54
Outside Length: 1350mm	



## KR-AVX101450

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 145-14, 145-54, 155-54, 175-74
Outside Length: 1450mm	



## KR-AVX131300

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for: 891, 951, 981, 1151-4, 1181-4
Outside Length: 1300mm	



## KR-VPE6103

Profile:	OEM: 7701029710
Ribs/Width: 9.5mm	
Pitch Length:	Suitable for: 110-14, 110-54, 113-12, 113-14, 120-14, 120-54, 133-14, 133-54, 145-14, 145-54
Outside Length: 1400mm	



# SAME

KR-AVX10975	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 960mm	Suitable for: DIAMOND 230, 260, DIAMOND II 230, 260
Outside Length: 975mm	
	

KR-AVX101075	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1060mm	Suitable for: LEOPARD 90 TURBO
Outside Length: 1075mm	
	

KR-AVX101140	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: SOLARIS 35, 45, 55
Outside Length: 1140mm	
	

KR-AVX101200	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: DORADO 55, 60, 65, 70, 75, 85, GOLDEN 60, 65, 75, 85
Outside Length: 1200mm	
	

KR-AVX101275	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1260mm	Suitable for: DIAMOND 230, 260
Outside Length: 1275mm	
	

KR-AVX101325	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: EXPLORER I 65, 70, 75, 80, 90 TURBO, FRUTTETO I 60, 75, FRUTTETO II 75, 85, ROCK 55, 60, 70, VIGNERON 75
Outside Length: 1325mm	
	

KR-AVX101350	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: ANTARES 100, ARGON 65, 70, 75, AURORA 45, DELFINO 32, 35, DORADO 55, 60, 65, 70, 75, 85, EXPLORER I 75, 80, 90 TURBO, EXPLORER II 70, 80, 90 TURBO, FALCON 50, FRUTTETO I 60, 75, FRUTTETO II 75, 85, GOLDEN 60, 65, 75, 85, RANGER 45, SIRENETTA, SOLAR 50, VIGNERON 35, 45, 50
Outside Length: 1350mm	
	

KR-AVX101450	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: CENTAURO 70, CENTURION 75, CORSAO 70, LASER 90, LEOPARD 85, 90 TURBO, MERCURY 85, SATURNO 80
Outside Length: 1450mm	
	

<b>KR-AVX101525</b>	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: BUFFALO 120, DRAGO 100
Outside Length: 1525mm	
	


<b>KR-AVX101550</b>	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1535mm	Suitable for: BUFFALO 130, DRAGO 120, JAGUAR 95, 100, PANTHER 90, 95, TIGER 100, TIGER SIX 105
Outside Length: 1550mm	
	


<b>KR-AVX101575</b>	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: DRAGO 120, JAGUAR 95, 100, PANTHER 95, TIGER SIX 105, TRIDENT 130
Outside Length: 1575mm	
	

<b>KR-AVX13875</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: ANTARES II 110, 130, SILVER 80, 90, 100.4, 100.6
Outside Length: 875mm	
	

<b>KR-AVX13900</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: ANTARES 100, EXPLORER I 75, 80, EXPLORER II 60, 70, 80, 90 TURBO, SILVER 80, 90, 100.4, 100.6
Outside Length: 900mm	
	

<b>KR-AVX13918</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: ANTARES 110, 130, EXPLORER II 60, 70, 80, 90 TURBO, FRUTTETO II 60, 75, 85, SUPERTITAN, TITAN 145, 150, 160, 165, 190
Outside Length: 918mm	
	

<b>KR-AVX13950</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: IRON 115, 125
Outside Length: 950mm	
	

<b>KR-AVX13975</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 957mm	Suitable for: GALAXY 170, LASER 100, 110, 130, 150
Outside Length: 975mm	
	

<b>KR-AVX131000</b>	
Profile: AVX13	OEM: 04452801
Ribs/Width: 13mm	
Pitch Length: 982mm	Suitable for: DIAMOND 215, 265, DIAMOND II 230, 260, IRON 115, 125, 130, 140, 150, 160, LEONE 70, 75
Outside Length: 1000mm	
	

<b>KR-AVX131040</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1022mm	Suitable for: LASER 100, 110, 130, 150
Outside Length: 1040mm	
	

KR-AVX131050	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1032mm	Suitable for: LASER 90, 100, 110, 130, 150, LEONE 70, 75
Outside Length: 1050mm	
	

KR-AVX131100	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1082mm	Suitable for: CENTAURO 70, CENTURION 75, HERCULES 160, IRON 210, LEOPARD 85, 90 TURBO, MERCURY 85, TIGER 100, TIGER SIX 105, TRIDENT 130
Outside Length: 1100mm	
	

KR-AVX131150	
Profile: AVX13	OEM: 01181076
Ribs/Width: 13mm	
Pitch Length: 1132mm	Suitable for: IRON 100, 110
Outside Length: 1150mm	
	

KR-AVX131175	
Profile: AVX13	OEM: 01181076
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: DIAMOND 215, 230, 260, 265, DIAMOND II 230, 260, EXPLORER3 85, 100, 110, IRON 100, 110, 120, RUBIN 120, 135, 150, 160, 180, 200
Outside Length: 1175mm	
	

KR-AVX131200	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1182mm	Suitable for: GOLDEN 60, 65, 75, 85
Outside Length: 1200mm	
	


KR-AVX131225	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1207mm	Suitable for: DORADO 55, 60, 65, 70, 75, 85, S70, S75, S90, S100, V70, V75, V90, V100
Outside Length: 1225mm	
	


KR-AVX131250	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: ANTARES II 110, 130, DORADO F55, F70, F75, F90, F100, S90, S100
Outside Length: 1250mm	
	

KR-AVX131275	
Profile: AVX13	OEM: 01180350
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: IRON 130, 140, 150, 150.7, 165, 165.7, 175, 180.7, 190, 200
Outside Length: 1275mm	
	

KR-AVX131285	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1267mm	Suitable for: DORADO S70, S75
Outside Length: 1285mm	
	

KR-AVX131325	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: ANTARES II 110, 130, SILVER 80, 90, 100.4, 100.6
Outside Length: 1325mm	
	

KR-AVX131350	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: IRON 150, 170, 175, 185, 190
Outside Length: 1350mm	
	

KR-AVX131375	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: FRUTTETO II 55, 70, 75, 90, 100
Outside Length: 1375mm	
	

KR-AVX131450	
Profile: AVX13	OEM: 241190990, 2.4119.099.0
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: ANTARES 110, 130, SILVER 105, 110, 115, 130, SUPERTITAN, TITAN 145, 150, 160, 165, 190
Outside Length: 1450mm	
	

KR-AVX131475	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1457mm	Suitable for: EXPLORER3 85, 100, 110, SILVER 105, 110, 115, 130, SUPERTITAN, TITAN 145, 150, 160, 165, 190
Outside Length: 1475mm	
	

KR-AVX131600	
Profile: AVX13	OEM: 01154311
Ribs/Width: 13mm	
Pitch Length: 1582mm	Suitable for: HERCULES 160, IRON 130, 140, 150, 150.7, 165, 165.7, 180.7, LASER 150
Outside Length: 1600mm	
	

KR-AVX131625	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1607mm	Suitable for: GALAXY 170
Outside Length: 1625mm	
	

# Schluter

KR-AVX101200	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: COMPACT 750/V
Outside Length: 1200mm	
	

KR-AVX101350	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: SUPER 950/V
Outside Length: 1350mm	
	

KR-AVX131100	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1082mm	Suitable for: SUPER 2500VL, 3000TVL, SUPERTRAC 2500VL, 3000TVL
Outside Length: 1100mm	
	

KR-AVX131200	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1182mm	Suitable for: COMPACT 750/V
Outside Length: 1200mm	
	


KR-AVX131225	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1207mm	Suitable for: COMPACT 950 V6, 950/TV, SUPER 550/V
Outside Length: 1225mm	
	

KR-AVX131250	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: COMPACT 850/V, 950 V6, 950/TV, PROFI TRAC 2000 TVL, SUPER 550/V, 850/V, 950/V, 1250V, 1250VL, SUPERTRAC 2000TVL
Outside Length: 1250mm	
	

KR-AVX131275	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: COMPACT 750/V, 850/V, PROFI TRAC 2500VL, 3500 TVL, SUPER 850/V, 950/V, 1250V, 1250VL, 1500TV, 1500TVL, 1800TVL
Outside Length: 1275mm	
	

KR-AVX131300	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for: COMPACT 850/V, SUPER 850/V, 950/V, 1250V, 1250VL, 1500TV, 1500TVL, 1800TVL
Outside Length: 1300mm	
	


<b>KR-AVX131325</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: PROFI TRAC 2000 TVL, SUPER 2000TVL, SUPERTRAC 2000TVL
Outside Length: 1325mm	
	


<b>KR-AVX131350</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: PROFI TRAC 2000 TVL, SUPER 850/V, 950/V, 1250V, 1250VL, 1500TV, 1500TVL, 1800TVL, SUPERTRAC 2000TVL
Outside Length: 1350mm	
	


<b>KR-AVX131425</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: PROFI TRAC 2500VL, 3500 TVL, SUPER 2500VL, 3000TVL, SUPERTRAC 2500VL, 3000TVL-LS
Outside Length: 1425mm	
	


<b>KR-AVX131575</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1557mm	Suitable for: COMPACT 950 V6, 950/TV
Outside Length: 1575mm	
	


<b>KR-AVX131425</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Engine 66CTA
Outside Length: 1425mm	
	


<b>KR-VPE6371</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Engine 645TCC
Outside Length: 1160mm	
	


<b>KR-VPE6385</b>	
Profile:	OEM:
Ribs/Width: 6	
Pitch Length:	Suitable for: Engine 66CTA, 74CTA
Outside Length: 1365mm	
	

<b>KR-VPE6386</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 44CTA, 44DTA, 49CTA
Outside Length: 980mm	
	


<b>KR-VPE6393</b>	
Profile:	OEM:
Ribs/Width: 6	
Pitch Length:	Suitable for: Engine 33AWIC, 44AWI, 49AWI, 66AWI, 74AWI
Outside Length: 1143mm	
	


<b>KR-VPE6396</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 74CTA
Outside Length: 1054mm	
	

<b>KR-VPE6398</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 33AWIC, 44AWI, AP33
Outside Length: 926mm	
	

<b>KR-VPE6409</b>	
Profile:	OEM:
Ribs/Width: 6	
Pitch Length:	Suitable for: Engine 66CTA
Outside Length: 856mm	
	



KR-VPE6412	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 33AWIC
Outside Length: 937mm	
	


KR-VPE6427	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Engine 33DT, 44DT
Outside Length: 1920mm	
	

# Standard (Hotchkiss)

KR-VB20975	
Profile:	OEM:
Ribs/Width: 20mm	
Pitch Length: 1025mm	Suitable for:
Outside Length: 1054mm	20C, 23C
	

# Steyr

KR-87301964AB	
Profile:	OEM: 87301964
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	6165CVT, 6170CVT, 6180CVT 6185, 6200CVT, 6205, 6210CVT, 6225CVT, 6230CVT
	

KR-8PK1549	
Profile: PK	OEM: 2858019, J911563
Ribs/Width: 8	
Pitch Length: 1549mm	Suitable for:
Outside Length:	4100, 4110, 4115, 4120, 4130, 6115, 6125, 6135, 6140
	

KR-AVX101175	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for:
Outside Length: 1175mm	360, 370, 375, 540, 545, 548
	


KR-AVX101200	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for:
Outside Length: 1200mm	650, 658, 760
	

KR-AVX101275	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1260mm	Suitable for:
Outside Length: 1275mm	540, 545, 548, 650, 658, 760, 8055/A, M9094
	

KR-AVX101325	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for:
Outside Length: 1325mm	8060/A, 8070/A, 8080/A, 8100, 8120
	

KR-AVX13875	
Profile: AVX13	OEM: 132000130020
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 875mm	6135CVT, 6145CVT, 6155CVT, 6170CVT, 6190CVT, CVT120, 130, 150, 170, M968, M975, M9078, M9086, M9094
	

KR-AVX13900	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 900mm	9080, 9085, 9090, 9095, 9100, 9105, 9115, 9125, 9145, M968, M975, M9078, M9086, M9094
	

<b>KR-AVX13950</b>	
Profile: AVX13	OEM: 80754165
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 950mm	6140CVT, 6150CVT, 6160CVT, 6175CVT, 6195CVT
	


<b>KR-AVX131000</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 982mm	Suitable for:
Outside Length: 1000mm	9105, 9155, 9170, 9190
	

<b>KR-AVX131025</b>	
Profile: AVX13	OEM: 142000130005
Ribs/Width: 13mm	
Pitch Length: 1007mm	Suitable for:
Outside Length: 1025mm	9105
	

<b>KR-AVX131050</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1032mm	Suitable for:
Outside Length: 1050mm	6140CVT, 6150CVT, 6160CVT, 6175CVT, 6195CVT, 9155, 9170, 9190
	

<b>KR-AVX131250</b>	
Profile: AVX13	OEM: 130300060002
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for:
Outside Length: 1250mm	955, 964, 970, 9078, 9086, 9094, M948, M952, M958, M963, M968, M975, M9078, M9083, M9086, M9094
	

<b>KR-AVX131325</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 1325mm	8060/A, 8070/A, 8080/A, 8100, 8120, 8165
	

<b>KR-AVX131350</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for:
Outside Length: 1350mm	9078, 9086, 9094, M9078, M9083, M9086, M9094
	

<b>KR-AVX131375</b>	
Profile: AVX13	OEM: 140100130132
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for:
Outside Length: 1375mm	870, 9078, 9080, 9086, 9090, 9094, 9100, 9105, M968, M975, M9078, M9083, M9086, M9094
	

<b>KR-AVX131400</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for:
Outside Length: 1400mm	9105
	

<b>KR-AVX131425</b>	
Profile: AVX13	OEM: 3218952R1
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 1425mm	9115, 9125, 9145, M968, M975
	


KR-AVX131450	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: 6135CVT, 6145CVT, 6155CVT, 6170CVT, 6190CVT, 9105, 9115, 9125, 9145, CVT120, 130, 150, 170, M975
Outside Length: 1450mm	
	

KR-AVX131475	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 9105, 9115, 9125, 9145
Outside Length: 1475mm	
	


KR-AVX131500	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1482mm	Suitable for: 6135CVT, 6145CVT, 6155CVT, 6170CVT, 6190CVT, CVT120, 130, 150, 170
Outside Length: 1500mm	
	

KR-AVX131600	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1582mm	Suitable for: 9155, 9170, 9190
Outside Length: 1600mm	
	


KR-AVX131700	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1682mm	Suitable for: 9078, 9086, 9094, M9078, M9083, M9086, M9094
Outside Length: 1700mm	
	

KR-VPE6336	
Profile:	OEM: 84229205
Ribs/Width:	
Pitch Length:	Suitable for: 6130CVT, 6145CVT, 6160CVT
Outside Length: 1715mm	
	


# Takeuchi

KR-AVX13950	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Mini Excavator TB135
Outside Length: 950mm	
	

# Terex


KR-AVX13950	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 950mm	Mini Excavator TC50
	


# Valtra-Valmet

KR-8PK1740	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1740mm	Suitable for: Info
Outside Length:	
	

KR-AVX13900	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Info
Outside Length: 900mm	
	

KR-AVX13918	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Info
Outside Length: 918mm	
	

KR-AVX13950	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Info
Outside Length: 950mm	
	


KR-AVX131125	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1107mm	Suitable for: Info
Outside Length: 1125mm	
	

KR-AVX131275	
Profile: AVX13	OEM: 1447778M91
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: Info
Outside Length: 1275mm	
	

KR-AVX131300	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for: Info
Outside Length: 1300mm	
	

KR-AVX131325	
Profile: AVX13	OEM: 2614B654, 3780603M91, V684121325
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Info
Outside Length: 1325mm	
	




<b>KR-AVX131350</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: Info
Outside Length: 1350mm	
	


<b>KR-AVX131375</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: Info
Outside Length: 1375mm	
	


<b>KR-AVX131400</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: Info
Outside Length: 1400mm	
	

<b>KR-AVX131425</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Info
Outside Length: 1425mm	
	

<b>KR-AVX131475</b>	
Profile: AVX13	OEM: 3617180M91
Ribs/Width: 13mm	
Pitch Length: 1457mm	Suitable for: Info
Outside Length: 1475mm	
	

<b>KR-V32889500AB</b>	
Profile: XPA	OEM: V32889500
Ribs/Width:	
Pitch Length:	Suitable for: Info
Outside Length:	
	

<b>KR-VPE6239</b>	
Profile: PK	OEM: V685081710
Ribs/Width: 8	
Pitch Length:	Suitable for: Info
Outside Length: 1700mm	
	

<b>KR-VPE6427</b>	
Profile: AVX13	OEM: V684120918
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Info
Outside Length: 1920mm	
	

KR-AVX101350	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: Wheel Loader L70, LM641
Outside Length: 1350mm	
	

KR-AVX13900	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Wheel Loader L70F
Outside Length: 900mm	
	

KR-AVX131075	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1057mm	Suitable for: Wheel Loader L70F
Outside Length: 1075mm	
	

# Werklust

KR-AVX131375	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: Wheel Loader WG45A, WG45B
Outside Length: 1375mm	
	

KR-AVX131400	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: Wheel Loader WG18A, WG35A
Outside Length: 1400mm	
	

KR-AVX131475	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1457mm	Suitable for: Wheel Loader WG45A, WG45B
Outside Length: 1475mm	
	

KR-AVX131500	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1482mm	Suitable for: Wheel Loader WG18B, WG35B
Outside Length: 1500mm	
	


# Zetor

KR-AVX101125	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: Info
Outside Length: 1125mm	
	

KR-AVX131150	
Profile: AVX13	OEM: 62455705
Ribs/Width: 13mm	
Pitch Length: 1132mm	Suitable for: Info
Outside Length: 1150mm	
	

KR-AVX131175	
Profile: AVX13	OEM: 62455705
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: Info
Outside Length: 1175mm	
	

KR-AVX131250	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: Info
Outside Length: 1250mm	
	

KR-AVX131350	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: Info
Outside Length: 1350mm	
	

KR-AVX131450	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: Info
Outside Length: 1450mm	
	

# Massey Ferguson

## KR-3787792M1AB

Profile:	OEM: 3787792M1
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	7485, 7490, 7495



## KR-3808704M1AB

Profile: AVX13	OEM: 3808704M1
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	4225, 4235, 4240, 4245, 4255



## KR-3809175M1AB

Profile:	OEM: 3809175M1
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	4215



## KR-4273269M1AB

Profile:	OEM: 4273269M1
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	7480, 8470, 8480



## KR-7700066725

Profile:	OEM:
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	8450, 8460



## KR-AVX101350

Profile: AVX10	OEM: 3383044M91
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for:
Outside Length: 1350mm	3050, 3060, 3065, 3070



## KR-AVX13975

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 957mm	Suitable for:
Outside Length: 975mm	2640



## KR-AVX131125

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1107mm	Suitable for:
Outside Length: 1125mm	2685



KR-AVX131150	
Profile: AVX13	OEM: 3386214M1
Ribs/Width: 13mm	
Pitch Length: 1132mm	Suitable for: 2720
Outside Length: 1150mm	
	

KR-AVX131175	
Profile: AVX13	OEM: 3386214M1
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: 35, 65, 274, 290, 294, 353, 354, 356, 363, 364, 373, 374, 376, 377, 383, 384, 387, 393, 394, 396, 397, 765, 2625, 2640, 2645, 2680, 2685, 2725
Outside Length: 1175mm	
	

KR-AVX131200	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1182mm	Suitable for: 35, 135, 154, 155, 164, 165, 274, 350, 355, 360
Outside Length: 1200mm	
	


KR-AVX131225	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1207mm	Suitable for: 158, 174, 184, 194
Outside Length: 1225mm	
	

KR-AVX131250	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: 165
Outside Length: 1250mm	
	

KR-AVX131275	
Profile: AVX13	OEM: 1447778M91
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: 168, 175, 178, 185, 188, 265, 285
Outside Length: 1275mm	
	

KR-AVX131300	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for: 230, 240, 245
Outside Length: 1300mm	
	

KR-AVX131325	
Profile: AVX13	OEM: 241191480, 2.4119.148.0, 2614B654, 3780603M91
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 3315, 3325
Outside Length: 1325mm	
	

KR-AVX131350	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: 250, 3050, 3060, 3065, 3070, 3080, 3090, 3425, 3435, 3445, 3455, 8210, 8220
Outside Length: 1350mm	
	

KR-AVX131375	
Profile: AVX13	OEM: 2614B159
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: 265, 290, 362, 365, 375, 390, 398, 675, 690, 1014, 1114, 1134
Outside Length: 1375mm	
	

KR-AVX131400	
Profile: AVX13	OEM: 1669923M1
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: 265, 290, 575, 590
Outside Length: 1400mm	
	

KR-AVX131425	
Profile: AVX13	OEM: 3780606M91
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 265, 275, 285, 560, 565, 575, 590, 4260, 4270, 4360, 4370, 5320, 5445, 5455, 5460, 5465, 6235, 6245, 6255, 6260, 6265, 6270, 6280, 6290, 6445, 6455, 6465, 6475, 6480, 7465, 7475, 7480
Outside Length: 1425mm	
	

KR-AVX131450	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: 399, 699, 1100
Outside Length: 1450mm	
	

KR-AVX131475	
Profile: AVX13	OEM: 3617180M91
Ribs/Width: 13mm	
Pitch Length: 1457mm	Suitable for: 2680, 2685, 2720, 2725
Outside Length: 1575mm	
	


KR-AVX131500	
Profile: AVX13	OEM: 1693745M1
Ribs/Width: 13mm	
Pitch Length: 1482mm	Suitable for: 390, 595, 698, 1134, 3630, 3635, 3645, 3650, 3655, 8240, 8250
Outside Length: 1500mm	
	


KR-AVX131525	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 148, 1080, 2620, 2625, 2640, 2645
Outside Length: 1525mm	
	

KR-AVX131550	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1532mm	Suitable for: 3610, 3615
Outside Length: 1550mm	
	


KR-AVX131625	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1607mm	Suitable for: 2680, 2685, 2720, 2725
Outside Length: 1625mm	
	


KR-SPA1307	
Profile: SPA	OEM:
Ribs/Width: 12.7mm	
Pitch Length: 1307mm	Suitable for: 230, 240, 245, 250
Outside Length: 1325mm	
	


KR-V32889500AB	
Profile: XPA	OEM: V32889500
Ribs/Width:	
Pitch Length:	Suitable for: 4435, 4445, 4455
Outside Length:	
	

<b>KR-VB17965</b>	
Profile: B	OEM:
Ribs/Width: 17mm	
Pitch Length: 1005mm (B38)	Suitable for: TEF20
Outside Length: 1034mm	
	


<b>KR-VB20975</b>	
Profile:	OEM:
Ribs/Width: 20mm	
Pitch Length: 1025mm	Suitable for: 835, FE35, TEA20, TED20, TEF20
Outside Length: 1054mm	
	


<b>KR-VPE6001</b>	
Profile: SPA	OEM: 0070108, 0070190, 186976M1, 1874973M1, 230350M1, 893575M1
Ribs/Width: 12.5mm	
Pitch Length:	Suitable for: 145, 152, 165, 168, 175, 178, 185, 188, 260, 560
Outside Length: 1268mm	
	


<b>KR-VPE6007</b>	
Profile: SPA	OEM: 1669923M1, 1875956M1
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 265, 275, 285, 290, 565, 575, 590
Outside Length: 1400mm	
	


<b>KR-VPE6053</b>	
Profile: AVX10	OEM: 3383044M91
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 3050, 3060, 3065, 3070
Outside Length: 1375mm	
	

<b>KR-VPE6103</b>	
Profile:	OEM: 3619356M91
Ribs/Width: 9.5mm	
Pitch Length:	Suitable for: 3075, 6110, 6120, 6130, 6140, 6150
Outside Length: 1400mm	
	


<b>KR-VPE6175</b>	
Profile: AVX13	OEM: 3780138M91
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 6235, 6245, 6255, 6260, 6265, 6270, 6280, 6290, 6460, 6470
Outside Length: 1416mm	
	


<b>KR-VPE6210</b>	
Profile: AV10	OEM: 3809174M1
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 4225, 4235, 4240, 4245, 4255
Outside Length: 1015mm	
	


<b>KR-VPE6371</b>	
Profile: AVX13	OEM: 3582951M1
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 8170, 8180
Outside Length: 1160mm	
	


<b>KR-VPE6383</b>	
Profile:	OEM: 4284908M1, 4284908M2
Ribs/Width: 4	
Pitch Length:	Suitable for: 5445, 5455, 5460, 6445, 6455
Outside Length: 1044mm	
	





KR-VPE6384	
Profile:	OEM: 4285560M3
Ribs/Width: 8	
Pitch Length:	Suitable for: 5465, 5475, 6465, 6475, 6480, 7465, 7475, 7480
Outside Length: 1594mm	
	


KR-VPE6385	
Profile:	OEM: 4286263M1
Ribs/Width: 6	
Pitch Length:	Suitable for: 5465, 5475, 6465, 6475, 6480, 6485, 6490, 6495, 6497, 6499, 7465, 7475, 7480, 7485, 7490, 7495, 7497, 7499
Outside Length: 1365mm	
	


KR-VPE6386	
Profile:	OEM: 4286906M1
Ribs/Width: 4	
Pitch Length:	Suitable for: 5470, 5480, 6460, 6470
Outside Length: 980mm	
	


KR-VPE6387	
Profile:	OEM: 4292995M1, 4292995M2
Ribs/Width: 4	
Pitch Length:	Suitable for: 5445, 5455, 6445, 6455
Outside Length: 1111mm	
	


KR-VPE6388	
Profile:	OEM: 4294242M1
Ribs/Width: 4	
Pitch Length:	Suitable for: 5425, 5435
Outside Length: 1149mm	
	


KR-VPE6389	
Profile:	OEM: 4294249M1, 4294249M2
Ribs/Width: 4	
Pitch Length:	Suitable for: 5425, 5435
Outside Length: 1072mm	
	


KR-VPE6392	
Profile:	OEM: 4275784M1
Ribs/Width: 4	
Pitch Length:	Suitable for: 6460, 6470
Outside Length: 1060mm	
	


KR-VPE6393	
Profile:	OEM: 4350583M1, 4350583M2
Ribs/Width: 6	
Pitch Length:	Suitable for: 4708, 5611, 5613, 5710, 5711, 5712, 6612, 6613, 6614, 6615, 6616, 6713, 7614, 7615, 7616, 7618, 7619, 7620, 7622, 7624, 7626
Outside Length: 1143mm	
	


KR-VPE6394	
Profile:	OEM: 4351264M1
Ribs/Width: 4	
Pitch Length:	Suitable for: 5445, 5450, 5455, 6445, 6455
Outside Length: 1122mm	
	


KR-VPE6395	
Profile:	OEM: 4351267M1
Ribs/Width: 4	
Pitch Length:	Suitable for: 5410, 5420, 5425, 5430, 5435, 5440
Outside Length: 1159mm	
	


KR-VPE6396	
Profile:	OEM: 4351269M1
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 1054mm	5445, 5455, 5460, 6445, 6455, 6497, 6499
	

KR-VPE6397	
Profile:	OEM: 4351270M1
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 1091mm	5425, 5435
	

KR-VPE6398	
Profile:	OEM: 4353674M1
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 926mm	4707, 4708, 4709, 5611, 5613, 5710, 5711, 5712, 5713, 6712, 6713
	

KR-VPE6409	
Profile:	OEM: 4355841M1
Ribs/Width: 6	
Pitch Length:	Suitable for:
Outside Length: 856mm	5465, 5475, 6465, 6475, 6480
	

KR-VPE6412	
Profile:	OEM: 4377736M2
Ribs/Width: 4	
Pitch Length:	Suitable for:
Outside Length: 937mm	5608, 5609, 5610
	

KR-VPE6427	
Profile: AVX13	OEM: V684120918
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 1920mm	4435, 4445, 4455
	


KR-VPE6435	
Profile:	OEM: 4282175M2
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	6612, 6613, 6614, 6615, 6616, 7614, 7615, 7616, 7618, 7619, 7620, 7622, 7624, 7626, 8650, 8660, 8670, 8680, 8690
	

KR-VPE6436	
Profile:	OEM: 4226287M91, 4227209M91
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	5465, 5475, 7465, 7475, 7480
	


KR-VPE6437	
Profile:	OEM: ACW0177590
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	5608, 5609, 5610
	

# McCormick

## KR-8PK1460

Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1460mm	Suitable for: MTX150, 175
Outside Length:	
	

## KR-8PK1500

Profile: PK	OEM: J911558
Ribs/Width: 8	
Pitch Length: 1500mm	Suitable for: MTX110, 120
Outside Length:	
	

## KR-AVX131000

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 982mm	Suitable for: MTX150, 175
Outside Length: 1000mm	
	

## KR-AVX131400

Profile: AVX13	OEM: 435074A1, 435074A2
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: MTX110, 125, 140
Outside Length: 1400mm	
	


## KR-AVX131525

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: MTX155, 175
Outside Length: 1525mm	
	


## KR-VPE6170


Profile: AV13	OEM: A184652
Ribs/Width: 13mm	
Pitch Length:	Suitable for: MTX110, 120, 135
Outside Length: 1015mm	
	


## KR-VPE6303


Profile: Belt Set of 2	OEM: 389069A1 x2
Ribs/Width:	
Pitch Length:	Suitable for: CX70, 75, 80, 85, 90, 95, 100, 105, MC80, 90, 100, 115, 120, 135
Outside Length:	
	


## KR-VPE6304


Profile: Air Conditioner Belt	OEM: 248265A2
Ribs/Width:	
Pitch Length:	Suitable for: CX70, 75, 80, 85, 90, 95, 100, 105, MC80, 90, 100
Outside Length:	
	

<b>KR-VPE6401</b>	
Profile: SPA	OEM: 700464A1
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 1157mm	MTX155, 175
	

<b>KR-VPE6408</b>	
Profile: AVX13	OEM: 435074A1, 435074A2
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 1400mm	MTX110, 125, 140, 155, 175, 200
	

<b>KR-VPE6417</b>	
Profile: AVX13	OEM: 706505A2
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 1450mm	C70, 80, 100, CX75, 85, 90, 95, 100, 105, 110, MC95, 105, 110, 115, 130, X60.50
	

<b>KR-BTK2722</b>	
Profile:	OEM:
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	MTX110, 120, 135, 150, 175, 185
	

<b>KR-VPE3750</b>	
Profile:	OEM: J918944, J934817, J936203
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	MTX110, 120, 135, 150, 175, 185
	

# Mercedes Benz

## KR-AVX13900

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: UNIMOG U100, U110, U125
Outside Length: 900mm	



## KR-AVX13950

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: MB-TRAC 1100, 1300, 1500
Outside Length: 950mm	



## KR-AVX131100

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1082mm	Suitable for: UNIMOG U100, U110, U125
Outside Length: 1100mm	



## KR-AVX131125

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1107mm	Suitable for: UNIMOG U100, U110, U125
Outside Length: 1125mm	



## KR-AVX131150

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1132mm	Suitable for: MB-TRAC 700, 800
Outside Length: 1150mm	



## KR-AVX131175

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: MB-TRAC 1000
Outside Length: 1175mm	



## KR-AVX131200

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1182mm	Suitable for: UNIMOG U100, U110, U125
Outside Length: 1200mm	





## KR-AVX131225

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1207mm	Suitable for: MB-TRAC 700, 800
Outside Length: 1225mm	



KR-AVX131250	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: MB-TRAC 700, 800, 900, 1000
Outside Length: 1250mm	
	

KR-AVX131275	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: MB-TRAC 1400 TURBO, 1600 TURBO
Outside Length: 1275mm	
	

KR-AVX131350	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: MB-TRAC 700, 800, 1100, 1300
Outside Length: 1350mm	
	

KR-AVX131375	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: MB-TRAC 700, 800
Outside Length: 1375mm	
	


KR-AVX131425	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: MB-TRAC 1500
Outside Length: 1425mm	
	


KR-AVX131450	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: MB-TRAC 1000 UNIMOG U100, U110, U125
Outside Length: 1450mm	
	

# MWM


<b>KR-VPE6103</b>	
Profile:	OEM:
Ribs/Width: 9.5mm	
Pitch Length:	Suitable for:
Outside Length: 1400mm	Engine TD228.6.2
	


# New Holland


KR-5094418	
Profile:	OEM: 5094418
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	TD60D, 65D, 70D, 75D, 80D, 85D, 90D, 95D
	


KR-6PK2550	
Profile: PK	OEM:
Ribs/Width: 6	
Pitch Length: 2550mm	Suitable for:
Outside Length:	5640, 6640, 7740, 7840, 8240, 8340, TS80, 90, 100, 110, 115
	

KR-82850751AB	
Profile:	OEM: 82850751
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	5640, 6640, 7740, TS80, 90, 100
	

KR-87301964AB	
Profile:	OEM: 87301964
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	T7.220, 7.235, 7.250, 7.260, 7.270, T7030, 7040, 7050, 7060
	

KR-87643267	
Profile:	OEM: 87643267
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	TD60D, 65D, 70D, 75D, 80D, 85D, 90D, 95D
	

KR-8PK1471	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1471mm	Suitable for:
Outside Length:	8160, 8260, 8360, 8560, M100, 115, 135, 160, TM115, 125, 135, 150, 165
	

KR-8PK1549	
Profile: PK	OEM: 2858019, 4899178, J911563
Ribs/Width: 8	
Pitch Length: 1549mm	Suitable for:
Outside Length:	T5.110, 5.120, 5.130, 5.140, T6.120, 6.125, 6.140, 6.145, 6.150, 6.155, 6.160, 6.165, 6.175, 6.180, T6010, 6020, 6030, 6040, 6050, 6060, 6070, 6080, 6090, T7.170, 7.185, 7.200, 7.210, TS100A, 110A, 115A, 125A, 130A, 135A
	

KR-8PK1956	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1956mm	Suitable for:
Outside Length:	8160, 8260, 8360, 8560, M100, 115, 135, 160, TM115, 125, 135, 150, 165
	




KR-AVX101175	
Profile: AVX10	OEM: 98473705
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 4635, 4835, 5635, 6635, 7635, L60, 65, 75, 85, 95, TD60D, 70D, TN55, 60, 65, 70, 75, 80, 85, 90, 95
Outside Length: 1175mm	
	

KR-AVX101350	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: Combine Harvester 1530
Outside Length: 1350mm	
	

KR-AVX101450	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: Combine Harvester TF42, TF44
Outside Length: 1450mm	
	

KR-AVX13875	
Profile: AVX13	OEM: 132000130020
Ribs/Width: 13mm	
Pitch Length:	Suitable for: TVT135, 145, 155, 170, 190
Outside Length: 875mm	
	

KR-AVX13900	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Combine Harvester 1540, 1550
Outside Length: 900mm	
	

KR-AVX13950	
Profile: AVX13	OEM: 80754165
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Combine Harvester AL59, 519, CS6050, 6060, 6070, 6080, 6090, CSX7040, 7050, 7060, 7070, 7080, TC56, TX34, 36, 62, 65, 66, 67, 68, Tractor T7510, 7520, 7530, 7540, 7550, TVT135, 145, 155, 170, 190, 195
Outside Length: 950mm	
	

KR-AVX131050	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1032mm	Suitable for: T7510, 7520, 7530, 7540, 7550, TVT195
Outside Length: 1050mm	
	

KR-AVX131175	
Profile: AVX13	OEM: 80443634
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: Combine Harvester 8030, 8040, 8055, TX30, 32, 34, 36
Outside Length: 1175mm	
	

KR-AVX131275	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: Combine Harvester TX30, 32
Outside Length: 1275mm	
	

KR-AVX131285	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1267mm	Suitable for: Combine Harvester 8060, 8070
Outside Length: 1285mm	
	


KR-AVX131450	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: TVT135, 145, 155, 170, 190, 195
Outside Length: 1450mm	
	


KR-AVX131500	
Profile: AVX13	OEM: 162000060007
Ribs/Width: 13mm	
Pitch Length: 1482mm	Suitable for: TVT135, 145, 155, 170, 190, 195
Outside Length: 1500mm	
	


KR-AVX131600	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1582mm	Suitable for: Combine Harvester TC54, 56
Outside Length: 1600mm	
	

KR-AVX131625	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1607mm	Suitable for: Combine Harvester 8030, 8040, 8055, 8080
Outside Length: 1625mm	
	

KR-SPA1307	
Profile: SPA	OEM:
Ribs/Width: 12.7mm	
Pitch Length: 1307mm	Suitable for: Combine Harvester 1550
Outside Length: 1325mm	
	


KR-VB17965	
Profile: B	OEM:
Ribs/Width: 17mm	
Pitch Length: 1005mm (B38)	Suitable for: Combine Harvester 1530, 1545
Outside Length: 1034mm	
	


KR-VB171400	
Profile: B	OEM:
Ribs/Width: 17mm	
Pitch Length: 1440mm (B55)	Suitable for: Combine Harvester 1520, 1530, 1540, 1545, 1550
Outside Length: 1469mm	
	


KR-VB172800	
Profile: B	OEM:
Ribs/Width: 17mm	
Pitch Length: 2840mm (B110)	Suitable for: Combine Harvester 8080
Outside Length: 2869mm	
	

KR-VB172900	
Profile: B	OEM:
Ribs/Width: 17mm	
Pitch Length: 2940mm (B114)	Suitable for: Combine Harvester 1530, 1545
Outside Length: 2969mm	
	

KR-VPE6210	
Profile: AV10	OEM: 5125884, 5140009
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 4635, 4835, 5635, 6635, 7635, L60, 65, 75, 85, 95, TL70, 80, 90, 100
Outside Length: 1015mm	
	

<b>KR-VPE6336</b>	
Profile:	OEM: 84229205
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length: 1715mm	T6080, 6090, T7.170, 7.175, 7.185, 7.190, 7.200, 7.210, 7.225
	

<b>KR-VPE6340</b>	
Profile: PK	OEM: 87316556
Ribs/Width: 6	
Pitch Length: 2217mm	Suitable for:
Outside Length:	Combine Harvester TC52, 54, 56, Tractor 5640, 6640, 7740, 7840, 8240, 8340, TS110, 115
	


<b>KR-X696623200000AB</b>	
Profile: AVX13	OEM:
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	Combine Harvester CX5080, 5090, CX6080, 6090, TC4.90, TC5.70, 5.80, 5.90, TC5060, 5070, 5080
	

<b>KR-VPE6299</b>	
Inner Diameter: 17.0mm	OEM: 83995241, 84412927, F0NN8A618AA
Outer Diameter: 79.2mm	
Width: 25.7mm	Suitable for:
	5640, 6640, 7740, 7840, 8240, 8340, TS80, 90, 100, 110, 115
	

<b>KR-VPE6300</b>	
Inner Diameter: 17.0mm	OEM: 81871906
Outer Diameter: 110.0mm	
Width: 27.2mm	Suitable for:
	5640, 6640, 7740, 7840, 8240, 8340, TS90, 100, 110, 115
	

<b>KR-VPE6302</b>	
Inner Diameter: 17.0mm	OEM: 87801102
Outer Diameter: 75.8mm	
Width: 28.0mm	Suitable for:
	5640, 6640, 7740, 7840, 8240, 8340, TS80, 90, 110, 115
	

<b>KR-534069510</b>	
Profile:	OEM: 87801689
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	5640, 6640, 7740, 8240, 8340, TS90, 100, 110, 115
	

<b>KR-BTK2721</b>	
Profile:	OEM: 87436755
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	8160, 8260, 8360, 8560, M100, 115, 135, 160, T9010, 9020, TG210, 230, 255, 285, TM110, 115, 120, 125, 130, 135, 140, 150, 155, 165, 175, 180, 190, TV140
	

<b>KR-VPE6315</b>	
Profile:	OEM: 87801838, 87840057
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	Engine POWERSTAR 7.5, 7.5T, 7.5TI, Tractor 8160, 8260, 8360, 8560, TM110, 115, 120, 125, 130, 135, 140, 150, 155, 165, 175, 180, 190, TV140
	

# Perkins

## KR-AVX101350

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: Engine A4.236, A4.248, AT4.236
Outside Length: 1350mm	



## KR-AVX131175

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: Engine A3.152, A4.192, A4.236, A4.248, AD3.152, AT3.152.4
Outside Length: 1175mm	



## KR-AVX131200

Profile: AVX13	OEM: 2614B642
Ribs/Width: 13mm	
Pitch Length: 1182mm	Suitable for: Engine 1004, 1006, 4.236, T1004, T1006, T4.236
Outside Length: 1200mm	



## KR-AVX131425

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Engine 1004-4T, 1004-40T, 1004- 40TWG, 1006-6, 1006-6T, 1006- 60NA, 1006-60T, 1104C-44T, 1104C- 44TA, 1104D-44TA, 1104D-E44TA, 1106C-E60TA, 1106C-E66TA, 1106D- E66TA
Outside Length: 1425mm	



## KR-VPE6001

Profile: SPA	OEM: 0070108, 0070190
Ribs/Width: 12.5mm	
Pitch Length:	Suitable for: Engine A4.236, A4.248, AD3.152, AD4.203
Outside Length: 1268mm	



## KR-VPE6007

Profile: SPA	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Engine A4.236, A4.248
Outside Length: 1400mm	



## KR-VPE6103


Profile:	OEM:
Ribs/Width: 9.5mm	
Pitch Length:	Suitable for: Engine 1004-4T, 1004-4TH, 4.41, A4.236
Outside Length: 1400mm	





## KR-VPE6175


Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Engine 1004-4T, 1004-40T, 1004- 40TWG, 1006-6, 1006-6T, 1006- 60NA, 1006-60T, 1104C-E44TA
Outside Length: 1416mm	





<b>KR-VPE6210</b>	
Profile: AV10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: Engine 1004-4, 1004-4T
Outside Length: 1015mm	
	


<b>KR-VPE6303</b>	
Profile: Belt set of 2	OEM:
Ribs/Width:	
Pitch Length:	Suitable for: Engine 1004-4T, 1004-42
Outside Length:	
	


<b>KR-VPE6304</b>	
Profile: Air Conditioner Belt	OEM:
Ribs/Width:	
Pitch Length:	Suitable for: Engine 1004-4T
Outside Length:	
	


<b>KR-VPE6383</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104C-44TA, 1104D-44TA, 1104D-E44TA, 1106C-E60TA
Outside Length: 1044mm	
	


<b>KR-VPE6384</b>	
Profile:	OEM:
Ribs/Width: 8	
Pitch Length:	Suitable for: Engine 1106C-E60TA
Outside Length: 1594mm	
	


<b>KR-VPE6387</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104C-44TA, 1104D-44TA, 1104D-E44TA
Outside Length: 1111mm	
	


<b>KR-VPE6388</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104D-44TA
Outside Length: 1149mm	
	


<b>KR-VPE6389</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104D-44TA
Outside Length: 1072mm	
	


<b>KR-VPE6392</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104C-E44TA
Outside Length: 1060mm	
	

<b>KR-VPE6394</b>	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104C-44T, 1104C-44TA, 1104D-44TA, 1104D-E44TA
Outside Length: 1122mm	
	

KR-VPE6395	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104D-44T, 1104D-44TA
Outside Length: 1159mm	
	

KR-VPE6396	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104C-44T, 1104C-44TA, 1104D-44TA, 1104D-E44TA
Outside Length: 1054mm	
	

KR-VPE6397	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 1104D-44TA
Outside Length: 1091mm	
	

KR-VPE6409	
Profile:	OEM:
Ribs/Width: 6	
Pitch Length:	Suitable for: Engine 1106C-E60TA, 1106D-E66TA
Outside Length: 856mm	
	

KR-VPE6436	
Profile:	OEM:
Ribs/Width:	
Pitch Length:	Suitable for: Engine 1106D-E66TA
Outside Length:	
	

# Renault

## KR-AVX101175

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 90, 351M, 421M, 461
Outside Length: 1175mm	



## KR-AVX101200

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 60, 421M, 460S, 496, 551S, 556S, 651S, 652, 656S, 751, 752, 781S, 851S, 951, 61-12, 61-14, 68-12, 75-12, 75-14, 77-12, 80-12, 85-12, 85-14, 95-12, 95-14
Outside Length: 1200mm	



## KR-AVX101275

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1260mm	Suitable for: 65-32, 75-32, 85-32, 85-34, 90-32, 90-34
Outside Length: 1275mm	



## KR-AVX101350

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: 133-14, 133-54
Outside Length: 1350mm	



## KR-AVX101450

Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: 145-14, 145-54, 155-54, 175-74
Outside Length: 1450mm	



## KR-AVX131300

Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for: 891, 951, 981, 1151-4, 1181-4
Outside Length: 1300mm	



## KR-VPE6103

Profile:	OEM: 7701029710
Ribs/Width: 9.5mm	
Pitch Length:	Suitable for: 110-14, 110-54, 113-12, 113-14, 120-14, 120-54, 133-14, 133-54, 145-14, 145-54
Outside Length: 1400mm	



# SAME

KR-AVX10975	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 960mm	Suitable for: DIAMOND 230, 260, DIAMOND II 230, 260
Outside Length: 975mm	
	

KR-AVX101075	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1060mm	Suitable for: LEOPARD 90 TURBO
Outside Length: 1075mm	
	

KR-AVX101140	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: SOLARIS 35, 45, 55
Outside Length: 1140mm	
	

KR-AVX101200	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: DORADO 55, 60, 65, 70, 75, 85, GOLDEN 60, 65, 75, 85
Outside Length: 1200mm	
	

KR-AVX101275	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1260mm	Suitable for: DIAMOND 230, 260
Outside Length: 1275mm	
	

KR-AVX101325	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: EXPLORER I 65, 70, 75, 80, 90 TURBO, FRUTTETO I 60, 75, FRUTTETO II 75, 85, ROCK 55, 60, 70, VIGNERON 75
Outside Length: 1325mm	
	


KR-AVX101350	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: ANTARES 100, ARGON 65, 70, 75, AURORA 45, DELFINO 32, 35, DORADO 55, 60, 65, 70, 75, 85, EXPLORER I 75, 80, 90 TURBO, EXPLORER II 70, 80, 90 TURBO, FALCON 50, FRUTTETO I 60, 75, FRUTTETO II 75, 85, GOLDEN 60, 65, 75, 85, RANGER 45, SIRENETTA, SOLAR 50, VIGNERON 35, 45, 50
Outside Length: 1350mm	
	

KR-AVX101450	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: CENTAURO 70, CENTURION 75, CORSAO 70, LASER 90, LEOPARD 85, 90 TURBO, MERCURY 85, SATURNO 80
Outside Length: 1450mm	
	



KR-AVX101525	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: BUFFALO 120, DRAGO 100
Outside Length: 1525mm	
	


KR-AVX101550	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1535mm	Suitable for: BUFFALO 130, DRAGO 120, JAGUAR 95, 100, PANTHER 90, 95, TIGER 100, TIGER SIX 105
Outside Length: 1550mm	
	


KR-AVX101575	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: DRAGO 120, JAGUAR 95, 100, PANTHER 95, TIGER SIX 105, TRIDENT 130
Outside Length: 1575mm	
	

KR-AVX13875	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: ANTARES II 110, 130, SILVER 80, 90, 100.4, 100.6
Outside Length: 875mm	
	

KR-AVX13900	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: ANTARES 100, EXPLORER I 75, 80, EXPLORER II 60, 70, 80, 90 TURBO, SILVER 80, 90, 100.4, 100.6
Outside Length: 900mm	
	

KR-AVX13918	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: ANTARES 110, 130, EXPLORER II 60, 70, 80, 90 TURBO, FRUTTETO II 60, 75, 85, SUPERTITAN, TITAN 145, 150, 160, 165, 190
Outside Length: 918mm	
	

KR-AVX13950	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: IRON 115, 125
Outside Length: 950mm	
	

KR-AVX13975	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 957mm	Suitable for: GALAXY 170, LASER 100, 110, 130, 150
Outside Length: 975mm	
	

KR-AVX131000	
Profile: AVX13	OEM: 04452801
Ribs/Width: 13mm	
Pitch Length: 982mm	Suitable for: DIAMOND 215, 265, DIAMOND II 230, 260, IRON 115, 125, 130, 140, 150, 160, LEONE 70, 75
Outside Length: 1000mm	
	

KR-AVX131040	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1022mm	Suitable for: LASER 100, 110, 130, 150
Outside Length: 1040mm	
	

KR-AVX131050	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1032mm	Suitable for: LASER 90, 100, 110, 130, 150, LEONE 70, 75
Outside Length: 1050mm	
	

KR-AVX131100	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1082mm	Suitable for: CENTAURO 70, CENTURION 75, HERCULES 160, IRON 210, LEOPARD 85, 90 TURBO, MERCURY 85, TIGER 100, TIGER SIX 105, TRIDENT 130
Outside Length: 1100mm	
	

KR-AVX131150	
Profile: AVX13	OEM: 01181076
Ribs/Width: 13mm	
Pitch Length: 1132mm	Suitable for: IRON 100, 110
Outside Length: 1150mm	
	

KR-AVX131175	
Profile: AVX13	OEM: 01181076
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: DIAMOND 215, 230, 260, 265, DIAMOND II 230, 260, EXPLORER3 85, 100, 110, IRON 100, 110, 120, RUBIN 120, 135, 150, 160, 180, 200
Outside Length: 1175mm	
	

KR-AVX131200	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1182mm	Suitable for: GOLDEN 60, 65, 75, 85
Outside Length: 1200mm	
	


KR-AVX131225	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1207mm	Suitable for: DORADO 55, 60, 65, 70, 75, 85, S70, S75, S90, S100, V70, V75, V90, V100
Outside Length: 1225mm	
	


KR-AVX131250	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: ANTARES II 110, 130, DORADO F55, F70, F75, F90, F100, S90, S100
Outside Length: 1250mm	
	

KR-AVX131275	
Profile: AVX13	OEM: 01180350
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: IRON 130, 140, 150, 150.7, 165, 165.7, 175, 180.7, 190, 200
Outside Length: 1275mm	
	

KR-AVX131285	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1267mm	Suitable for: DORADO S70, S75
Outside Length: 1285mm	
	

KR-AVX131325	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: ANTARES II 110, 130, SILVER 80, 90, 100.4, 100.6
Outside Length: 1325mm	
	

KR-AVX131350	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: IRON 150, 170, 175, 185, 190
Outside Length: 1350mm	
	

KR-AVX131375	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: FRUTTETO II 55, 70, 75, 90, 100
Outside Length: 1375mm	
	

KR-AVX131450	
Profile: AVX13	OEM: 241190990, 2.4119.099.0
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: ANTARES 110, 130, SILVER 105, 110, 115, 130, SUPERTITAN, TITAN 145, 150, 160, 165, 190
Outside Length: 1450mm	
	

KR-AVX131475	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1457mm	Suitable for: EXPLORER3 85, 100, 110, SILVER 105, 110, 115, 130, SUPERTITAN, TITAN 145, 150, 160, 165, 190
Outside Length: 1475mm	
	

KR-AVX131600	
Profile: AVX13	OEM: 01154311
Ribs/Width: 13mm	
Pitch Length: 1582mm	Suitable for: HERCULES 160, IRON 130, 140, 150, 150.7, 165, 165.7, 180.7, LASER 150
Outside Length: 1600mm	
	

KR-AVX131625	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1607mm	Suitable for: GALAXY 170
Outside Length: 1625mm	
	

# Schluter

KR-AVX101200	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: COMPACT 750/V
Outside Length: 1200mm	
	

KR-AVX101350	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: SUPER 950/V
Outside Length: 1350mm	
	

KR-AVX131100	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1082mm	Suitable for: SUPER 2500VL, 3000TVL, SUPERTRAC 2500VL, 3000TVL
Outside Length: 1100mm	
	

KR-AVX131200	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1182mm	Suitable for: COMPACT 750/V
Outside Length: 1200mm	
	


KR-AVX131225	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1207mm	Suitable for: COMPACT 950 V6, 950/TV, SUPER 550/V
Outside Length: 1225mm	
	

KR-AVX131250	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: COMPACT 850/V, 950 V6, 950/TV, PROFI TRAC 2000 TVL, SUPER 550/V, 850/V, 950/V, 1250V, 1250VL, SUPERTRAC 2000TVL
Outside Length: 1250mm	
	

KR-AVX131275	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: COMPACT 750/V, 850/V, PROFI TRAC 2500VL, 3500 TVL, SUPER 850/V, 950/V, 1250V, 1250VL, 1500TV, 1500TVL, 1800TVL
Outside Length: 1275mm	
	

KR-AVX131300	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for: COMPACT 850/V, SUPER 850/V, 950/V, 1250V, 1250VL, 1500TV, 1500TVL, 1800TVL
Outside Length: 1300mm	
	


<b>KR-AVX131325</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: PROFI TRAC 2000 TVL, SUPER 2000TVL, SUPERTRAC 2000TVL
Outside Length: 1325mm	
	


<b>KR-AVX131350</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: PROFI TRAC 2000 TVL, SUPER 850/V, 950/V, 1250V, 1250VL, 1500TV, 1500TVL, 1800TVL, SUPERTRAC 2000TVL
Outside Length: 1350mm	
	


<b>KR-AVX131425</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: PROFI TRAC 2500VL, 3500 TVL, SUPER 2500VL, 3000TVL, SUPERTRAC 2500VL, 3000TVL-LS
Outside Length: 1425mm	
	


<b>KR-AVX131575</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1557mm	Suitable for: COMPACT 950 V6, 950/TV
Outside Length: 1575mm	
	


KR-AVX131425	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Engine 66CTA
Outside Length: 1425mm	
	


KR-VPE6371	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Engine 645TCC
Outside Length: 1160mm	
	


KR-VPE6385	
Profile:	OEM:
Ribs/Width: 6	
Pitch Length:	Suitable for: Engine 66CTA, 74CTA
Outside Length: 1365mm	
	


KR-VPE6386	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 44CTA, 44DTA, 49CTA
Outside Length: 980mm	
	


KR-VPE6393	
Profile:	OEM:
Ribs/Width: 6	
Pitch Length:	Suitable for: Engine 33AWIC, 44AWI, 49AWI, 66AWI, 74AWI
Outside Length: 1143mm	
	

KR-VPE6396	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 74CTA
Outside Length: 1054mm	
	

KR-VPE6398	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 33AWIC, 44AWI, AP33
Outside Length: 926mm	
	

KR-VPE6409	
Profile:	OEM:
Ribs/Width: 6	
Pitch Length:	Suitable for: Engine 66CTA
Outside Length: 856mm	
	

KR-VPE6412	
Profile:	OEM:
Ribs/Width: 4	
Pitch Length:	Suitable for: Engine 33AWIC
Outside Length: 937mm	
	


KR-VPE6427	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Engine 33DT, 44DT
Outside Length: 1920mm	
	


# Standard (Hotchkiss)

KR-VB20975	
Profile:	OEM:
Ribs/Width: 20mm	
Pitch Length: 1025mm	Suitable for:
Outside Length: 1054mm	20C, 23C
	



# Steyr

KR-87301964AB	
Profile:	OEM: 87301964
Ribs/Width:	
Pitch Length:	Suitable for:
Outside Length:	6165CVT, 6170CVT, 6180CVT 6185, 6200CVT, 6205, 6210CVT, 6225CVT, 6230CVT
	

KR-8PK1549	
Profile: PK	OEM: 2858019, J911563
Ribs/Width: 8	
Pitch Length: 1549mm	Suitable for:
Outside Length:	4100, 4110, 4115, 4120, 4130, 6115, 6125, 6135, 6140
	

KR-AVX101175	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for:
Outside Length: 1175mm	360, 370, 375, 540, 545, 548
	


KR-AVX101200	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for:
Outside Length: 1200mm	650, 658, 760
	

KR-AVX101275	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1260mm	Suitable for:
Outside Length: 1275mm	540, 545, 548, 650, 658, 760, 8055/A, M9094
	

KR-AVX101325	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for:
Outside Length: 1325mm	8060/A, 8070/A, 8080/A, 8100, 8120
	

KR-AVX13875	
Profile: AVX13	OEM: 132000130020
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 875mm	6135CVT, 6145CVT, 6155CVT, 6170CVT, 6190CVT, CVT120, 130, 150, 170, M968, M975, M9078, M9086, M9094
	

KR-AVX13900	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 900mm	9080, 9085, 9090, 9095, 9100, 9105, 9115, 9125, 9145, M968, M975, M9078, M9086, M9094
	

KR-AVX13950	
Profile: AVX13	OEM: 80754165
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 6140CVT, 6150CVT, 6160CVT, 6175CVT, 6195CVT
Outside Length: 950mm	
	


KR-AVX131000	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 982mm	Suitable for: 9105, 9155, 9170, 9190
Outside Length: 1000mm	
	

KR-AVX131025	
Profile: AVX13	OEM: 142000130005
Ribs/Width: 13mm	
Pitch Length: 1007mm	Suitable for: 9105
Outside Length: 1025mm	
	

KR-AVX131050	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1032mm	Suitable for: 6140CVT, 6150CVT, 6160CVT, 6175CVT, 6195CVT, 9155, 9170, 9190
Outside Length: 1050mm	
	

KR-AVX131250	
Profile: AVX13	OEM: 130300060002
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: 955, 964, 970, 9078, 9086, 9094, M948, M952, M958, M963, M968, M975, M9078, M9083, M9086, M9094
Outside Length: 1250mm	
	

KR-AVX131325	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 8060/A, 8070/A, 8080/A, 8100, 8120, 8165
Outside Length: 1325mm	
	


KR-AVX131350	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: 9078, 9086, 9094, M9078, M9083, M9086, M9094
Outside Length: 1350mm	
	

KR-AVX131375	
Profile: AVX13	OEM: 140100130132
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: 870, 9078, 9080, 9086, 9090, 9094, 9100, 9105, M968, M975, M9078, M9083, M9086, M9094
Outside Length: 1375mm	
	

KR-AVX131400	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: 9105
Outside Length: 1400mm	
	

KR-AVX131425	
Profile: AVX13	OEM: 3218952R1
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 9115, 9125, 9145, M968, M975
Outside Length: 1425mm	
	


<b>KR-AVX131450</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: 6135CVT, 6145CVT, 6155CVT, 6170CVT, 6190CVT, 9105, 9115, 9125, 9145, CVT120, 130, 150, 170, M975
Outside Length: 1450mm	
	

<b>KR-AVX131475</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: 9105, 9115, 9125, 9145
Outside Length: 1475mm	
	


<b>KR-AVX131500</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1482mm	Suitable for: 6135CVT, 6145CVT, 6155CVT, 6170CVT, 6190CVT, CVT120, 130, 150, 170
Outside Length: 1500mm	
	

<b>KR-AVX131600</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1582mm	Suitable for: 9155, 9170, 9190
Outside Length: 1600mm	
	


<b>KR-AVX131700</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1682mm	Suitable for: 9078, 9086, 9094, M9078, M9083, M9086, M9094
Outside Length: 1700mm	
	

<b>KR-VPE6336</b>	
Profile:	OEM: 84229205
Ribs/Width:	
Pitch Length:	Suitable for: 6130CVT, 6145CVT, 6160CVT
Outside Length: 1715mm	
	


# Takeuchi

KR-AVX13950	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for:
Outside Length: 950mm	Mini Excavator TB135
	

# Terex


<b>KR-AVX13950</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Mini Excavator TC50
Outside Length: 950mm	
	


# Valtra-Valmet

KR-8PK1740	
Profile: PK	OEM:
Ribs/Width: 8	
Pitch Length: 1740mm	Suitable for: Info
Outside Length:	
	

KR-AVX13900	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Info
Outside Length: 900mm	
	

KR-AVX13918	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Info
Outside Length: 918mm	
	


KR-AVX13950	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Info
Outside Length: 950mm	
	

KR-AVX131125	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1107mm	Suitable for: Info
Outside Length: 1125mm	
	

KR-AVX131275	
Profile: AVX13	OEM:1447778M91
Ribs/Width: 13mm	
Pitch Length: 1257mm	Suitable for: Info
Outside Length: 1275mm	
	

KR-AVX131300	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1282mm	Suitable for: Info
Outside Length: 1300mm	
	

KR-AVX131325	
Profile: AVX13	OEM: 2614B654, 3780603M91, V684121325
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Info
Outside Length: 1325mm	
	


<b>KR-AVX131350</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: Info
Outside Length: 1350mm	
	


<b>KR-AVX131375</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: Info
Outside Length: 1375mm	
	


<b>KR-AVX131400</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: Info
Outside Length: 1400mm	
	

<b>KR-AVX131425</b>	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Info
Outside Length: 1425mm	
	

<b>KR-AVX131475</b>	
Profile: AVX13	OEM: 3617180M91
Ribs/Width: 13mm	
Pitch Length: 1457mm	Suitable for: Info
Outside Length: 1475mm	
	

<b>KR-V32889500AB</b>	
Profile: XPA	OEM: V32889500
Ribs/Width:	
Pitch Length:	Suitable for: Info
Outside Length:	
	

<b>KR-VPE6239</b>	
Profile: PK	OEM: V685081710
Ribs/Width: 8	
Pitch Length:	Suitable for: Info
Outside Length: 1700mm	
	

<b>KR-VPE6427</b>	
Profile: AVX13	OEM: V684120918
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Info
Outside Length: 1920mm	
	

KR-AVX101350	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length: 1335mm	Suitable for: Wheel Loader L70, LM641
Outside Length: 1350mm	
	

KR-AVX13900	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length:	Suitable for: Wheel Loader L70F
Outside Length: 900mm	
	

KR-AVX131075	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1057mm	Suitable for: Wheel Loader L70F
Outside Length: 1075mm	
	



# Werklust

KR-AVX131375	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1357mm	Suitable for: Wheel Loader WG45A, WG45B
Outside Length: 1375mm	
	

KR-AVX131400	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1382mm	Suitable for: Wheel Loader WG18A, WG35A
Outside Length: 1400mm	
	

KR-AVX131475	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1457mm	Suitable for: Wheel Loader WG45A, WG45B
Outside Length: 1475mm	
	

KR-AVX131500	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1482mm	Suitable for: Wheel Loader WG18B, WG35B
Outside Length: 1500mm	
	


# Zetor

KR-AVX101125	
Profile: AVX10	OEM:
Ribs/Width: 10mm	
Pitch Length:	Suitable for: Info
Outside Length: 1125mm	
	

KR-AVX131150	
Profile: AVX13	OEM: 62455705
Ribs/Width: 13mm	
Pitch Length: 1132mm	Suitable for: Info
Outside Length: 1150mm	
	

KR-AVX131175	
Profile: AVX13	OEM: 62455705
Ribs/Width: 13mm	
Pitch Length: 1157mm	Suitable for: Info
Outside Length: 1175mm	
	

KR-AVX131250	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1232mm	Suitable for: Info
Outside Length: 1250mm	
	

KR-AVX131350	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1332mm	Suitable for: Info
Outside Length: 1350mm	
	

KR-AVX131450	
Profile: AVX13	OEM:
Ribs/Width: 13mm	
Pitch Length: 1432mm	Suitable for: Info
Outside Length: 1450mm	
	