

LIGHTING CATALOGUE

Direct Replacement LED Lighting






UNDERSTANDING IP APPROVALS

IP **6** **7**

Solid objects	
0	No protection against contact and ingress of objects
1	Protects against objects > 50 mm (hands)
2	Protects against objects > 12.5 mm (fingers)
3	Protects against objects > 2.5 mm (tools/cords)
4	Protects against objects > 1 mm (small tools)
5	Protects against dust, limited ingress
6	Protection against objects, total protection against dust

Liquid	
0	No protection
1	Protects against dripping water or condensation
2	Protects against vertical water jets of 15 degrees
3	Protects against vertical water jets of 60 degrees
4	Protects against water jets from every direction
5	Protects against low pressure water jets from every direction
6	Protects against high pressure water jets or rough sea
7	Protects against temporary immersion in water tested for 30 min. at a depth of 1 metre.
8	Protects against immersion in water over an extended period of time at a depth of more than 1 metre.
9K	Protects against high pressure and high water or steam temperatures.

UNDERSTANDING LUMEN AND WATT

		☀️ ————— ☀️					
		450 lumen	800 lumen	1100 lumen	1600 lumen	2600 lumen	5800 lumen
LEAST EFFICIENT ↓ ↑ MOST EFFICIENT	 Standard expected service life: 1,000 hours*	40W	60W	75W	100W	150W	300W
	 Halogen expected service life: 3,000 hours*	29W	43W	53W	72W	150W	300W
	 LED expected service life: 25,000 hours*	6W	9-10W	13W	16-18W	24W	45W

*expected service life is based on a daily use of 3 hours

CONTENTS

CASE-IH	PAGE	4, 5
CATERPILLAR	PAGE	6
CLAAS	PAGE	6, 7
DEUTZ-FAHR	PAGE	7, 8
FENDT	PAGE	8, 9, 10
FIAT	PAGE	10
FORD	PAGE	11
JCB	PAGE	11, 12
JCB CONSTRUCTION	PAGE	12, 13
JOHN DEERE	PAGE	14, 15, 16
KOMATSU	PAGE	16
KRONE	PAGE	17
KUBOTA	PAGE	17
LIEBHERR	PAGE	17
MASSEY FERGUSON	PAGE	18, 19
NEW HOLLAND	PAGE	20, 21
TEREX	PAGE	22
VALMET	PAGE	22
VALTRA	PAGE	22, 23
REAR FENDER LIGHTING	PAGE	23
LED LIGHTING DISPLAYS	PAGE	24, 25
ACCESSORIES	PAGE	26, 27, 28

CASE-IH

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10094

Luminous Flux: 2850lm
Power: 30 W - 15 LED
Voltage: 10-30V
Dimensions: 97x73x89mm



WORK LIGHT LED

KR-LA80300

Luminous Flux: 3375lm
Power: 27 W - 18 LED
Voltage: 10-30V

Dimensions: 182.5x48x101.5mm



WORK LIGHT LED

KR-LA10099

Luminous Flux: 1800lm
Power: 15 W - 9 LED
Voltage: 12-55V
Dimensions: 100x100x74mm



WORK LIGHT LED

KR-LA10421

Luminous Flux: 6000lm
Power: 90 W - 30 LED
Voltage: 10-30V
Dimensions:
76x105x188mm



WORK LIGHT LED

KR-LA10098

Luminous Flux: 1800lm
Power: 15 W - 9 LED
Voltage: 12-55V
Dimensions: 100x100x74mm



WORK LIGHT LED

KR-LA10414

Luminous Flux: 4000lm
Power: 40 W - 8 LED
Voltage: 10-30V
Dimensions: 152x75x108mm



WORK LIGHT LED

KR-LA10092

Luminous Flux: 1620lm
Power: 18 W - 6 LED
Voltage: 10-30V
Dimensions: 81x76x78mm



WORK LIGHT LED

KR-LA10430

Luminous Flux: 3220lm
Power: 24 W - 16 LED
Voltage: 10-30V
Dimensions: 72x165x105mm

CASE-IH

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10410R

Luminous Flux: 5600lm
Power: 67 W - 20 LED
Voltage: 10-30V
Dimensions: 108x80x97mm



WORK LIGHT LED

KR-LA10423

Luminous Flux: 2800lm
Power: 42 W - 14 LED
Voltage: 10-30V
Dimensions: 79x148x95mm



WORK LIGHT LED

KR-LA10447

Luminous Flux: 4200lm
Power: 42 W - 9 LED
Voltage: 10-30V
Dimensions: 103x103x90mm



WORK LIGHT LED

KR-LA10084

Luminous Flux: 1920lm
Power: 24 W - 8 LED
Voltage: 10-30V
Dimensions: 140x70x70mm



WORK LIGHT LED

KR-LA10420

Luminous Flux: 4100lm
Power: 54 W - 18 LED
Voltage: 10-30V

Dimensions: 68.3x151.8x102.5mm



WORK LIGHT LED

KR-LA10429

Luminous Flux: 4800lm
Power: 40 W - 4 LED
Voltage: 10-30V
Dimensions: 72x90x83.5mm



WORK LIGHT LED

KR-LA10512

Luminous Flux: 2400lm
Power: 30 W - 6 LED
Voltage: 10-30V
Dimensions: 143x83x60mm

CATERPILLAR

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA80300

Luminous Flux: 3375lm
Power: 27 W - 18 LED
Voltage: 10-30V

Dimensions: 182.5x48x101.5mm



WORK LIGHT LED

KR-988203B

Luminous Flux: 2800lm
Power: 28 W - 6 LED
Voltage: 9-32V
Dimensions: 95x99x118mm



WORK LIGHT LED

KR-988204B

Luminous Flux: 2800lm
Power: 28 W - 6 LED
Voltage: 9-32V
Dimensions: 95x99x118mm



WORK LIGHT LED

KR-984702B

Luminous Flux: 7000lm
Power: 50 W - 14 LED
Voltage: 9-32V
Dimensions: 108x108x137mm



WORK LIGHT LED

KR-988103B

Luminous Flux: 2800lm
Power: 28 W - 6 LED
Voltage: 9-32V
Dimensions: 93x93x122mm



WORK LIGHT LED

KR-988104B

Luminous Flux: 2800lm
Power: 28 W - 6 LED
Voltage: 9-32V
Dimensions: 93x93x122mm

CLAAS

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA80300

Luminous Flux: 3375lm
Power: 27 W - 18 LED
Voltage: 10-30V

Dimensions: 182.5x48x101.5mm



WORK LIGHT LED

KR-LA10445

Luminous Flux: 2240lm
Power: 24 W - 8 LED
Voltage: 10-30V
Dimensions: 69x90x173mm

CLAAS

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10430

Luminous Flux: 3220lm
Power: 24 W - 16 LED
Voltage: 10-30V
Dimensions: 72x165x105mm



WORK LIGHT LED

KR-LA10551

Luminous Flux: 4000lm
Power: 40 W - 4 LED
Voltage: 10-30V

Dimensions: 71.8x126.2x83.8mm



WORK LIGHT LED

KR-LA10501

Luminous Flux: 1800lm
Power: 32 W
Voltage: 12-48V

Dimensions: 69.2x141x124.5mm



WORK LIGHT LED

KR-LA10447

Luminous Flux: 4200lm
Power: 42 W - 9 LED
Voltage: 10-30V
Dimensions: 103x103x90mm

DEUTZ-FAHR

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10551

Luminous Flux: 4000lm
Power: 40 W - 4 LED
Voltage: 10-30V

Dimensions: 71.8x126.2x83.8mm



WORK LIGHT LED

KR-LA10550

Luminous Flux: 4000lm
Power: 40 W - 4 LED
Voltage: 10-30V

Dimensions: 71.8x126.2x83.8mm

DEUTZ-FAHR

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10414

Luminous Flux: 4000lm
Power: 40 W - 8 LED
Voltage: 10-30V
Dimensions: 152x75x108mm



WORK LIGHT LED

KR-LA10099

Luminous Flux: 1800lm
Power: 15 W - 9 LED
Voltage: 12-55V
Dimensions: 100x100x74mm



WORK LIGHT LED

KR-LA10410

Luminous Flux: 5600lm
Power: 67 W - 20 LED
Voltage: 10-30V
Dimensions: 108x80x97mm

FENDT

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA80300

Luminous Flux: 3375lm
Power: 27 W - 18 LED
Voltage: 10-30V

Dimensions: 182.5x48x101.5mm

Suitable For:

FARMER, SERIES 200 - 900 SERIES, COM3



WORK LIGHT LED

KR-LA10414

Luminous Flux: 4000lm
Power: 40 W - 8 LED
Voltage: 10-30V
Dimensions: 152x75x108mm

Suitable For:

FAVORIT, FARMER, SERIES 200-900 SERIES, COM3, SCR



FENDT

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING

WORK LIGHT LED

KR-LA10447



Luminous Flux: 4200lm
Power: 42 W - 9 LED
Voltage: 10-30V
Dimensions: 103x103x90mm

Suitable For:

SERIES 200 - 900 SERIES, SCR, S3, S4



WORK LIGHT LED

KR-LA10410



Luminous Flux: 5600lm
Power: 67 W - 20 LED
Voltage: 10-30V
Dimensions: 108x80x97mm

Suitable For:

SERIES 200 - 900, SCR, S3, S4



WORK LIGHT LED

KR-LA10416



Luminous Flux: 3800lm
Power: 40 W - 4 LED
Voltage: 10-30V
Dimensions: 110x93x145mm

Suitable For:

SERIES 200-900 SERIES, SCR



WORK LIGHT LED

KR-LA10422



Power: 16 W, 21 W
Voltage: 10-30V
No. of LEDs: 1, 2, 32

Dimensions: 83.6x182.5x101.8mm

Suitable For:

SERIES 200 - 900 SERIES, COM3



WORK LIGHT LED

KR-LA10416G



Luminous Flux: 4500lm
Power: 40 W - 4 LED
Voltage: 10-30V
Dimensions: 93x110x145mm

WORK LIGHT LED

KR-LA10044



Luminous Flux: 4000lm
Power: 40 W - 4 LED
Voltage: 10-30V

Dimensions: 98.5x63.4x98.5mm

FENDT

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10433

Luminous Flux: 3000lm
Power: 30 W - 6 LED
Voltage: 10-30V
Dimensions: 73x120x99mm



WORK LIGHT LED

KR-LA10555

Luminous Flux: 3000lm
Power: 27 W - 9 LED
Voltage: 10-30V
Dimensions: 100X100X81mm

FIAT

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10412

Luminous Flux: 2600lm
Power: 21 W - 14 LED
Voltage: 10-30V
Dimensions: 158x84x95mm



WORK LIGHT LED

KR-LA10411

Luminous Flux: 2600lm
Power: 21 W - 14 LED
Voltage: 10-30V
Dimensions: 158x84x95mm

FORD

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10411

Luminous Flux: 2600lm
Power: 21 W - 14 LED
Voltage: 10-30V
Dimensions: 158x84x95mm



WORK LIGHT LED

KR-LA10423

Luminous Flux: 2800lm
Power: 42 W - 14 LED
Voltage: 10-30V
Dimensions: 79x148x95mm



WORK LIGHT LED

KR-LA10412

Luminous Flux: 2600lm
Power: 21 W - 14 LED
Voltage: 10-30V
Dimensions: 158x84x95mm



WORK LIGHT LED

KR-LA10421

Luminous Flux: 6000lm
Power: 90 W - 30 LED
Voltage: 10-30V
Dimensions: 76x105x188mm

JCB

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA80300

Luminous Flux: 3375lm
Power: 27 W - 18 LED
Voltage: 10-30V

Dimensions: 182.5x48x101.5mm



WORK LIGHT LED

KR-LA10084

Luminous Flux: 1920lm
Power: 24 W - 8 LED
Voltage: 10-30V

Dimensions: 140x70x70mm

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10039

Luminous Flux: 3510lm
Power: 39 W - 13 LED
Voltage: 10-30V

Dimensions: 144x69.4x98mm



WORK LIGHT LED

KR-LA10439

Luminous Flux: 2400lm
Power: 30 W - 6 LED
Voltage: 10-30V
Dimensions: 82x147x77mm

JCB CONSTRUCTION

NOT DIRECT REPLACEMENT - HEALTH & SAFETY LIGHTING



WORK LIGHT INDIRECT

KR-LA10502

Luminous Flux: 1000lm
Power: 15W - 13 LED
Voltage: 10-30V
Dimensions: 110x87x52.3mm



WORK LIGHT INDIRECT

KR-LA10503

Luminous Flux: 1500lm
Power: 18W - 6 LED
Voltage: 10-30V
Dimensions: 154x38x53mm



WORK LIGHT INDIRECT

KR-LA10520

Luminous Flux: 5600lm
Power: 60W - 10 LED
Voltage: 9-36V
Dimensions: 150x124x88mm



WORK LIGHT INDIRECT

KR-LA10521

Luminous Flux: 5700lm
Power: 60W - 6 LED
Voltage: 9-36V
Dimensions:
137x124.5x67.5mm

These lights are glare free, and are designed for working environments where people are working close to the machine, and will not be dazzled / blinded by the lights.

JCB CONSTRUCTION

NOT DIRECT REPLACEMENT - HEALTH & SAFETY LIGHTING



WORK LIGHT LED

KR-LA10525

Luminous Flux: 6000lm

Power: 60W - 6 LED

Voltage: 12-60V

Dimensions:

154.4x117.4x70mm



HEADLIGHT LED

KR-LA80042

Power: 100W - 4 LED

Voltage: 9-36V

Dimensions: 247x176x92mm

Electronic Thermal

Management (ETM)



HEADLIGHT LED

KR-LA80043

Power: 38W

Voltage: 10-30V

Dimensions: 229x150x80mm

These lights are glare free, and are designed for working environments where people are working close to the machine, and will not be dazzled / blinded by the lights.

JOHN DEERE

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10512

Luminous Flux: 2400lm
Power: 30 W - 6 LED
Voltage: 10-30V
Dimensions: 143x83x60mm

Suitable For:

TRACTOR SERIES 7000, 7010, 8000, 8010, 8020, 8030, COMBINES, FORAGE HARVESTERS, ETC.



WORK LIGHT LED

KR-LA10432

Luminous Flux: 5200lm
Power: 65 W - 13 LED
Voltage: 10-30V
Dimensions: 95x166x148mm

Suitable For:

COMBINE SERIES STS, CTS, FORAGE HARVESTOR 6000, 7000, 8000, TRACTOR SERIES 1000, 2000, 3000, 4000, 5000



WORK LIGHT LED

KR-LA10416

Luminous Flux: 3800lm
Power: 40 W - 4 LED
Voltage: 10-30V
Dimensions: 110x93x145mm

Suitable For:

TRACTOR SERIES 6020, 6030, 6M, 5020, 5M, 5R



WORK LIGHT LED

KR-LA10439

Luminous Flux: 2400lm
Power: 30 W - 6 LED
Voltage: 10-30V
Dimensions: 82x147x77mm

Suitable For:

SERIES 6R, 7R, 8R/RT, 9R/RT



WORK LIGHT LED

KR-LA10429

Luminous Flux: 4800lm
Power: 40 W - 4 LED
Voltage: 10-30V
Dimensions: 72x90x83.5mm



WORK LIGHT LED

KR-LA10438

Luminous Flux: 3000lm
Power: 25 W - 1 LED
Voltage: 10-30V
Dimensions: 74x94x123mm

JOHN DEERE

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10448

Luminous Flux: 3500lm
Power: 40 W - 8 LED
Voltage: 10-30V
Dimensions: 80x170x127mm

Suitable For:

MOST MODELS OF 5E - 9RX SERIES



WORK LIGHT LED

KR-LA10449

Luminous Flux: 3500lm
Power: 40 W - 8 LED
Voltage: 10-30V
Dimensions: 63x190x140mm

Suitable For:

SERIES 200 - 900 SERIES, SCR, S3, S4



WORK LIGHT LED

KR-LA80300

Luminous Flux: 3375lm
Power: 27 W - 18 LED
Voltage: 10-30V

Dimensions: 182.5x48x101.5mm



WORK LIGHT LED

KR-LA10416G

Luminous Flux: 4500lm
Power: 40 W - 4 LED
Voltage: 10-30V
Dimensions: 93x110x145mm



WORK LIGHT LED

KR-LA10427

Luminous Flux: 5040lm
Power: 72 W - 36 LED
Voltage: 10-30V

Dimensions: 119.8x215.8x150.9mm



WORK LIGHT LED

KR-LA10084

Luminous Flux: 1920lm
Power: 24 W - 8 LED
Voltage: 10-30V
Dimensions: 140x70x70mm

JOHN DEERE

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10431

Luminous Flux: 1750lm
Power: 20 W - 4 LED
Voltage: 10-30V
Dimensions: 45x138x63mm

Suitable For:

6000, 6010, 7000, 7010 SERIES



WORK LIGHT LED

KR-LA10440

Luminous Flux: 3800lm
Power: 40 W - 8 LED
Voltage: 10-30V
Dimensions: 69x112x164mm

KOMATSU

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA80300

Luminous Flux: 3375lm
Power: 27 W - 18 LED
Voltage: 10-30V

Dimensions: 182.5x48x101.5mm



WORK LIGHT LED

KR-LA10414

Luminous Flux: 4000lm
Power: 40 W - 8 LED
Voltage: 10-30V
Dimensions: 152x75x108mm

KRONE

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10430

Luminous Flux: 3220lm

Power: 24 W - 16 LED

Voltage: 10-30V

Dimensions: 72x165x105mm

KUBOTA

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10551

Luminous Flux: 4000lm

Power: 40 W - 4 LED

Voltage: 10-30V

Dimensions: 71.8x126.2x83.8mm



WORK LIGHT LED

KR-LA10439

Luminous Flux: 2400lm

Power: 30 W - 6 LED

Voltage: 10-30V

Dimensions: 82x147x77mm

LIEBHERR

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA80300

Luminous Flux: 3375lm

Power: 27 W - 18 LED

Voltage: 10-30V

Dimensions: 182.5x48x101.5mm

MASSEY FERGUSON

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING

WORK LIGHT LED

KR-LA10414



Luminous Flux: 4000lm
Power: 40 W - 8 LED
Voltage: 10-30V
Dimensions: 152x75x108mm

Suitable For:

MANY OLDER MODELS FROM 300, 3000 SERIES ETC.



KR-LA80300



Luminous Flux: 3375lm
Power: 27 W - 18 LED
Voltage: 10-30V

Dimensions: 182.5x48x101.5mm

Suitable For:

MODELS OF SERIES 3000, 4200, 4300, 6100, 6200, 8100, 8200



WORK LIGHT LED

KR-LA10423



Luminous Flux: 2800lm
Power: 42 W - 14 LED
Voltage: 10-30V
Dimensions: 79x148x95mm

Suitable For:

3000, 3100 AND 3600 SERIES



WORK LIGHT LED

KR-LA10430



Luminous Flux: 3220lm
Power: 24 W - 16 LED
Voltage: 10-30V
Dimensions: 72x165x105mm

Suitable For:

MANY MODELS OF SERIES 5000, 6000, 7000, 8000



WORK LIGHT LED

KR-LA10402



Luminous Flux: 1600lm
Power: 13 W - 13 LED
Voltage: 12-36V
Dimensions: 91x48x166mm

WORK LIGHT LED

KR-LA10410R



Luminous Flux: 5600lm
Power: 67 W - 20 LED
Voltage: 10-30V
Dimensions: 108x80x97mm

MASSEY FERGUSON

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10429

Luminous Flux: 4800lm
Power: 40 W - 4 LED
Voltage: 10-30V
Dimensions: 72x90x83.5mm

Suitable For:

SCR MODELS OF 5000, 6000, 7000, 8000 (TOP OF BONNET ONLY)



WORK LIGHT LED

KR-LA10445

Luminous Flux: 2240lm
Power: 24 W - 8 LED
Voltage: 10-30V
Dimensions: 69x90x173mm

Suitable For:

ALL MODELS WITH HANDRAIL



WORK LIGHT LED

KR-LA10432

Luminous Flux: 5200lm
Power: 65 W - 13 LED
Voltage: 10-30V
Dimensions: 95X166X148mm

Suitable For:

1000, 2600, 4200, 5000, 6000, 7000, 8000 SERIES



WORK LIGHT LED

KR-LA10447

Luminous Flux: 4200lm
Power: 42 W - 9 LED
Voltage: 10-30V
Dimensions: 103x103x90mm

NEW HOLLAND

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING

WORK LIGHT LED


KR-LA10445



Luminous Flux: 2240lm
Power: 24 W - 8 LED
Voltage: 10-30V
Dimensions: 69x90x173mm

Suitable For:

T6000 AND T7000 SERIES, T6 AUTO COMMAND TIER 4B / T6.140 - MOTOR TIER 4B



WORK LIGHT LED

KR-LA10421



Luminous Flux: 6000lm
Power: 90 W - 30 LED
Voltage: 10-30V
Dimensions: 76x105x188mm

Suitable For:

NEW HOLLAND 40, 60, TM, TS SERIES. FORD 10, 30, TW SERIES



WORK LIGHT LED

KR-LA10429



Luminous Flux: 4800lm
Power: 40 W - 4 LED
Voltage: 10-30V
Dimensions: 72x90x83.5mm

Suitable For:

T1804B, T2104, T304, T4, T4000, T5, T5000, T6000, T7, T7000, T8, T8000, TD5, TN, TS, TG SERIES, CS, CX COMBINES (BLACK ROOFTOP), FR HARVESTERS (BLACK ROOFTOP)



WORK LIGHT LED

KR-LA10423



Luminous Flux: 2800lm
Power: 42 W - 14 LED
Voltage: 10-30V
Dimensions: 79x148x95mm

Suitable For:

NEW HOLLAND 40, 60, TM, TS SERIES, FORD 10, 30, TW SERIES, UNIVERSAL FIT



WORK LIGHT LED

KR-LA80300



Luminous Flux: 3375lm
Power: 27 W - 18 LED
Voltage: 10-30V

Dimensions: 182.5x48x101.5mm

WORK LIGHT LED

KR-LA10414



Luminous Flux: 4000lm
Power: 40 W - 8 LED
Voltage: 10-30V
Dimensions: 152x75x108mm

NEW HOLLAND

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING

WORK LIGHT LED

KR-LA10411



Luminous Flux: 2600lm
Power: 21 W - 14 LED
Voltage: 10-30V
Dimensions: 158x84x95mm

Suitable For:

NEW HOLLAND TM, TL, 60 SERIES, FORD 35 SERIES, FIAT L SERIES, FIAT M SERIES



WORK LIGHT LED

KR-LA10412



Luminous Flux: 2600lm
Power: 21 W - 14 LED
Voltage: 10-30V
Dimensions: 158x84x95mm

Suitable For:

NEW HOLLAND TM, TL, 60 SERIES, FORD 35 SERIES. FIAT L SERIES, FIAT M SERIES



WORK LIGHT LED

KR-LA10420



Luminous Flux: 4100lm
Power: 54 W - 18 LED
Voltage: 10-30V

Dimensions: 68.3x151.8x102.5mm

Suitable For:

SERIES TSA, T6000, T7000, T7500, T8000, TG



WORK LIGHT LED

KR-LA10555



Luminous Flux: 3000lm
Power: 27 W - 9 LED
Voltage: 10-30V
Dimensions: 100X100X81mm

TEREX

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA80300

Luminous Flux: 3375lm
Power: 27 W - 18 LED
Voltage: 10-30V

Dimensions: 182.5x48x101.5mm

VALMET

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10411

Luminous Flux: 2600lm
Power: 21 W - 14 LED
Voltage: 10-30V
Dimensions: 158x84x95mm



WORK LIGHT LED

KR-LA10412

Luminous Flux: 2600lm
Power: 21 W - 14 LED
Voltage: 10-30V
Dimensions: 158x84x95mm

VALTRA

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA80300

Luminous Flux: 3375lm
Power: 27 W - 18 LED
Voltage: 10-30V

Dimensions: 182.5x48x101.5mm



WORK LIGHT LED

KR-LA10099

Luminous Flux: 1800lm
Power: 15 W - 9 LED
Voltage: 12-55V
Dimensions: 100x100x74mm

VALTRA

SEE PAGE 23 FOR RECOMENDED REAR FENDER LIGHTING



WORK LIGHT LED

KR-LA10098

Luminous Flux: 1800lm
Power: 15 W - 9 LED
Voltage: 12-55V
Dimensions: 100x100x74mm



WORK LIGHT LED

KR-LA10447

Luminous Flux: 4200lm
Power: 42 W - 9 LED
Voltage: 10-30V
Dimensions: 103x103x90mm



WORK LIGHT LED

KR-LA10423

Luminous Flux: 2800lm
Power: 42 W - 14 LED
Voltage: 10-30V
Dimensions: 79x148x95mm

LED FENDER LIGHTING

SQUARE WORKLIGHT + HANDLE

KR-LA10446



Luminous Flux: 2000lm
Power: 48W - 16 LED
Voltage: 10-30

Dimensions: 198.5x125.7x60.9mm



WORK LIGHT LED

KR-LA10427

Luminous Flux: 5040lm
Power: 72W - 36 LED
Voltage: 10-30V

Dimensions: 119.8x215.8x150.9mm

LED LIGHTING DISPLAYS



LED LIGHTING DISPLAY - BEACONS

KR-KITLEDKRB1

Mounted at Display:

- 1 x LA20028
- 1 x LA20020
- 1 x LA20022
- 1 x LA20082
- 1 x LA20084
- 1 x LA20029
- 1 x LA20063/73/74/76
- 1 x LA60025

Starter Stock:

- 6 x LA20028
- 6 x LA20020
- 6 x LA20022
- 2 x LA20082
- 2 x LA20084
- 4 x LA20029
- 2 x LA20063/73/74/76
- 6 x LA60025

POA



LED LIGHTING DISPLAY - UNIVERSAL

KR-KITLEDKRW1

Mounted at Display:

- 1 x LA10414
- 1 x LA10423
- 1 x LA10445
- 1 x LA10099
- 1 x LA10047
- 1 x LA10094
- 1 x LA10416

Starter Stock:

- 4 x LA10414
- 4 x LA10423
- 4 x LA10445
- 6 x LA10099
- 6 x LA10047
- 6 x LA10094
- 6 x LA10416

POA



LED LIGHTING DISPLAY - FENDT

KR-KITLEDFT1

Mounted at Display:

- 1 x LA10447
- 1 x LA10422
- 1 x LA80300
- 1 x LA10414
- 1 x LA10410
- 1 x LA10416

Starter Stock:

- 2 x LA10447
- 2 x LA10422
- 6 x LA80300
- 6 x LA10414
- 6 x LA10410
- 2 x LA10416

POA

LED LIGHTING DISPLAYS



LED LIGHTING DISPLAY - JOHN DEERE KR-KITLEDJD1

Mounted at Display:

- 1 x LA10432
- 1 x LA10449
- 1 x LA10448
- 1 x LA10416/LA10416G
- 1 x LA10512
- 1 x LA10431
- 1 x LA10439

Starter Stock:

- 2 x LA10432
- 4 x LA10449
- 2 x LA10448
- 4 x LA10416/LA10416G
- 2 x LA10512
- 4 x LA10431
- 2 x LA10439
- 6 x KADT029005

POA



LED LIGHTING DISPLAY - MASSEY FERGUSON KR-KITLEDMF1

Mounted at Display:

- 1 x LA10430
- 1 x LA10429
- 1 x LA10445
- 1 x LA80300
- 1 x LA10423
- 1 x LA10414
- 1 x LA10432

Starter Stock:

- 4 x LA10430
- 2 x LA10429
- 6 x LA10445
- 4 x LA80300
- 6 x LA10423
- 4 x LA10414
- 2 x LA10432

POA



LED LIGHTING DISPLAY - NEW HOLLAND KR-KITLEDNH1

Mounted at Display:

- 1 x LA10420
- 1 x LA10411
- 1 x LA10445
- 1 x LA10423
- 1 x LA10429
- 1 x LA10421

Starter Stock:

- 6 x LA10420
- 6 x LA10411
- 6 x LA10412
- 2 x LA10445
- 4 x LA10423
- 2 x LA10429
- 6 x LA10421
- 6 x KADT029005

POA

ACCESSORIES

CONNECTING CABLE

KR-KADT062S2M



Voltage Range: 12-24V
Connection Type: Deutsch 2-pin
Length: 2000mm

Cable Core Cross Section: 0.75mm²

TUBE CLAMP ADAPTER

KR-LA10040



Plug Type: AMP

CONNECTING CABLE DT2

KR-KADT062S4M



Voltage Range: 12-24V
Connection Type: Deutsch 2-pin
Length: 4000mm

Cable Core Cross Section: 0.75mm²

TUBE CLAMP ADAPTER

KR-LA10041



Plug Type: Deutsch 2-pin

CONNECTING CABLE DT

KR-KADT066S2M



Voltage Range: 12-24V
Connection Type: Deutsch 6-pin
Length: 2000m

Cable Core Cross Section: 0.75mm²

PLUG HOUSING FEMALE

KR-DSDT062S



Connection: DS16
Number of Poles: 2pcs
Cable Thickness: 0.8-2.0mm²

CLAMP FOR WORK LAMP

KR-LA10042



Total Length: 57mm
Material: Stainless Steel, Plastic
Mounting Type: Fixed

Mounting Connection Diameter Range: 15-28mm

CLAMP FOR WORK LAMP 360°

KR-LA10043



Total Length: 57mm
Material: Stainless Steel, Plastic

Mounting Connection Diameter Range: 15-28mm

ACCESSORIES



TUBE CLAMP 50MM

KR-CLMP50

Diameter Range: 50-50mm
Mounting Thread: M8, M10
Mounting Thread Length: 80mm



TUBE CLAMP 64MM

KR-CLMP64

Diameter Range: 64-64mm
Mounting Thread: M8, M10
Mounting Thread Length: 80mm



CONNECTING CABLE

KR-KADTSPIRCIG

Voltage Range: 12-24V
Cable Cross Section: 0.33mm²
Length: 3000mm
Connection: Deutsch 2-pin,
Cigarette Lighter Socket



CONNECTING CABLE

KR-KADT062SW

Voltage Range: 12-24V
Cable Cross Section: 0.75mm²
Length: 500mm
Connection: Deutsch 2-Pin,
Free Conductor End



WIRING HARNESS

KR-KADT066S25M

Voltage Range: 12-24V
Cable Cross Section: 0.75mm²
Length: 2500mm
Connection: Deutsch 6-Pin,
Free Conductor End



CONNECTION CABLE

KR-KADT066S5M

Voltage Range: 12-24V
Length: 5000mm
Connection: Deutsch 6-pin,
Free Conductor End



ADAPTOR CABLE

KR-KAH11DT02

Voltage Range: 10-30V
Max Voltage: 80V
Cable Cross Section: 0.75mm²
Length: 180mm
Connection: H11, Deutsch 2-pin



ADAPTOR CABLE

KR-KAH9DT02

Voltage Range: 10-30V
Max Voltage: 80V
Cable Cross Section: 0.75mm²
Length: 180mm
Connection: H9, Deutsch 2-pin

ACCESSORIES



RELAY FOR WORK LAMP

KR-1605WK031

Operating Voltage: 12 - 24 V
Insulation Class: 65
Operation Temperature: -40-85 °C
Power: 200W, 400W
Connection Type: Deutsch 2-pin



RELAY FOR WORK LAMP

KR-1605WK032

Operating Voltage: 12 - 24 V
Insulation Class: 65
Operation Temperature: -40-85 °C
Power: 200W, 400W
Connection Type: Deutsch 2-pin



CLAMP FOR WORK LAMP

KR-LA104WFR

Shape: Rectangular
Min Working Temp: -40 °C
Max Working Temp: 70 °C
Dimensions: 158x23x95mm



SWIVEL HEAD MOUNT

KR-LASWIV1

Mounting Type: Bolted, Bracket
Material: Stainless Steel & Plastic
Recommended For: Mounting
work lights on the rear of FENDT
SCR series cabs



WE KEEP FARMERS FARMING