

Radiator Caps Catalogue

A close-up photograph of a radiator cap. The cap is dark blue or black with a silver-colored top. The top is partially open, revealing a bright green liquid inside. The background is dark and out of focus, showing other parts of the engine or radiator.


November 2023


 KRAMP


CONTENTS

Case-IH	3
Claas	5
David Brown	6
Deutz-Fahr	7
Fendt	8
Fiat	9
Ford	10
FTP	12
Hurlimann	13
Iveco	14
John Deere	15
Lamborghini	17
Landini	18
Leyland	19
Massey Ferguson	20
McCormick	22
New Holland	23
Perkins	25
SAME	26
Sisu	27
Standard (Hotchkiss)	28
Steyr	29
Ursus	30
Valtra-Valmet	31
Zetor	33


Case-IH

KR-3134146R1N	OEM: 3134146R1
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 38 mm	Engine D111, D155, D179, D206, D239, D268, D310, D358, DT239, DT358, DT402
Working Diameter: 55 mm	Tractor 323, 353, 383, 423, 433, 440, 453, 523, 533, 540, 553, 633, 640, 644, 645, 654, 724, 733, 734, 740, 743, 744, 745, 745S, 824, 833, 834, 840, 844, 844S, 844XL, 845, 856, 940, 946, 955, 956, 1046, 1055, 1056, 1246, 1255, 1455
	


KR-3475308M1N	OEM:
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter:	CS63, 68, 75, 78, 86, 94, CVX120, 130, 150, 170, JX55, 60, 65, 70, 80, 85, 90, 95, 100, JX1060, 1070, 1075, 1080, 1085, 1090, 1095, 1100, VJ60, 70, 80
Working Diameter:	
	


KR-4274034	OEM: 4274034
Max. Working Pressure:	
Pressure (PSI):	Suitable for:
Inside Diameter:	FARMALL JX70, 75, 80, 90, 100, 110, JX70U, 80U, 90U, 100U, JX1060C, 1070C/U, 1075C, 1080U, 1085C, 1090U, 1095C, 1100U, JXU75, 85, 95, 105, 115, QUANTUM 65, 75, 85, 95
Working Diameter:	
	

KR-81747955N	OEM:
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 36.5mm	383, 423, 433, 440, 453, 533, 540, 553, 633, 640, 644, 654, 724, 733, 740, 743, 744, 745, 745S, 824, 833, 840, 844, 844S, 845, 856, 940, 946, 955, 956, 995, 1046, 1055, 1056, 1246, 1255, 1455, AVJ55, 60, 70, CS110, 120, 130, 150, CVX120, 130, 150, 170, JX55, 60, 65, 70, 80, 85, 90, 95, 100, JX1060, 1070, 1075, 1080, 1085, 1090, 1095, 1100, VJ60, 70, 80
Working Diameter: 55mm	
	


KR-83957211N	OEM:
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	Tractor 225, 250, 280, 310, 335, 5120, 5130, 5140, 5150, 7110, 7120, 7130, 7140, 7210, 7220, 7230, 7240, 7250, C80, 90, CX50, 60, 70, 80, 90, 100, MX80C, 90C, 100C, MX100, 110, 120, 135, 150, 170, 180, 200, 210, 220, 230, 240, 255, 270, 285, MXM175, 190, QUADTRAC 370, 400, 450, 470, 500, 540, 550, 580, 600, 620, STEIGER 335, 370, 385, 420, 435, 470, 485, 500, 535, 540, 580, 620, STX280, 330, 380, 430, 480, 530
Working Diameter:	
	

KR-AL56759N	OEM:
Max. Working Pressure: 0.6 BAR	
Pressure (PSI):	Suitable for:
Inside Diameter: 38mm	383, 423, 433, 440, 453, 533, 540, 553, 633, 640, 644, 654, 724, 733, 740, 743, 744, 745, 745S, 824, 833, 840, 844, 844S, 845, 856, 940, 946, 955, 956, 995, 1046, 1055, 1056, 1194, 1246, 1255, 1294, 1394, 1455, 1494, 1594, 1694, AVJ55, 60, 70, JX55, 60, 65, 70, 80, 85, 90, 95, 100, JX1060, 1070, 1075, 1080, 1085, 1090, 1095, 1100, VJ60, 70, 80
Working Diameter: 54mm	
	


KR-VPE3200	OEM: 80889R91, E81942, K945362
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter: 38mm	1194, 1294, 1394, 1494, 1594, 1694
Working Diameter: 54mm	
	

KR-VPE3218	OEM: 3111424R91, 707338R91
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter:	Engine BD144, BD154
Working Diameter:	Tractor 250, 275, 276, 354, 374, 384, 414, 434, 444
	


KR-VPE3220	OEM: 83935905
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	FARMALL JX75, JX55, 60, 65, 70, 75, 80, 85, 90, 95
Working Diameter:	
	


KR-VPE3228	OEM: 4999682
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	AVJ55, 60, 70, FARMALL JX75, JX55, 60, 65, 70, 80, 85, 90, 95, 100, JX1060, 1070, 1075, 1080, 1085, 1090, 1095, 1100
Working Diameter:	
	

Claas


KR-4999682N	OEM:
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	Combine Harvester COMMANDOR 114, 115, 228-116, DOMINATOR 38, 48, 58-48, 68, 76, 78, 86, 88, 96, 98, 106, 118-108, 128-108, 150-130, LEXION 410-405, 430-410, 430-415, 460-440, 460-450 TERRA TRAC, 470, 480, 480 TERRA TRAC, 560-540, 570, 580, 600, MEDION 330-310, 340, MEGA 202, 204-203, 218-218, 350, Disc Mower COUGAR 1400, Tractor XERION 2500, 3000
Working Diameter:	
	

KR-AL76661N	OEM: 6005018131
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	ARES 610, 620, 630, 640
Working Diameter:	
	

KR-VPE3253	OEM: 6005018131
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	ARES 610, 620, 630, 640
Working Diameter:	
	


KR-VPE3259	OEM: 0021935750
Max. Working Pressure: 1.1 BAR	
Pressure (PSI): 16 PSI	Suitable for:
Inside Diameter:	ARION 410, 420, 430, 440, 450, 460, 510, 520, 530, 540, 610, 620, 630, 640, AXION 810, 820, 830, 840, 850
Working Diameter:	
	

KR-VPE3260	OEM: 6005029044
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter:	CELTIS 426, 436, 446, 456
Working Diameter:	
	


KR-VPE3261	OEM: 6005031348
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	NECTIS 217, 227, 237, 247, 257, 267
Working Diameter:	
	

KR-VPE3262	OEM: 7700066199
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter:	ARES 616, 617, 630, 640, 656, 657, 696, 697, 710, 720, 725, 735, 815, 816, 825, 826, 836, ATLES 915, 926, 936, 946
Working Diameter:	
	

David Brown


KR-3475308M1N	OEM:
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter:	885, 990, 995, 996, 1190, 1210, 1212,
Working Diameter:	1290, 1390, 1410, 1412, 1490, 1494,
	1594, 1690, 1694
	

KR-81747955N	OEM:
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 36.5mm	885, 990, 995, 996, 1190, 1194, 1210,
Working Diameter: 55mm	1212, 1290, 1294, 1390, 1394, 1490,
	1494, 1594, 1690, 1694
	


KR-972501	OEM:
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 39mm	Engine 35501, A4155A, AD3/49A,
Working Diameter: 55mm	AD3/55A
	Tractor 770, 780, 880, 1200
	

KR-AL56759N	OEM:
Max. Working Pressure: 0.6 BAR	
Pressure (PSI):	Suitable for:
Inside Diameter: 38mm	Engine 165004, 2200002, 2200004,
Working Diameter: 54mm	220101, 220105, 330001, 330002,
	330101, 330102, 355011, 449001,
	455009, 455011, 455031, 455051,
	455071, AD3/55, AD4/55, AD4/55T,
	AD6/55, AD6/55T
	Tractor 885, 990, 995, 996, 1190,
	1194, 1210, 1212, 1290, 1390, 1410, 1412,
	1490, 1494, 1594, 1690, 1694
	


KR-K906196N	OEM: K906196
Max. Working Pressure: 0.3 BAR	
Pressure (PSI): 4 PSI	Suitable for:
Inside Diameter:	Engine 35501, A4155A, AD3/49A,
Working Diameter:	AD3/55A
	Tractor 770, 780, 880, 885, 990, 995,
	996, 1200, 1210, 1212, 1410, 1412
	

KR-VPE3200	OEM: 80889R91, E81942, K945362
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter: 38mm	Engine 165004, 2200002, 2200004,
Working Diameter: 54mm	220101, 220105, 330001, 330002,
	330101, 330102, 355011, 449001,
	455009, 455011, 455031, 455051,
	455071, AD3/55, AD4/55, AD4/55T,
	AD6/55, AD6/55T
	Tractor 885, 990, 995, 996, 1190,
	1194, 1210, 1212, 1290, 1390, 1410, 1412,
	1490, 1494, 1594, 1690, 1694
	


KR-VPE3201	OEM: K906196
Max. Working Pressure: 0.3 BAR	
Pressure (PSI): 4 PSI	Suitable for:
Inside Diameter:	Engine 35501, A4155A, AD3/49A,
Working Diameter:	AD3/55A
	Tractor 770, 780, 880, 1200
	

KR-VPE3215	OEM: K922544, K945363
Max. Working Pressure: 0.3 BAR	
Pressure (PSI): 4 PSI	Suitable for:
Inside Diameter:	Engine 35501, 355011, 449001,
Working Diameter:	455009, 455011, 455031, 455051,
	455071, A4155A, AD3/55A
	Tractor 780, 880, 885, 990, 995, 996,
	1200, 1210, 1212, 1410, 1412
	


Deutz-Fahr

KR-83957211N	OEM:
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	110, 130, 150, AGROFARM 85, 100, AGROLUX 75, 95, F70, F80, AGROPLUS 75, AGROTRAC 125, 610, 620, AGROTRON 85, 100MK2, 110MK2, 130 NEW, 150MK2, 195, 200MK2, F60, F70, F80, F90
Working Diameter:	
	

Fendt


KR-VPE3228	OEM:
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	102LS, 102LSA, 102SA, 103LS, 103LSA, 103SA, 104LS, 104LSA, 104SA,
Working Diameter:	FARMER 102S, 103S, 104S
	

KR-3475308M1N	OEM:
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter:	45/66, 45/76, 50/66, 50/86, 55/66, 55/75, 55/76, 55/85, 55/86, 55/88, 55/90, 56/66, 60/66, 60/75, 60/76, 60/86, 60/88, 60/90, 60/93, 60/94, 62/86, 65/66, 65/88, 65/90, 65/93, 65/94, 70/66, 70/75, 70/76, 70/86, 70/88, 70/90, 72/86, 72/93, 72/94, 80/66, 80/75, 80/76, 80/88, 80/90, 82/85, 82/86, 82/93, 82/94, 85/90, 88/85, 88/93, 88/94, 90/90, 100/90, 110/90, F100, 110, 115, 120, 130, 140, L60, 65, 75, 85, 95
Working Diameter:	
	


KR-4999682N	OEM: 4999682
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	250, 255, 300, 315, 350, 400, 411, 415, 420, 421, 431, 446, 450, 460, 466, 470, 480, 500, 505, 540, 550, 566, 570, 580, 600, 605, 640, 650, 655, 666, 670, 680, 750, 766, 780, 850, 880, 880/5, 900, 980, 1000, 1180, 1280, 1300, 1355, 1380, 1580, 1880, 35/66, 45/66, 45/76, 50/66, 50/86, 55/46, 55/56, 55/65, 55/66, 55/75, 55/76, 55/85, 55/86, 55/88, 55/90, 56/66, 60/46, 60/66, 60/76, 60/86, 60/88, 60/90, 60/93, 60/94, 62/86, 65/46, 65/56, 65/66, 65/88, 65/90, 65/93, 65/94, 70/56, 70/66, 70/76, 70/86, 70/88, 70/90, 72/86, 72/93, 72/94, 80/66, 80/76, 80/88, 80/90, 82/85, 82/86, 82/93, 82/94, 85/90, 88/85, 88/93, 88/94, 90/90, 95/55, 100/55, 100/90, 110/90, F100, 110, 115, 120, 130
Working Diameter:	
	

KR-81747955N	OEM: 81747955
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 36.5mm	250, 255, 300, 315, 350, 400, 411, 415, 420, 421, 431, 446, 450, 460, 466, 470, 480, 500, 505, 540, 550, 566, 570, 580, 600, 605, 640, 650, 655, 666, 670, 680, 750, 766, 780, 850, 880, 880/5, 900, 980, 1000, 1180, 1280, 1300, 1355, 1380, 1580, 1880, 35/66, 45/66, 45/76, 50/66, 50/86, 55/46, 55/56, 55/65, 55/66, 55/75, 55/76, 55/85, 55/86, 55/88, 55/90, 56/66, 60/46, 60/56, 60/65, 60/66, 60/75, 60/76, 60/86, 60/88, 60/90, 60/93, 60/94, 62/86, 65/46, 65/56, 65/66, 65/88, 65/90, 65/93, 65/94, 70/56, 70/65, 70/66, 70/75, 70/76, 70/86, 70/88, 70/90, 72/86, 72/93, 72/94, 80/66, 80/75, 80/76, 80/88, 80/90, 82/85, 82/86, 82/93, 82/94, 85/55, 85/90, 88/85, 88/93, 88/94, 90/90, 95/55, 100/55, 100/90, 110/90, 160/55, F110, 115, 120, 130, L60, 65, 75, 85, 95
Working Diameter: 55mm	
	

KR-83957211N	OEM: 83957211
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	115/90, 130/90, 140/90, 160/90, 180/90, F140
Working Diameter:	
	


KR-9966958N	OEM: 9966958
Max. Working Pressure:	
Pressure (PSI):	Suitable for:
Inside Diameter: 37mm	450, 466, 480, 500, 540, 566, 640, 650, 666, 750, 850, 45/66, 50/66, 55/66, 60/66, 65/66, 70/66, 80/66
Working Diameter: 55mm	
	

KR-AL56759N	OEM:
Max. Working Pressure: 0.6 BAR	
Pressure (PSI):	Suitable for:
Inside Diameter: 38mm	250, 255, 300, 315, 350, 400, 411, 415, 420, 421, 431, 446, 450, 460, 466, 470, 480, 500, 505, 540, 550, 566, 570, 580, 600, 605, 640, 650, 655, 666, 670, 680, 750, 766, 780, 850, 880, 880/5, 900, 980, 1000, 1180, 1280, 1300, 1355, 1380, 1580, 1880, 35/66, 45/66, 45/76, 50/66, 50/86, 55/46, 55/56, 55/65, 55/66, 55/75, 55/76, 55/85, 55/86, 55/88, 55/90, 56/66, 60/46, 60/56, 60/65, 60/66, 60/75, 60/76, 60/86, 60/88, 60/90, 60/93, 60/94, 62/86, 65/46, 65/56, 65/66, 65/88, 65/90, 65/93, 65/94, 70/56, 70/65, 70/66, 70/75, 70/76, 70/86, 70/88, 70/90, 72/86, 72/93, 72/94, 80/66, 80/75, 80/76, 80/88, 80/90, 82/85, 82/86, 82/93, 82/94, 85/55, 85/90, 88/85, 88/93, 88/94, 90/90, 95/55, 100/55, 100/90, 110/90, 160/55, F100, 110, 115, 120, 130, L60, 65, 75, 85, 95
Working Diameter: 54mm	
	

KR-VPE3228	OEM: 4999682
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	580, 680, 780, 880, 880/5, 980, 1180, 1280, 1300, 1380, 1580, 1880, 45/66, 50/66, 55/46, 55/56, 55/66, 55/88, 55/90, 60/46, 60/56, 60/66, 60/90, 60/93, 60/94, 65/46, 65/56, 65/66, 65/90, 65/93, 65/94, 70/56, 70/66, 70/90, 72/93, 72/94, 80/66, 80/90, 82/93, 82/94, 85/90, 88/94, 90/90, 95/90, 100/90, 110/90, F100, 110, 115, 120, 130
Working Diameter:	
	

Ford

KR-3475308M1N	OEM:
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter:	3435, 3935, 4135
Working Diameter:	
	


KR-4999682N	OEM: 4999682
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	3435, 3935, 4135
Working Diameter:	
	

KR-81711544N	OEM: 376809, 81711544
Max. Working Pressure:	
Pressure (PSI):	Suitable for:
Inside Diameter: 70mm	DEXTA, MAJOR, SUPER DEXTA,
Working Diameter: 55.9mm	SUPER MAJOR
	


KR-81747955N	OEM: 81747955
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 36.5mm	231, 233, 234, 333, 334, 335, 420, 515, 531, 532,
Working Diameter: 55mm	535, 550, 555, 2000, 2100, 2110, 2120, 2150,
	2300, 2310, 2600, 2610, 2810, 2910, 3000, 3100,
	3120, 3150, 3230, 3300, 3310, 3430, 3435, 3500,
	3600, 3610, 3830, 3900, 3910, 3930, 3935,
	4000, 4030, 4100, 4110, 4130, 4135, 4140, 4190,
	4200, 4230, 4340, 4400, 4410, 4430, 4500,
	4600, 4610, 4630, 4830, 5000, 5030, 5100,
	5110, 5190, 5200, 5340, 5600, 5610, 5700, 5900,
	6410, 6600, 6610, 6700, 6710, 6810, 7000, 7100,
	7200, 7410, 7600, 7610, 7700, 7710, 8000,
	8200, 8600, 8700, 9000, 9200, 9600, 9700,
	TW10, TW20, TW30
	


KR-83957211N	OEM: 83957211
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	3230, 3430, 3930, 4130, 4630, 4830,
Working Diameter:	5030, 5610, 5640, 6610, 6640, 6810,
	7010, 7610, 7740, 7810, 7840, 7910,
	8010, 8210, 8240, 8340, 8530, 8630,
	8670, 8730, 8770, 8830, 8870, 8970,
	9700, TW5, TW10, TW15, TW20,
	TW25, TW30, TW35
	


KR-AL56759N	OEM:
Max. Working Pressure: 0.6 BAR	
Pressure (PSI):	Suitable for:
Inside Diameter: 38mm	Engine BSD326, 329, 330, 332, 333, 438, 442, 444,
Working Diameter: 54mm	444T, 666, 666T, 666TI
	Tractor 231, 233, 234, 333, 334, 335, 420, 515, 531, 532,
	535, 550, 555, 654, 754, 764, 774, 944, 964, 974, 1164,
	1164TWM 1184TW, 2000, 2100, 2110, 2120, 2150, 2300,
	2310, 2600, 2610, 2810, 2910, 3000, 3055, 3100, 3120,
	3150, 3230, 3300, 3310, 3430, 3435, 3500, 3600, 3610,
	3830, 3900, 3910, 3930, 3935, 4000, 4030, 4100, 4110,
	4130, 4135, 4140, 4190, 4200, 4230, 4340, 4410, 4430,
	4500, 4600, 4610, 4630, 4830, 5000, 5030, 5100, 5110,
	5190, 5200, 5340, 5600, 5610, 5700, 5900, 6410, 6600,
	6610, 6700, 6710, 6810, 7000, 7100, 7200, 7410, 7600,
	7610, 7700, 7710, 8000, 8200, 8530, 8600, 8630, 8700,
	8730, 8830, 9000, 9200, 9600, 9700, TW5, TW10, TW15,
	TW20, TW25, TW30, TW35
	


KR-VPE3200	OEM: 2400E8100A, 80076896,
Max. Working Pressure: 0.5 BAR	81645535, 81747955, 81855444,
Pressure (PSI): 7 PSI	83935904, E2NN8100AA
Inside Diameter: 38mm	Suitable for:
Working Diameter: 54mm	Engine BSD326, 329, 330, 332, 333, 438, 442,
	442T, 444, 444T, 666, 666T, 666TI
	Tractor 654, 754, 764, 774, 944, 964, 974, 1164,
	1164TW, 1184TW, 2000, 2310, 2600, 2610, 2810,
	2910, 3000, 3055, 3230, 3430, 3600, 3610,
	3900, 3910, 3930, 4000, 4100, 4110, 4130, 4600,
	4610, 4630, 5000, 5110, 5600, 5610, 5700, 5900,
	6410, 6600, 6610, 6700, 6710, 6810, 7000, 7410,
	7600, 7610, 7700, 7710, 8000, 8200, 8530,
	8600, 8630, 8700, 8730, 8830, 9000, 9200,
	9600, 9700, TW5, TW10, TW15, TW20, TW25,
	TW30, TW35
	

KR-VPE3220	OEM: 211E8100A1, 83935905,
Max. Working Pressure: 0.9 BAR	83957211, E2NN8100BA
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	Engine BSD326, 329, 330, 332, 333, 438, 442,
Working Diameter:	442T, 444, 444T, 666, 666T, 666TI
	Tractor 654, 754, 764, 774, 944, 964, 974, 1164,
	1164TW, 1184TW, 2000, 2310, 2600, 2610, 2810,
	2910, 3000, 3055, 3230, 3430, 3600, 3610,
	3900, 3910, 3930, 4000, 4100, 4110, 4130, 4600,
	4610, 4630, 4830, 5000, 5030, 5110, 5600, 5610,
	5640, 5700, 5900, 6410, 6600, 6610, 6640,
	6700, 6710, 6810, 7000, 7410, 7600, 7610,
	7700, 7710, 7740, 7840, 7910, 8000, 8200,
	8210, 8240, 8340, 8530, 8600, 8630, 8700,
	8730, 8830, 9000, 9200, 9600, 9700, TW5,
	TW10, TW15, TW20, TW25, TW30, TW35
	


KR-VPE3221	OEM: 83955240, E5NN8100AA
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	Engine BSD326, 329, 330, 332, 333, 438, 442, 442T, 444, 444T, 666, 666T, 666TI
Working Diameter:	Tractor 2000, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3230, 3430, 3600, 3610, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4600, 4610, 4630, 5000, 5110, 5600, 5610, 5700, 5900, 6410, 6600, 6610, 6700, 6710, 6810, 7000, 7410, 7600, 7610, 7700, 7710, 8000, 8200, 8530, 8600, 8630, 8700, 8730, 8830, 9000, 9200, 9600, 9700, TW5, TW10, TW15, TW20, TW25, TW30, TW35
	

KR-VPE3228	OEM: 4999682
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	3435, 3935
Working Diameter:	
	


KR-VPE3243	OEM: 81874132, 83972021, E8NN8C083BB
Max. Working Pressure:	
Pressure (PSI):	Suitable for:
Inside Diameter:	Engine BSD329, 332, 333, 442, 444, 444T, 666, GENESIS 4.4, 5.0T, 6.6, POWERSTAR 4.4, 5.0, 5.0T, 6.6, 7.5, 7.5T
Working Diameter:	Tractor 2610, 2910, 3610, 3910, 4610, 5610, 5640, 6410, 6610, 6640, 6710, 6810, 7410, 7610, 7710, 7740, 7810, 7840, 7910, 8210, 8240, 8340
	

KR-VPE3251	OEM: 0150142, E1ADKN9030B
Max. Working Pressure: 0.3 BAR	
Pressure (PSI): 4 PSI	Suitable for:
Inside Diameter:	DEXTA, SUPER DEXTA
Working Diameter:	
	


FPT

KR-VPE3228	OEM:
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	Engine F5C, NEF4.5, NEF4.5T
Working Diameter:	
	


Hurlimann


KR-83957211N	OEM:
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	H358, 468, 468.4, 476, 478, 478.4, 481, 488, 491, H6115, 6135, 6165, 6190, SX1200, 1350, 1500, 1600, 1800, 2000,
Working Diameter:	XA606, 607, XN706, 707, 708, 709, XT85, 95, 105, 110, 115, 130, 140, 160, 908, 909, 910.4, 910.6, 911, 913
	

KR-VPE3220	OEM: 211E8100A1, 83935905, 83957211, E2NN8100BA
Max. Working Pressure: 0.9 BA	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	Engine 8035.05, 8035.06, 8035.25, 8045.05, 8045.06, 8045.25
Working Diameter:	
	

KR-VPE3228	OEM: 4999682
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	Engine 8035.05, 8035.06, 8035.25, 8035.45, 8045.05, 8045.06, 8045.25, 8045.45
Working Diameter:	
	

John Deere


KR-81747955N	OEM:
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 36.5mm	2250, 2450, 2650, 2850, 2855, 3050, 3150, 3350, 3650
Working Diameter: 55mm	
	

KR-972501	OEM:
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 39mm	2000, 2100, 2200, 2300, 2400, 2700, 2800
Working Diameter: 55mm	
	

KR-AL38374N	OEM: AL38374
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter: 38mm	840, 940, 1040, 1140, 1350, 1550, 1630, 1640, 1750, 1840, 1850, 1950, 2040, 2140, 2150, 2240, 2350, 2550, 2750, 2940, 2950, 3040, 3140, 3150, 3340, 3640
Working Diameter: 55mm	
	


KR-AL56759N	OEM: AL56759
Max. Working Pressure: 0.6 BAR	
Pressure (PSI):	Suitable for:
Inside Diameter: 38mm	Engine 3179D, 4239D, 4239T, 6359D, 6359T
Working Diameter: 54mm	Tractor 840, 940, 1040, 1140, 1350, 1550, 1640, 1750, 1840, 1850, 2040, 2140, 2150, 2155, 2250, 2255, 2355, 2450, 2555, 2650, 2755, 2850, 2855, 2955, 3040, 3050, 3140, 3150, 3155, 3340, 3350, 3640, 3650
	

KR-AL76661N	OEM: AL76661
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	Engine 4039T, 4045D, 4045H, 4045T, 5030T, 6059T, 6068D, 6068H, 6068T, 6081H, 6105H, 6125H, Tractor 5080, 5090, 5100, 5225, 5325, 5415, 5425, 5525, 5603, 5615, 5620, 5625, 5715, 5720, 5725, 5820, 6010, 6020, 6100, 6110, 6120, 6200, 6205, 6210, 6215, 6220, 6300, 6310, 6320, 6400, 6405, 6410, 6415, 6420, 6425, 6500, 6505, 6506, 6510, 6515, 6520, 6600, 6605, 6610, 6615, 6620, 6715, 6800, 6810, 6820, 6900, 6910, 6920, 7200, 7210, 7400, 7405, 7410, 7420, 7425, 7500, 7510, 7520, 7525, 9100, 9120, 9200, 9220, 9300, 9320, 9400, 9420, 9520, 9620, SE6010, SE6020, SE6100, SE6110, SE6120, SE6200, SE6210, SE6220, SE6300, SE6310, SE6320, SE6400, SE6410, SE6420, SE6510, SE6520, SE6610, SE6620, SE6920
Working Diameter:	
	

KR-AL78005N	OEM: AL78005
Max. Working Pressure:	
Pressure (PSI):	Suitable for:
Inside Diameter:	5080, 5090, 5100, 5620, 5720, 5820, 6010, 6020, 6100, 6110, 6120, 6130, 6200, 6205, 6210, 6215, 6220, 6225, 6230, 6300, 6310, 6320, 6325, 6330, 6400, 6405, 6410, 6415, 6420, 6425, 6430, 6500, 6505, 6506, 6510, 6515, 6520, 6525, 6530, 6534, 6600, 6605, 6610, 6615, 6620, 6630, 6715, 6800, 6810, 6820, 6830, 6900, 6910, 6920, 6930, 7130, 7200, 7210, 7220, 7230, 7320, 7330, 7400, 7405, 7410, 7420, 7425, 7430, 7500, 7510, 7520, 7525, 7530, SE6010, SE6020, SE6100, SE6110, SE6120, SE6200, SE6210, SE6220, SE6300, SE6310, SE6320, SE6400, SE6410, SE6420, SE6510, SE6520, SE6610, SE6620, SE6920
Working Diameter:	
	


KR-AT29054N	OEM: AT29054
Max. Working Pressure: 0.4 BAR	
Pressure (PSI):	Suitable for:
Inside Diameter: 37mm	820, 830, 840, 920, 930, 940, 1020, 1030, 1040, 1120, 1130, 1140, 1530, 1630, 1640, 1830, 1840, 2020, 2030, 2040, 2120, 2130, 2140, 2240, 2350, 2440, 2550, 2750, 2840, 2940, 2950, 3030, 3040, 3120, 3130, 3140, 3340
Working Diameter: 57mm	
	

KR-K906196N	OEM:
Max. Working Pressure: 0.3 BAR	
Pressure (PSI): 4 PSI	Suitable for:
Inside Diameter:	2000, 2100, 2200, 2300, 2400, 2700, 2800
Working Diameter:	
	

KR-VPE3200	OEM: AL56759
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter: 38mm	Engine 4239D, 4239T, 6359D, 6359T, Tractor 2250, 2355, 2450, 2555, 2650, 2755, 2850, 2855, 3050, 3150, 3350, 3650
Working Diameter: 54mm	
	


KR-VPE3201	OEM:
Max. Working Pressure: 0.3 BAR	
Pressure (PSI): 4 PSI	Suitable for:
Inside Diameter:	2000, 2100, 2200, 2300, 2400, 2700, 2800
Working Diameter:	
	

KR-VPE3202	OEM: AT29054
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter: 37mm	Engine 3164D, 3179D, 4202D, 4219D, 4239D, 6303D, 6329D, 6359D, Tractor 820, 830, 840, 920, 930, 940, 1020, 1030, 1040, 1120, 1130, 1140, 1630, 1640, 1830, 1840, 2020, 2030, 2040, 2120, 2130, 2140, 2150, 2155, 2255, 2940, 3030, 3040, 3120, 3130, 3140, 3340
Working Diameter: 57mm	
	

KR-VPE3210	OEM: AL38374
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter: 38mm	Engine 3179D, 4239D, 4239T, 6359D, Tractor 840, 940, 1040, 1140, 1350, 1550, 1640, 1750, 1840, 1850, 1950, 2040, 2140, 2150, 2155, 2255, 3040, 3140, 3150, 3340, 3640
Working Diameter: 55mm	
	


KR-VPE3252	OEM: RE71863
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 14 PSI	Suitable for:
Inside Diameter:	Engine 3029D, 3029T, 4045D, 4045T
Working Diameter:	Tractor 5103, 5105, 5203, 5205, 5210, 5215, 5220, 5303, 5310, 5315, 5320, 5403, 5410, 5415, 5420, 5510, 5515, 5520, 5605, 5615, 5705
	

KR-VPE3253	OEM: AL76661
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	Engine 4039T, 4045D, 4045H, 4045T, 5030T, 6059T, 6068D, 6068H, 6068T, 6081H, 6105H, 6125H
Working Diameter:	Tractor 5080, 5090, 5100, 5225, 5325, 5415, 5425, 5525, 5603, 5615, 5620, 5625, 5715, 5720, 5725, 5820, 6010, 6020, 6100, 6110, 6120, 6200, 6210, 6220, 6300, 6310, 6320, 6400, 6410, 6420, 6500, 6510, 6520, 6600, 6610, 6620, 6800, 6810, 6820, 6900, 6910, 6920, 7210, 7410, 7425, 7510, 9100, 9120, 9220, 9300, 9320, 9400, 9420, 9520, 9620, SE6010, SE6020, SE6100, SE6110, SE6120, SE6200, SE6210, SE6220, SE6300, SE6310, SE6320, SE6400, SE6410, SE6420, SE6510, SE6520, SE6620, SE6920
	

KR-VPE3259	OEM:
Max. Working Pressure: 1.1 BAR	
Pressure (PSI): 16 PSI	Suitable for:
Inside Diameter:	Engine 6068H
Working Diameter:	
	


KR-VPE3262	OEM:
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter:	Engine 6068H, 6068T
Working Diameter:	
	

Lamborghini

KR-83957211N	OEM:
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	674-70, 775F, 880F, 990F, 1106, 1306, 1506, AGILE 660, 770, 880, 990, C674-70, C774-80, C874-90, CF.78, CF.88, CF.98, CHAMPION 120, 135, 150, 160, 180, 200, FORMULA 115, 135, GRAND PRIX 674-70, 774-80, 874-90, GRIMPER 570, HIGH CLEARANCE 90, PREMIUM 950, 1050, 1060, 1100, 1300, 1600, 1800, R4.85, 4.95, 4.105, 4.110, R5.115, 5.130, R7.175, 7.190, 7.200, RACING 150, 165, 190, SPRINT 664- 60, 674-70, TRIUMPH 90, 100
Working Diameter:	
	


Landini

KR-3134146R1N	OEM: 180224M92
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for: 9550, 16000
Inside Diameter: 38mm	
Working Diameter: 55mm	
	

KR-3475308M1N	OEM: 3475308M1, 968976M1
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for: 16500
Inside Diameter:	
Working Diameter:	
	


KR-83957211N	OEM:
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for: STARLAND 210, 240, 270
Inside Diameter:	
Working Diameter:	
	

KR-AL56759N	OEM:
Max. Working Pressure: 0.6 BAR	
Pressure (PSI):	Suitable for: 16500
Inside Diameter: 38mm	
Working Diameter: 54mm	
	

KR-VPE3200	OEM: 968816M2
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for: 16500
Inside Diameter: 38mm	
Working Diameter: 54mm	
	


KR-VPE3220	OEM:
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for: STARLAND 210, 240, 270
Inside Diameter:	
Working Diameter:	
	

KR-VPE3256	OEM: 3671126M91
Max. Working Pressure: 1 BAR	
Pressure (PSI): 14 PSI	Suitable for: 5.090D, 5.100D, 5.110D, 5-090, 5-100, 5-110, 5-115, 7-145, 7-165, 7-180, 7-185, 7-190, 7-195, 7-205, 7-210, 7-220, 7- 230, 7-235, LANDPOWER 125, 135, 145, 165, POWERMASTER 180, 190, 200, 210, 220, 230, REX 60, 70, 75, 80, 85, 90, 95, 100, 105, 110, 120, REX4-70, 4-80, 4-90, 4-100
Inside Diameter:	
Working Diameter:	
	

KR-VPE3263	OEM: 3541361M91, 4203305M1
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for: 85, 95, 105, 125, 135, 145, 165, 185, GHIBLI 80, 85, 90, 95, 100, 105, LANDPOWER 115, 125, 130, 145, 160, 165, 185, LEGEND 105, 115, 130, 145, 165, MYTHOS 90, 100, 105, 110, 115, NEW LEGEND 115, 120, 130, 140, 160, 180, VISION 80, 90, 100
Inside Diameter:	
Working Diameter:	
	


Leyland


KR-AL56759N	OEM:
Max. Working Pressure: 0.6 BAR	
Pressure (PSI):	Suitable for:
Inside Diameter: 38mm	Engine 2.8T, 2.8TD, 3.4TD, 3.8T, 3.8TD, 4.98DT, 4.98TT, 6.98NT,
Working Diameter: 54mm	Tractor 245, 253, 255, 262, 270, 272, 282, 285, 344, 384, 462, 472, 482, 485, 502, 602, 604, 702, 704, 802, 804, 2100, 4100, 3/45, 4/65
	

KR-VPE3200	OEM: CRC112, MBU1229
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter: 38mm	Engine 2.8T, 2.8TD, 3.4TD, 3.8T, 3.8TD, 4.98DT, 4.98TT, 6.98NT,
Working Diameter: 54mm	Tractor 245, 253, 255, 262, 270, 272, 282, 285, 344, 384, 462, 472, 482, 485, 502, 602, 604, 702, 704, 802, 804, 2100, 4100, 3/45, 4/65
	


KR-VPE3215	OEM:
Max. Working Pressure: 0.3 BAR	
Pressure (PSI): 4 PSI	Suitable for:
Inside Diameter:	Engine 2.8T, 2.8TD, 3.4TD, 3.8T, 3.8TD, 4.98DT, 4.98TT, 6.98NT,
Working Diameter:	Tractor 245, 253, 255, 262, 270, 272, 282, 285, 344, 384, 462, 472, 482, 485, 502, 602, 604, 702, 704, 802, 804, 2100, 4100, 3/45, 4/65
	

Massey Ferguson

KR-1874445M94GP	OEM: 1874445M93, 1874445M94
Max. Working Pressure:	
Pressure (PSI):	Suitable for:
Inside Diameter:	230, 245, 253, 265, 275, 285, 290, 298, 550, 560, 565, 575, 590
Working Diameter:	
	

KR-24850020N	OEM: 24820020
Max. Working Pressure:	
Pressure (PSI):	Suitable for:
Inside Diameter: 36.5mm	135, 148, 165, 168, 178, 185, 188
Working Diameter: 55mm	
	


KR-3134146R1N	OEM: 180224M92
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 38mm	230, 340, 342, 350, 352, 355, 360, 362, 365, 372, 374, 375, 382, 384, 390, 390T, 393, 394, 398, 399, 440, 465, 475, 490, 565, 575, 590, 592, 675, 690, 698, 698T, 699, 2620, 2625, 2640, 2680, 2720, 3050, 3060, 3065, 3070, 3075, 3085, 3095, 3115, 3120, 3125, 3635, 3645, 3655, 3670, 3680, 3690, 4215, 4220, 4225, 4235, 4240, 4245, 4255, 4260, 4265, 4270, 4315, 4320, 4325, 4335, 4345, 4355, 4360, 4365, 4370, 5300, 5310, 5320, 5340, 5355, 5360, 5365, 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190, 6235, 6245, 6255, 6260, 6265, 6270, 6280, 6290, 8110, 8120, 8130, 8140, 8150, 8160, 8170, 8180, 8210, 8220, 8240, 8250, 8260
Working Diameter: 55mm	
	

KR-3475308M1N	OEM: 3475308M1
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter:	35, 65, 133, 135, 140, 145, 148, 152, 155, 158, 165, 175, 765, 865, FE35
Working Diameter:	
	


KR-81747955N	OEM: 968816M2
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 36.5mm	352, 2620, 2645, 2685, 2725, 3050, 3060, 3065, 3070, 3080, 3085, 3090, 3095, 3115, 3120, 3125, 3610, 3615, 3630, 3635, 3645, 3650, 3655
Working Diameter: 55mm	
	


KR-AL56759N	OEM:
Max. Working Pressure: 0.6 BAR	
Pressure (PSI):	Suitable for:
Inside Diameter: 38mm	2645, 2685, 2725, 3050, 3060, 3065, 3070, 3080, 3085, 3090, 3095, 3115, 3120, 3125, 3140, 3610, 3630, 3635, 3645, 3650, 3655, 3660
Working Diameter: 54mm	
	

KR-V33690710	OEM: 33690710, V33690710
Max. Working Pressure:	
Pressure (PSI):	Suitable for:
Inside Diameter:	4435, 4445, 4455, 5410, 5420, 5425, 5430, 5435, 5440, 5445, 5450, 5455, 5475, 5480, 6445, 6455, 6465, 6470, 6475, 6480, 6485, 6490, 6495, 6497, 6499, 7465, 7475, 7480, 7485, 7490, 7495, 7497, 7499, 5S.105, 5S.115, 5S.125, 5S.135, 5S.145, 8S.225, 8S.245, 8S.265
Working Diameter:	
	

KR-VPE3200	OEM: 968816M2
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter: 38mm	2645, 2685, 2725, 3050, 3060, 3065, 3070, 3080, 3085, 3090, 3095, 3115, 3120, 3125, 3140, 3610, 3630, 3635, 3645, 3650, 3655, 3660
Working Diameter: 54mm	
	


KR-VPE3202	OEM: 3475308M1, 826772M1
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter: 37mm	35, 35X, 65, 135, 140, 145, 165, 175, 765, 835, FE35
Working Diameter: 57mm	
	

KR-VPE3204	OEM: 24850017, 24850020, 3637301M1, 885341M1, 885344M1
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	135, 140, 145, 148, 152, 165, 168, 178, 185, 188
Working Diameter:	
	


KR-VPE3206	OEM: 1874445M91, 1874445M92, 1874445M93, 1874445M94
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	230, 240, 250, 255, 265, 275, 285, 290, 298, 550, 560, 565, 575, 590
Working Diameter:	
	


KR-VPE3251	OEM: 0150142, 3637675M1, 3638322M1, 4153, 643595M1, 825702M2
Max. Working Pressure: 0.3 BAR	
Pressure (PSI): 4 PSI	Suitable for:
Inside Diameter:	TE20, TEA20, TED20, TEF20
Working Diameter:	
	

KR-VPE3257	OEM: 4356380M1
Max. Working Pressure: 1.0 BAR	
Pressure (PSI): 14.5 PSI	Suitable for:
Inside Diameter:	5608, 5609, 5610, 5611, 5612, 5613, 661,2 6613, 6614, 6615, 6616, 7614, 7615, 7616, 7618, 7619, 7620, 7622, 7624, 7626, 8650, 8660, 8670, 8680, 8690, 8727, 8730, 8732, 8735, 8737
Working Diameter:	
	

KR-VPE3264	OEM: 4296015M1
Max. Working Pressure: 0.95 BAR	
Pressure (PSI): 13.7 PSI	Suitable for:
Inside Diameter:	5420, 5425, 5430, 5435, 5440, 5445, 5450, 5455, 5460, 5465, 5470, 5475, 5480, 6445, 6455, 6460, 6465, 6470, 6475, 6480, 6485, 6490, 6495, 6497, 6499, 7465, 7475, 7480, 7490, 7495, 7497, 7499, 8650, 8660, 8670, 8680, 8690
Working Diameter:	
	


McCormick


KR-83957211N	OEM:
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	CX50, 60, 70, 75, 80, 85, 90, 95, 100, 105, MC80, 90, 95, 100, 105, 115, MTX110, 125, 140, 155, 175, 200
Working Diameter:	
	


KR-VPE3255	OEM: 1547924C1, 440729A1, A184079
Max. Working Pressure: 0.0 BAR	
Pressure (PSI): 0 PSI	Suitable for:
Inside Diameter:	C50, 60, CX50, 60, MTX110, 125, 140, 155, 175, 200
Working Diameter:	
	

KR-VPE3256	OEM: 3671126M91
Max. Working Pressure: 1 BAR	
Pressure (PSI): 14 PSI	Suitable for:
Inside Diameter:	G-MAX 125, 135, 145, 165, 180, MC120, 135, MTX 120, 135, 145, 150, TTX190, 210, 230, XTX145, 165, 185, X70.50, X70.60, X70.70, X70.80
Working Diameter:	
	

New Holland

KR-3475308M1N	OEM:
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter:	3830, 4030, 4230, 4430, 4635, 4835, 5635, 6635, 7635, T4030F, 4040F, TD60, 70, 80, 90, 95, TD55D, 65D, 65F, 75D, 75F, 85D, 85F, TK65, 70, 75, 76, 80, 85, 90, 95, 100, TL70, 80, 90, 100, TL70A, 80A, 90A, 100A, TN55, 60, 65, 70, 75, 80, 85, 95, TT50, 55, 65, 75
Working Diameter:	
	


KR-4274034	OEM: 4274034
Max. Working Pressure:	
Pressure (PSI):	Suitable for:
Inside Diameter:	4635, L60, 65, 75, 85, 95, T3.50F, 3.55F, 3.65F, 3.75F, T4.55, 4.65, 4.75, 4.85, T4020, 4030, 4040, 4050, 4060, T5030, 5040, 5050, 5060, 5070, TD5.65, 5.75, 5.85, 5.95, 5.105, 5.115, TD5010, 5020, 5030, 5040, 5050, TD60D, 70D, 80D, 85D, 90D, 95D, TL70, 80, 90, 100, TL70A, 80A, 90A, 100A, TN55, 60, 65, 70, 75, 85, 95
Working Diameter:	
	

KR-4999682N	OEM: 4999682
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	G170, 190, 210, 240, L60, 65, 75, 85, 95, M100, 115, 135, 160, TD3.50, TD65F, 75F, 85F
Working Diameter:	
	


KR-81747955N	OEM: 81747955
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 36.5mm	230A, 530A, 555A, 3400, 3610, 3910, 3930, 4110, 4610, 4635, 4835, 5635, 6635, 7635, G170, 190, 210, 240, M100, 115, 135, 160, TD60, 70, 80, 90, TD55D, 60D, 65D, 70D, 75D, 80D, 85D, 90D, 95D, TD4020F, 4030F, 4040F, TK65, 76, 85, TL70, 80, 90, 100 TL70A, 80A, 90A, 100A, TN55, 60, 65, 70, 75, 80, 85, 95, TT50, 55, 65, 75
Working Diameter: 55mm	
	


KR-83957211N	OEM: 83957211
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	Combine Harvester TR88, 89, 98, 99 Tractor 3930, 5640, 6640, 7740, 7840, 8240, 8340, 8670, 8770, 8870, 8970, G170, 190, 210, 240, T8010, 8020, 8030, 8040, 8050, T9.390, 9.435, 9.450, 9.480, 9.505, 9.530, 9.560, 9.565, 9.600, 9.615, 9.645, 9.670, 9.700, T9010, 9020, 9030, 9040, 9050, 9060, TD5010, 5020, 5030, 5040, 5050, TD60D, 70D, 80D, 90D, 95D, TG210, 230, 255, 285, TS80, 90, 100, 110, 115
Working Diameter:	
	


KR-AL56759N	OEM:
Max. Working Pressure: 0.6 BAR	
Pressure (PSI):	Suitable for:
Inside Diameter: 38mm	230A, 530A, 555A, 3400, 3610, 3910, 3930, 4020, 4110, 4230, 4430, 4610, 4635, 4835, 5635, 6635, 7635, G170, 190, 210, 240, M100, 115, 135, 160, TD4020F, 4030F, 4040F, TD60, 70, 80, 90, TD55D, 60D, 65D, 70D, 75D, 80D, 85D, 90D, 95D, TK65, 76, 85, TL70, 80, 90, 100 TL70A, 80A, 90A, 100A, TN55, 60, 65, 70, 75, 80, 85, 95, TT50, 55, 65, 75
Working Diameter: 54mm	
	

KR-VPE3200	OEM: 2400E8100A, 80076896, 81645535, 81747955, 81855444, 83935904, E2NN8100AA
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter: 38mm	3930
Working Diameter: 54mm	
	


KR-VPE3220	OEM: 211E8100A1, 83935905, 83957211, E2NN8100BA
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	3930, 5640, 6640, 7740, 7840, 8240, 8340, 8670, 8770, 8870, 8970, G170, 190, 210, 240, TD5010, 5020, 5030, 5040, 5050, TD55D, 60D, 65D, 70D, 75D, 80D, 85D, 90D, 95D, TS80, 90, 100, 110, 115
Working Diameter:	
	

KR-VPE3221	OEM: Info
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	3930
Working Diameter:	
	


KR-VPE3228	OEM: Info
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	4635, 4835, 5635, 6635, 7635, L60, 65, 75, 85, 95, TD4020F, 4030F, 4040F, TL70, 80, 90, 100, TL70A, 80A, 90A, 100A
Working Diameter:	
	


KR-VPE3243	OEM: Info
Max. Working Pressure:	
Pressure (PSI):	Suitable for:
Inside Diameter:	5640, 6640, 7740, 7840, 8240, 8340, TS80, 90, 100, 110, 115
Working Diameter:	
	


Perkins


KR-3134146R1N	OEM:
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 38mm	Engine 4.41, 903-27, 903.27T, 1004-4, 1004-4T, 1004-40, 1004-40T, 1004-40TI, 1004-40TWG, 1004-42, 1006-6, 1006-6T, 1006-60NA, 1006-60T, 1006-60TW, A4.236, A4.248, A4.318.2, A6.354.4, AD3.152, AT3.152.4, AT4.236, AT6.354.4, P4000, P4001T
Working Diameter: 55mm	
	


KR-AL56759N	OEM:
Max. Working Pressure: 0.6 BAR	
Pressure (PSI):	Suitable for:
Inside Diameter: 38mm	Engine 1006-6, 1006-6T, A4.236, A4.248, A6.354.4, AT4.236, AT6.354.4
Working Diameter: 54mm	
	


KR-VPE3200	OEM:
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter: 38mm	Engine 1006-6, 1006-6T, A4.236, A4.248, A6.354.4, AT4.236, AT6.354.4
Working Diameter: 54mm	
	

KR-VPE3202	OEM:
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter: 37mm	Engine A3.144, A3.152, A4.192, A4.236, AD3.152, AD4.203
Working Diameter: 57mm	
	


KR-VPE3204	OEM: 24850017, 24850020
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	Engine A4.236, A4.248, AD3.152
Working Diameter:	
	

KR-VPE3206	OEM:
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	Engine A4.236, A4.248, A4.318.2, AD3.152, AD4.203
Working Diameter:	
	

KR-VPE3251	OEM: 0150142
Max. Working Pressure: 0.3 BAR	
Pressure (PSI): 4 PSI	Suitable for:
Inside Diameter:	Engine F3.144, F3.152
Working Diameter:	
	

KR-VPE3264	OEM:
Max. Working Pressure: 0.95 BAR	
Pressure (PSI): 13.7 PSI	Suitable for:
Inside Diameter:	Engine 1104C-44TA, 1104C-E44TA, 1104D-44TA, 1104D-E44TA, 1106C-E60TA, 1106C-E66TA, 1104D-E66TA
Working Diameter:	
	


SAME

KR-83957211N	OEM:
Max. Working Pressure: 0.9 BAR	
Pressure (PSI): 13 PSI	Suitable for:
Inside Diameter:	ANTARES II 110, 130, LASER3 140, 160
Working Diameter:	
	


Sisu


KR-3134146R1N	OEM:
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 38mm	Engine 620DS, 634DS, 634TCC,
Working Diameter: 55mm	645TCC
	

KR-VPE3257	OEM:
Max. Working Pressure: 1.0 BAR	
Pressure (PSI): 14.5 PSI	Suitable for:
Inside Diameter:	Engine 33AWIC, 44AWI, 49AWI,
Working Diameter:	66AWI, 74AWI, 84CTA
	

KR-VPE3264	OEM:
Max. Working Pressure: 0.95 BAR	
Pressure (PSI): 13.7 PSI	Suitable for:
Inside Diameter:	Engine 44CTA, 49CTA, 66ETA,
Working Diameter:	74CTA, 84CTA
	

Standard (Hotchkiss)


KR-VPE3202	OEM:
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter: 37mm	Engine 23C, 87MM
Working Diameter: 57mm	
	

KR-VPE3251	OEM:
Max. Working Pressure: 0.3 BAR	
Pressure (PSI): 4 PSI	Suitable for:
Inside Diameter:	Engine 20C, 80MM, 85MM
Working Diameter:	
	

Steyr

KR-3134146R1N	OEM:
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 38mm	9155, 9170, 9190
Working Diameter: 5mm	
	


KR-3475308M1N	OEM:
Max. Working Pressure: 0.5 BAR	
Pressure (PSI): 7 PSI	Suitable for:
Inside Diameter:	360 COMPACT, 370 COMPACT, 375 COMPACT, 485 COMPACT, 495 COMPACT, 955, 964, 970, 9078, 9080M, 9086, 9090M, 9094, 9100M, 9105, 9115, 9125, 9145, CVT120, 130, 150, 170, M948, M952, M958, M963, M968, M975, M9078, M9083, M9086, M9094
Working Diameter:	
	

KR-4274034	OEM:
Max. Working Pressure:	
Pressure (PSI):	Suitable for:
Inside Diameter:	370 COMPACT, 375 COMPACT, 485 COMPACT, 495 COMPACT, 4065 COMPACT, 4075 COMPACT, 4085 COMPACT, 4095 COMPACT
Working Diameter:	
	


KR-81747955N	OEM: 162000530701, 81747955
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 36.5mm	360 COMPACT, 370 COMPACT, 375 COMPACT, 485 COMPACT, 495 COMPACT, 9105, 9115, 9125, 9145, CVT120, 130, 150, 170
Working Diameter: 55mm	
	


KR-AL56759N	OEM:
Max. Working Pressure: 0.6 BAR	
Pressure (PSI):	Suitable for:
Inside Diameter: 38mm	360 COMPACT, 370 COMPACT, 375 COMPACT, 485 COMPACT, 495 COMPACT
Working Diameter: 54mm	
	

Ursus

KR-VPE3206	OEM:
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	2802, 2812, 3502, 3512, 3514, 5312, 5314, MF231
Working Diameter:	
	


Valtra-Valmet

KR-3134146R1N	OEM:
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 38mm	205, 255, 305, 315, 355, 365, 405, 415, 455, 465, 555, 565, 665, 865, 6000, 6100, 6200, 6300, 6400, 6600, 6800, 6900, 8000, 8050, 8100, 8150, 8200, 8400, 8450, 8550, 8750, MEGA 8450E
Working Diameter: 55mm	
	

KR-4999682N	OEM:
Max. Working Pressure: 0.7 BAR	
Pressure (PSI): 10 PSI	Suitable for:
Inside Diameter:	355
Working Diameter:	
	

KR-81747955N	OEM:
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 36.5mm	465
Working Diameter: 55mm	
	


KR-AL56759N	OEM:
Max. Working Pressure: 0.6 BAR	
Pressure (PSI):	Suitable for:
Inside Diameter: 38mm	465
Working Diameter: 54mm	
	

KR-V33690710	OEM: 33690710, V33690710
Max. Working Pressure:	
Pressure (PSI):	Suitable for:
Inside Diameter:	A82, A83, A92, A93, N82, N92, N93, N103, N104, N113, N114, N123, N124, N134, N143, N154, N163, N174, T133, T144, T153, T154, T163, T173, T174, T183, T193, T194, T203, T213, T214, T234, T254
Working Diameter:	
	

KR-VPE3257	OEM: 4356380M1
Max. Working Pressure: 1.0 BAR	
Pressure (PSI): 14.5 PSI	Suitable for:
Inside Diameter:	S233, S263, S293, S323, S353
Working Diameter:	
	

KR-VPE3264	OEM: 4296015M1
Max. Working Pressure: 0.95 BAR	
Pressure (PSI): 13.7 PSI	Suitable for:
Inside Diameter:	S232, S233, S262, S263, S292, S293, S322, S323, S352, S353
Working Diameter:	
	

KR-VPE3266	OEM: 33057300, V33057300
Max. Working Pressure:	
Pressure (PSI):	Suitable for:
Inside Diameter:	600, 700, 800, 900, 6250, 6350, 6550, 6650, 6750, 6850, 8050, 8150, 8350, 8450, 8550, 8950, A65, A75, A85, A95
Working Diameter:	
	

KR-VPE3267	OEM: 33589100, 836362504, V33589100, V836362504
Max. Working Pressure: 0.75 BAR	
Pressure (PSI): 10.8 PSI	Suitable for: 600, 700, 800, 900
Inside Diameter:	
Working Diameter:	
	

Zetor

KR-972501	OEM: 972501
Max. Working Pressure: 0.8 BAR	
Pressure (PSI): 11.6 PSI	Suitable for:
Inside Diameter: 39mm	Engine 5201D, 6201D, 7701D, Z2001, Z3001, Z4001, Z4701, Z4901, Z5001, Z5201, Z5501, Z5901, Z6001, Z6701, Z6901, Z7001, Z7201, Z8001, Z8002.1, Z8002.134, Z8401, Z8601, Z8602, Z8701
Working Diameter: 55mm	Tractor 2511, 3011, 3320, 3321, 3340, 3341, 3511, 3513, 3545, 4320, 4321, 4340, 4341, 4511, 4611, 4712, 4718, 4911, 5011, 5211, 5245, 5320, 5321, 5340, 5341, 5511, 5516, 5545, 5611, 5645, 5647, 5711, 5718, 5745, 5748, 5911, 5945, 6011, 6045, 6211, 6245, 6320, 6321, 6340, 6341, 6711, 6718, 6745, 6748, 6911, 6945, 7011, 7045, 7211, 7245, 7320T, 7321T, 7340T, 7341T, 7520, 7540, 7711, 7711T, 7745, 7745T, 8011, 8045, 8111, 8145, 8211, 8245, 8520T, 8540T, 8621T, 8641T, 9211, 9245, 9520T, 9540T, 9621T, 9641T, 10111, 10145, 10211, 10245, 10540T, 10641T, 11211, 11245, 11441T, 11741T, 12011, 12045, 12111, 12145, 12211, 12245, 14245, 16145, 16245
	

KR-K906196N	OEM:
Max. Working Pressure: 0.3 BAR	
Pressure (PSI): 4 PSI	Suitable for:
Inside Diameter:	Engine 5201D, 6201D, 7701D, Z2001, Z3001, Z4001, Z4701, Z4901, Z5001, Z5201, Z5501, Z5901, Z6001, Z6701, Z6901, Z7001, Z7201, Z8001, Z8002.1, Z8002.134, Z8401, Z8601, Z8602, Z8701
Working Diameter:	Tractor 2511, 3011, 3511, 3513, 3545, 4511, 4611, 4712, 4718, 4911, 5011, 5211, 5245, 5511, 5516, 5545, 5611, 5645, 5647, 5711, 5718, 5745, 5748, 5911, 5945, 6011, 6045, 6211, 6245, 6711, 6718, 6745, 6748, 6911, 6945, 7011, 7045, 7211, 7245, 7711, 7745, 8011, 8045, 8111, 8145, 10111, 10145, 12011, 12045, 12111, 12145, 16145
	

KR-VPE3201	OEM: 951316, 951325, 972501
Max. Working Pressure: 0.3 BAR	
Pressure (PSI): 4 PSI	Suitable for:
Inside Diameter:	Engine 5201D, 6201D, 7701D, Z2001, Z3001, Z4001, Z4701, Z4901, Z5001, Z5201, Z5501, Z5901, Z6001, Z6701, Z6901, Z7001, Z7201, Z8001, Z8002.1, Z8002.134, Z8401, Z8601, Z8602, Z8701
Working Diameter:	Tractor 2511, 3011, 3511, 3513, 3545, 4511, 4611, 4712, 4718, 4911, 5011, 5211, 5245, 5511, 5516, 5545, 5611, 5645, 5647, 5711, 5718, 5745, 5748, 5911, 5945, 6011, 6045, 6211, 6245, 6711, 6718, 6745, 6748, 6911, 6945, 7011, 7045, 7211, 7245, 7711, 7745, 8011, 8045, 8111, 8145, 10111, 10145, 12011, 12045, 12111, 12145, 16145
	



WE KEEP FARMERS FARMING