

THERMOSTATS

CATALOGUE





CONTENTS

Case-IH	3
Claas	5
David Brown	6
Fiat	7
Fiat-Hitachi	8
Ford	9
FTP	11
Hydrema	12
Iveco	13
JCB	14
John Deere	15
Landini	17
Leyland	19
Massey Ferguson	20
McCormick	22
New Holland	23
Renault	25
Perkins	26
Sisu	28
Steyr	29
Timberjack	30
Ursus	31
Valtra-Valmet	32
Volvo	33
Zetor	34

Case-IH

KR-2485613GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	C70, 80, 90, 100, CX70, 80, 90, 100, MX80C, 90C, 100C, MXM120, 130, 135, 140, 150, 155, 165, 175, 180, 190
	

KR-2485666GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Engine BD144, BD154 Tractor 250, 275, 276, 354, 374, 384, 414, 434, 444, 1194, 1294, 1394, 1494, 1594, 1694
	

KR-3059676R91N	OEM: 3059676R91, 3059676R92
Temperature:	
Diameter:	Suitable for:
Height:	Engine D155, 179, 206, 239, 246, 268, 310, 358, DT239, 268, 358, 402 Tractor 353, 383, 385, 395, 423, 433, 440, 453, 454, 474, 484, 485, 495, 523, 533, 540, 553, 574, 584, 585, 595, 624, 633, 640, 644, 645, 654, 674, 684, 685, 695, 724, 733, 734, 740, 743, 744, 745, 784, 785, 795, 824, 833, 834, 840, 844, 845, 856, 884, 885, 895, 940, 946, 955, 956, 995, 1046, 1055, 1056, 1246, 1255, 1455, 3210, 3220, 3230, 4210, 4220, 4230, 4240
	


KR-47616858	OEM: 47616858
Temperature:	
Diameter:	Suitable for:
Height:	Tracked Excavator CX130, CX160, Tractor 5120, 5130, 5140, 5150, MX100, 110, 120, 135, 150, 170, Wheel Loader 621B, 621C, 621D
	

KR-98463637GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	JX55, 60, 65, 70, 75, 80, 85, 90, 95, JX70U, 80U, 90U, 100U, JX1060, 1070, 1075, 1095, MXM175, 190
	

KR-VPE3401	OEM: 3042303R92, K208039, K917962
Temperature: 83°C	
Diameter: 54.0mm	Suitable for:
Height: 38.5mm	Engine BD144, BD154 Tractor 250, 275, 276, 354, 374, 384, 414, 434, 444, 1194, 1294, 1394, 1494, 1594, 1694
	

KR-VPE3402	OEM: 3118127R1
Temperature: 78°C	
Diameter: 70.0mm	Suitable for:
Height: 47.2mm	475
	

KR-VPE3405	OEM: 153618356, 218039A1, 87800842, 87803664
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	C70, 80, 90, 100, CX70, 80, 90, 100, MX80C, 90C, 100C, MXM120, 130, 135, 140, 150, 155, 165, 175, 180, 190
	

KR-VPE3444	OEM: 83912930, 87800842 x 2
Temperature: 82°C	
Diameter: 54.0mm	Suitable for: MXM120, 130, 135, 140, 150, 155, 165, 175, 180, 190
Height: 53.5mm	
	

KR-VPE3452	OEM: 84383461
Temperature: 80°C	
Diameter: 58.0mm	Suitable for: JXU75, 85, 95, 105, 115, MAXXUM 100, 110, 115, 125, 140, MXU100, 115, 130, QUANTUM 95, 105
Height: 52.0mm	
	

KR-VPE3453	OEM: 84322388
Temperature: 81°C	
Diameter: 58.0mm	Suitable for: MAXXUM 110, 115, 120, 125, 130, 135, 140, 145, 150, MXM120, 130, 140, MXU110, 125, 135, PUMA 115, 125, 130, 140, 145, 150, 155, 160, 165, 170, 180, 185, 195, 200, 210, 215, 220, 225, 230, 240
Height: 38.0mm	
	

KR-VPE3454	OEM: 2830734
Temperature: 82°C	
Diameter: 54.0mm	Suitable for: JX1070U, 1080U, 1090U, 1100U, MXU100, 115
Height: 52.7mm	
	

KR-VPE9616	OEM: 4661543
Temperature:	
Diameter:	Suitable for: FARMALL JX75, JX55, 60, 65, 70, 80, 85, 90, 95, JX1060, 1070, 1075, 1095
Height:	
	

KR-VPE3891	OEM: 14463281, 4770247, 4848840
Temperature:	
Diameter:	Suitable for: JX70U, 80U, 90U, 100U
Height:	
	

KR-2485613GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Combine Harvester DOMINATOR 88, 98, LEXION 410-405, 430-410, 430-415, MEGA 202, 204-203
	

KR-2485666GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	ARES 540, 546, 547, 550, 556, 557, 566, 567, 577, 616, 617, 630, 640, 656, 657, 696, 815, 826, CELTIS 426, 436, 446, 456
	

KR-VPE3401	OEM: 03334840, 6005022968, 7701028771
Temperature: 83°C	
Diameter: 54.0mm	Suitable for:
Height: 38.5mm	ARES 540, 546, 547, 550, 556, 557, 566, 567, 577, 616, 617, 630, 640, 656, 657, 696, 815, 826, CELTIS 426, 436, 446, 456
	

KR-VPE3430	OEM: 6005026272, 6005026617, 6005028990
Temperature: 78°C	
Diameter: 54.0mm	Suitable for:
Height: 53.4mm	CELTIS 426, 436, 446, 456
	

KR-VPE3453	OEM: 0011500020
Temperature: 81°C	
Diameter: 58.0mm	Suitable for:
Height: 38.0mm	ARION 410, 420, 430, 440, 450, 460, AXION 810, 820, 830, 840, 850
	


KR-VPE3454	OEM: 6005031321
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 52.7mm	NECTIS 217, 227, 237, 247, 257, 267
	

KR-VPE3459	OEM: 0011509820, 6005022968
Temperature: 83°C	
Diameter: 55.0mm	Suitable for:
Height: 45.0mm	ARES 547, 557, 567, 577, 616, 656, CELTIS 426, 436, 446, 456
	


KR-VPE4373	OEM: 6005031322
Outside Diameter: 59mm	
Inside Diameter: 50.5mm	Suitable for:
Section: 16.6 x 4.5mm	NECTIS 217, 227, 237, 247, 257, 267
	

David Brown




KR-2485666GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Engine 165004, 2200002, 2200004, 220008, 220101, 220103, 220105, 330001, 330002, 330101, 330102, AD3/55, AD4/55, AD4/55T, AD6/55, AD6/55T, Tractor 1190, 1194, 1290, 1294, 1390, 1394, 1490, 1494, 1594, 1690, 169
	


KR-K200831N	OEM: K200831
Temperature:	
Diameter:	Suitable for:
Height:	770, 780, 850, 880, 885, 990, 995, 996, 1200, 1210, 1212
	

KR-VPE3401	OEM: 3042303R92, K208039, K917962
Temperature: 83°C	
Diameter: 54.0mm	Suitable for:
Height: 38.5mm	Engine 165004, 2200002, 2200004, 220008, 220101, 220103, 220105, 330001, 330002, 330101, 330102, AD3/55, AD4/55, AD4/55T, AD6/55, AD6/55T, Tractor 1190, 1194, 1290, 1294, 1390, 1394, 1490, 1494, 1594, 1690, 1694
	


KR-VPE3404	OEM: K200831, K900368
Temperature: 78°C	
Diameter: 50.6mm	Suitable for:
Height: 41.0mm	Engine 35501, 355011, 449001, 455009, 455011, 455031, 455051, 455071, A4155A, AD3/49A, AD3/55A, AD4/47, Tractor 770, 780, 880, 885, 990, 995, 996, 1200, 1210, 1212, 1410, 1412
	


KR-8830331N	OEM: 8830331
Temperature:	
Diameter:	Suitable for:
Height:	650, 750, 850, 880
	

KR-98463637GP	OEM: 98463637, 98463638
Temperature:	
Diameter:	Suitable for:
Height:	60/94, 65/88, 65/94, 70/88, 72/94, 80/88, 82/94, 88/94
	

KR-VPE3418	OEM: 4823210, 4823211, 4823226, 98463637, 98463638
Temperature: 79°C	
Diameter: 55.0mm	Suitable for:
Height: 48.0mm	250, 350, 446, 450, 460, 466, 480, 500, 540, 550, 566, 570, 580, 605C, 640, 665C, 666, 670, 680, 766, 780, 880/5, 980, 1000, 1180, 1280, 1380, 45/66, 50/66, 55/46, 55/56, 55/66, 55/88, 55/90, 60/46, 60/56, 60/66, 60/90, 60/93, 60/94, 65/46, 65/56, 65/66, 65/90, 65/93, 65/94, 70/56, 70/65, 70/66, 70/90, 72/93, 72/94, 80/66, 80/90, 82/93, 82/94, 85/90, 88/94, 90/90, 95/90, 100/90, 110/90, 115/90, 130/90, 140/90, F100, F110, F115, F120, F130, F140
	

KR-VPE9616	OEM: 4599810, 4661543
Temperature:	
Diameter:	Suitable for:
Height:	350, 446, 450, 460, 466, 480, 500, 540, 550, 566, 570, 580, 605C, 640, 666, 670, 680, 766, 780, 880/5, 980, 1000, 1180, 1280, 1380, 45/66, 50/66, 55/46, 55/56, 55/66, 55/88, 55/90, 60/46, 60/56, 60/66, 60/90, 60/93, 60/94, 65/46, 65/56, 65/66, 65/90, 65/93, 65/94, 70/56, 70/65, 70/66, 70/90, 72/93, 72/94, 80/66, 80/90, 82/93, 82/94, 85/90, 88/94, 90/90, 95/90, 100/90, 110/90, 115/90, 130/90, 140/90, F100, F110, F115, F120, F130, F140
	


KR-4837222N	OEM: 4837222
Temperature:	
Diameter:	Suitable for:
Height:	450, 466, 480, 500, 540, 566, 580, 640, 666, 680, 780, 880/5, 1000, 55/90, 60/90, 65/90, 70/90, 80/90, 90/90, 100/90, 115/90, 130/90,
	


KR-VPE3890	OEM: 14462881, 4615794, 4673807, 4673810, 72089674V
Temperature:	
Diameter:	Suitable for:
Height:	250, 350, 420, 446, 450, 460, 466, 480, 500, 540, 550, 566, 570, 580, 600, 605C, 640, 665C, 666, 670, 680, 766, 780, 880/5, 980, 1000, 1180, 1280, 1380
	

KR-VPE3891	OEM: 14463281, 4770247, 4848840
Temperature:	
Diameter:	Suitable for:
Height:	45/66, 50/66, 55/46, 55/56, 55/66, 55/88, 55/90, 60/46, 60/56, 60/66, 60/90, 65/46, 65/56, 65/66, 65/90, 70/56, 70/65, 70/66, 70/90, 80/66, 80/90, 85/90, 90/90, 95/90, 100/90, 110/90, 115/90, 130/90, 140/90
	

Fiat - Hitachi

KR-98463637GP	OEM: 98463637
Temperature:	
Diameter:	Suitable for:
Height:	Wheel Loader FR90, FR100
	

KR-2485613GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Engine BSD442, 444, 666, 666T, 666TI, GENESIS 4.4, 5.0T, 6.6, POWERSTAR 4.4, 5.0, 5.0T, 6.6, 7.5, 7.5T, 7.5TI
	Tractor 1164, 1164TW, 1184TW, 4830, 5030, 5610, 5640, 6610, 6640, 6810, 7610, 7740, 7810, 7840, 7910, 8000, 8200, 8210, 8240, 8340, 8530, 8600, 8630, 8700, 8730, 8830, 9000, 9200, 9600, 9700, TW5, TW10, TW15, TW20, TW25, TW30, TW35


KR-83916916N	OEM: 83916916
Temperature: 87°C	
Diameter:	Suitable for:
Height:	2000, 2310, 2600, 2610, 2910, 3000, 3600, 3610, 3910, 4000, 4100, 4110, 4600, 4610, 5000, 5110, 5600, 5610, 6600, 6610, 6700, 6710, 7000, 7600, 7610, 7700, 7710, TW10, TW20
	

KR-98463637GP	OEM: 98463637, 98463638
Temperature:	
Diameter:	Suitable for:
Height:	3435, 3935, 4135
	

KR-VPE3400	OEM: 81805714, 81814071, 81821482, 81822100, 83913835, 957E8575, C5NE8575A, C5NE8575D, C9NN8575A, C9NN8575C, D8NN8575AA
Temperature: 74°C	
Diameter: 54.0mm	Suitable for:
Height: 40.00mm	Engine BSD326, 329, 330, 332, 333, 438, 442, 442T, 444, 444T
	Tractor 654, 754, 764, 774, 944, 964, 974, 2000, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4600, 4610, 5000, 5110, 5600, 5610, 5700, 5900, 6410, 6600, 6610, 6700, 6710, 6810, 7000, 7410, 7600, 7610, 7700, 7710, DEXTA, SUPER DEXTA

KR-VPE3405	OEM: 87800842, 87802743, 87803664, D8NN8575FB
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	Engine BSD442, 444, 666, 666T, 666TI, GENESIS 4.4, 5.0T, 6.6, POWERSTAR 4.4, 5.0, 5.0T, 6.6, 7.5, 7.5T, 7.5TI
	Tractor 1164, 1164TW, 1184TW, 4830, 5030, 5610, 5640, 6610, 6640, 6810, 7610, 7740, 7810, 7840, 7910, 8000, 8200, 8210, 8240, 8340, 8530, 8600, 8630, 8700, 8730, 8830, 9000, 9200, 9600, 9700, TW5, TW10, TW15, TW20, TW25, TW30, TW35

KR-VPE3418	OEM: 4823210, 4823211, 4823226, 98463637, 98463638
Temperature: 79°C	
Diameter: 55.0mm	Suitable for:
Height: 48.00mm	3435, 3935, 4135
	

KR-VPE3443	OEM: 83999978, 87800842
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	Engine GENESIS 4.4, 5.0T, 6.6, POWERSTAR 4.4, 5.0, 5.0T, 6.6, 7.5, 7.5T,
	Tractor 5610, 5640, 6610, 6640, 6810, 7610, 7740, 7810, 7840, 8240, 8340


KR-VPE3444	OEM: 83912930, 87800842 x 2
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	Engine BSD666, 666T, 666TI, POWERSTAR 7.5, 7.5T, 7.5TI,
	Tractor 7810, 7910, 8210, 8340, 8530, 8630, 8730, 8830, TW5, TW10, TW15, TW20, TW25, TW30, TW35

KR-VPE3700	OEM: 81820903, C7NN8594B
Temperature:	
Diameter:	Suitable for:
Height:	Engine BSD326, 329, 330, 332, 333, 438, 442, 442T, 444, 444T, Tractor 2600, 2610, 3230, 3430, 3600, 3610, 3910, 3930, 4000, 4100, 4110, 4130, 4600, 4610, 4630, 5110, 5600, 5610, 5900, 6410, 6600, 6610, 6710, 6810, 7600, 7610, 7700, 7710
	

KR-VPE9616	OEM: 4661543
Temperature:	
Diameter:	Suitable for:
Height:	3010S, 3435, 3935, 4010S, 4135, 5010S
	

KR-VPE3920	OEM: 81805624, C2DE8255A
Temperature:	
Diameter:	Suitable for:
Height:	654, 754, 764, 774, 944, 964, 974, 1164, 2000, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3230, 3430, 3600, 3610, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4600, 4610, 4630, 4830, 5000, 5030, 5110, 5600, 5610, 5700, 5900, 6410, 6600, 6610, 6700, 6710, 6810, 7000, 7410, 7600, 7610, 7700, 7710, 8000, 8200, 8600, 8700, 9000, 9200, 9600, 9700
	

KR-VPE3891	OEM: 14463281, 4770247, 4848840
Temperature:	
Diameter:	Suitable for:
Height:	3010S, 4010S, 5010S
	

KR-98482590N	OEM: 98482590
Temperature:	
Diameter:	Suitable for:
Height:	Various engine and models
	


KR-VPE3452	OEM:
Temperature: 80°C	
Diameter: 58.0mm	Suitable for:
Height: 52.0mm	Engine F5C, NEF4.5T, 4.5TI, 6.7TI
	

KR-VPE3453	OEM:
Temperature: 81°C	
Diameter: 58.0mm	Suitable for:
Height: 38.0mm	Engine F4D, NEF4.5TI, 6.7TI
	

KR-VPE3454	OEM:
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 52.7mm	Engine F4D, NEF4.5, 4.5T, 4.5TI, 6.7TI
	


Hydrema

KR-2485666GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Backhoe Loader 806 CLS
	

KR-VPE3418	OEM:
Temperature: 79°C	
Diameter: 55.0mm	Suitable for:
Height: 48.0mm	Engine 8035.06
	

KR-VPE9616	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Engine 8035.05, 8035.06, 8035.25, 8045.05, 8045.06, 8045.25, 8045.45
	

KR-VPE3891	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Engine 8035.05, 8035.06, 8045.06, 8045.06, 8045.25
	

KR-2485613GP	OEM: 2485613
Temperature: Info	
Diameter: Info	Suitable for:
Height: Info	Backhoe Loader 3C/CX, 3D, 3D/DS, 4C, 4C TURBO
	Rough Terrain Forklift 926, 930 Telehandler 520, 525, 530, 540 Tractor FASTRAC 125, 130, 135, 145T, 150T, 155, 1115, 1135, 2115, 2125, 2135, 2150, 3155 Wheel Loader 410, 412, 420, 430

KR-2485666GP	OEM: 2485666
Temperature: Info	
Diameter: Info	Suitable for:
Height: Info	Backhoe Loader 3C/CX, 3D/DS, 4C Rough Terrian Forklift 926, 930 Telehandler 520, 525, 530, 540 Wheel Loader 406, 410
	


KR-VPE3405	OEM: 02100192, 02300056
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	FASTRAC 125, 135, 145T, 150T, 155, 1115, 1135
	

John Deere

KR-2485613GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Engine 3179D, 3179T, 4239D, 4239T Tractor 840, 940, 1040, 1140, 1350, 1550, 1640, 1750, 1840, 1850, 1950, 2040, 2130, 2135, 2140, 2155, 2250, 2355, 2450, 2650, 2850
	

KR-2485666GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	820, 830, 930, 1020, 1030, 1120, 1130, 1350, 1530, 1550, 1630, 1750, 1830, 1850, 1950, 2020, 2030, 2120, 2204, 2440, 6010, 6110, 6210, 6310, 6320, 6410, 6420, 6510, 6520, 6610, 6620, 6810, 6820, 6910, 6920, 7195, 7200, 7210, 7220, 7225, 7320, 7400, 7410, 7420, 7510, 7520, 7600, 7610, 7630, 7710, 7715, 7730, 7815, 7830, 7930, 9120, 9200, 9220, 9300, 9320, 9400, 9420, 9520, 9620, SE6010, SE6110, SE6210, SE6310, SE6320, SE6410, SE6420, SE6510, SE6520, SE6610
	

KR-AR48675N	OEM: AR48675
Temperature: 82°C	
Diameter:	Suitable for:
Height:	2840, 2940, 2950, 3030, 3040, 3050, 3130, 3140, 3150, 3340, 3350, 3640, 3650, 4040, 4050, 4055, 4240, 4250, 4255, 4350, 4430, 4440, 4450, 4455, 4555, 4630, 4640, 4650, 4755, 4840, 4850, 4955, 5200, 5300, 5400, 5500, 6010, 6100, 6110, 6200, 6210, 6300, 6310, 6320, 6400, 6410, 6420, 6500, 6506, 6510, 6520, 6600, 6610, 6620, 6800, 6810, 6820, 6900, 6910, 6920, 7185, 7200, 7205, 7210, 7220, 7320, 7400, 7410, 7420, 7500, 7510, 7515, 7520, 7600, 7610, 7700, 7710, 7715, 7720, 7800, 7810, 7815, 7820, 7920, 8100, 8110, 8120, 8200, 8210, 8220, 8300, 8310, 8320, 8400, 8410, 8420, 8440, 8450, 8520, 8570, 8630, 8640, 8770, 8870, 9100, SE6010, SE6100, SE6110, SE6200, SE6210, SE6300, SE6310, SE6400, SE6410, SE6510, SE6520, SE6610
	


KR-AT22963N	OEM: AT22963
Temperature: 88°C	
Diameter:	Suitable for:
Height:	Combine Harvester 925, 930, 932, 935, 940, 942, 945, 952, 1032, 1042, 1052, 1133, 1144, 1155 Engine 3152D, 3164D, 3179D, 4202D, 4219D Tractor 820, 830, 920, 930, 1020, 1030, 1120, 1130, 1350, 1530, 1550, 1630, 1750, 1830, 1850, 1950, 2020, 2030, 2120, 2440
	


KR-VPE3401	OEM: AT22961, DZ120917, R33705, RE501052, RE506374, RE64354
Temperature: 83°C	
Diameter: 54.0mm	Suitable for:
Height: 38.5mm	Engine 3152D, 3164D, 3179D, 3179T, 4045D, 4045H, 4045T, 4202D, 4219D, 6059D, 6068D, 6068H, 6068R, 6068T, 6081H Tractor 820, 830, 930, 1020, 1030, 1120, 1130, 1350, 1530, 1550, 1630, 1750, 1830, 1850, 1950, 2020, 2030, 2120, 2204, 2440, 6010, 6110, 6210, 6310, 6320, 6410, 6420, 6510, 6520, 6610, 6620, 6810, 6820, 6910, 6920, 7195, 7200, 7210, 7220, 7225, 7320, 7400, 7410, 7420, 7510, 7520, 7600, 7610, 7630, 7710, 7715, 7730, 7815, 7830, 7930, SE6010, SE6110, SE6210, SE6310, SE6320, SE6410, SE6420, SE6510, SE6610
	

KR-VPE3405	OEM: AR61538
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	Engine 3179D, 3179T, 4239D, 4239T Tractor 840, 940, 1040, 1140, 1350, 1445, 1550, 1640, 1745, 1750, 1840, 1845, 1850, 1950, 2040, 2130, 2135, 2140, 2155, 2250, 2345, 2355, 2450, 2650, 2850
	


KR-VPE3406	OEM: AR48675, RE524562
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 46.3mm	2840, 2940, 2950, 3030, 3040, 3130, 3140, 3340, 3640, 4040, 4050, 4055, 4240, 4250, 4255, 4350, 4430, 4440, 4450, 4455, 4555, 4630, 4640, 4650, 4755, 4840, 4850, 4955, 5500, 6320, 6420, 6520, 6620, 6820, 6920, 7185, 7205, 7220, 7320, 7420, 7515, 7520, 7720, 7815, 7820, 8100, 8110, 8120, 8200, 8210, 8220, 8300, 8310, 8320, 8400, 8410, 8420, 8440, 8450, 8570, 8630, 8640, 8770, 8870, 9100, SE6610
	

KR-VPE3414	OEM: AT22963
Temperature: 89°C	
Diameter: 54.2mm	Suitable for:
Height: 39.5mm	Engine 3152D, 3164D, 3179D, 4202D, 4219D Tractor 820, 830, 930, 1020, 1120, 1530, 1630, 1830, 2020, 2030, 2120, 2440
	

KR-VPE3416	OEM:
Temperature: 77°C	
Diameter: 67.2mm	Suitable for: 2000, 2100, 2200, 2300, 2400, 2700, 2800
Height: 55.5mm	
	


KR-VPE3430	OEM: DZ120502, RE501622, RE507225, RE517011
Temperature: 78°C	
Diameter: 54.0mm	Suitable for: Engine 4045D, 4045H, 4045T, 6068D, 6068H, 6068T Tractor 5070, 5080, 5090, 5100, 5620, 5720, 5820, 6010, 6020, 6105, 6110, 6120, 6125, 6130, 6210, 6220, 6230, 6310, 6320, 6330, 6410, 6420, 6430, 6510, 6520, 6530, 6534, 6620, 6630, 6830, 6930, 7130, 7220, 7230, 7320, 7330, 7405, 7420, 7425, 7430, 7520, 7525, SE6010, SE6020, SE6110, SE6120, SE6210, SE6220, SE6310, SE6320, SE6410, SE6420, SE6520, SE6620, SE6920
Height: 53.4mm	
	

KR-VPE3439	OEM: R31378 x2, R48583, R501373, R54641, RE64354
Temperature:	
Diameter:	Suitable for: Engine 4039T, 4045D, 4045T, 6059T, 6068D, 6068T, 6359D Tractor 3150, 3350, 6100, 6200, 6300, 6400, 6500, 6506, 6600, 6603, 6800, 6900, SE6100, SE6200, SE6300, SE6400
Height:	
	

KR-VPE3453	OEM:
Temperature: 81°C	
Diameter: 58.0mm	Suitable for: Engine 4045H, 6068H
Height: 38.0mm	
	

KR-VPE3459	OEM:
Temperature: 83°C	
Diameter: 55.0mm	Suitable for: Engine 4045D, 4045H, 4045T, 6068T
Height: 45.0mm	
	

KR-R70736N	OEM: R70736
Temperature:	
Diameter:	Suitable for: 840, 940, 1040, 1140, 1350, 1550, 1640, 1750, 1840, 1850, 1950, 2040, 2140, 2150, 2240, 2250, 2255, 2450, 2555, 2650, 2750, 2850, 2855, 5200, 5300, 5400, 5500
Height:	
	

KR-VPE3703	OEM: T23620
Temperature:	
Diameter:	Suitable for: Engine 3152D, 3164D, 3179D, 3179T, 4202D, 4219D, 4239D, 4276D, Tractor 820, 830, 930, 1020, 1030, 1120, 1130, 1350, 1530, 1550, 1630, 1750, 1830, 1850, 1950, 2020, 2030, 2040, 2120, 2130, 2155, 2240, 2355, 2440, 2640
Height:	
	

KR-VPE3860	OEM: R501373, R54638
Packet of 10x	
	Suitable for: 2840, 2940, 2950, 3030, 3040, 3050, 3130, 3140, 3150, 3340, 3350, 3640, 3650, 4040, 4050, 6010, 6100, 6110, 6200, 6210, 6300, 6310, 6320, 6400, 6410, 6420, 6500, 6506, 6510, 6520, 6600, 6610, 6620, 6800, 6810, 6820, 6900, 6910, 6920, 7185, 7200, 7205, 7210, 7220, 7320, 7400, 7410, 7420, 7510, 7515, 7520, 7600, 7610, 7715, 7720, 7815, 7820, SE6010, SE6100, SE6110, SE6200, SE6210, SE6300, SE6310, SE6400, SE6410, SE6510, SE6520, SE6610, SE6620
	

KR-VPE3911	OEM: T20215
Packet of 10x Info	
	Suitable for: Engine 3029D, 3152D, 3164D, 3179D, 3179T, 4039D, 4039T, 4045D, 4202D, 4219D, 4239D, 4239T, 4276D Tractor 820, 830, 840, 930, 940, 1020, 1030, 1040, 1120, 1130, 1140, 1350, 1530, 1550, 1630, 1640, 1750, 1830, 1840, 1850, 1950, 2020, 2030, 2040, 2120, 2130, 2135, 2140, 2155, 2240, 2250, 2355, 2440, 2450, 2640, 2650, 2850, 3100, 3110, 3200, 3210, 3300, 3310, 3400, 3410
	

KR-2485613GP	OEM: 2485613
Temperature:	
Diameter:	Suitable for:
Height:	60GE/V, 95GTP, 6060, 6070, 7860, 8860, 9060, 9080, 9500, 9550, 9880, 10000, 12500, 13000, 14500, 16000, 16500, ADVANTAGE 60, 95, ATLAS 75, 85, BLIZZARD 60, 95, CF6060, GLOBUS 55, 60, 70, LEGEND 105, 115, 130, 145, 165, NEW LEGEND 115, TREKKER 60F, 95, VIGNETI REX CAB 60V
	

KR-2485666GP	OEM: 2485666
Temperature:	
Diameter:	Suitable for:
Height:	55GTP/V, 65GTP/V, 75GTP/V, 85GTP, 4000, 4500, 4530, 4560, 5000, 5500, 5530, 5560, 5830, 5840, 5860, 5870, 6030, 6040, 6500, 6530, 6550, 6560, 6830, 6840, 6860, 6870, 6880, 7000, 7500, 7530, 7550, 7560, 7830, 7860, 7880, 8000, 8500, 8530, 8550, 8560, 8830, 8860, 8870, 8880, 10000, ADVANTAGE 55, 65, 75, 85, BLIZZARD 50, 65, 75, 85, C4500, C4830, C5000, C5500, C5830, C6500, C6830, C7800, C7830, C8860, CF4830, CF5030, CF5830, CF6030, CF6830, GLOBUS 50, TREKKER 55, 65, 70, 75, 85, VIGNETI REX CAB 55, 65
	

KR-2485668GP	OEM: 2485668
Temperature:	
Diameter:	Suitable for:
Height:	9500
	


KR-AT22963N	OEM:
Temperature: 88°C	
Diameter:	Suitable for:
Height:	6500, 6530, 6550, 6560, 6830, 6840, 6860, 6870, 6880, 7500, 7530, 7550, 7560, 7830, 7860, 7870, 7880, 8500, 8530, 8550, 8560, 8830, 8860, 8870, 8880, ADVANTAGE 65, 75, 85, BLIZZARD 65, 75, 85
	


KR-VPE3401	OEM: 1446127M1, 1446127M91, 1446165M1, 1446165M91, 2485666, 70998003, 826306M1, 828139M1, 886000M1
Temperature: 83°C	
Diameter: 54.0mm	Suitable for:
Height: 38.5mm	55GTP/V, 65GTP/V, 75GTP/V, 85GTP, 4000, 4530, 4560, 5000, 5500, 5530, 5560, 5830, 5840, 5860, 5870, 6030, 6040, 6500, 6530, 6550, 6560, 6830, 6840, 6860, 6870, 6880, 7000, 7500, 7530, 7550, 7560, 7830, 7860, 7880, 8000, 8500, 8530, 8550, 8560, 8830, 8860, 8870, 8880, 10000, ADVANTAGE 55, 65, 75, 85, BLIZZARD 50, 65, 75, 85, C4500, C4830, C5000, C5500, C5830, C6500, C6830, C7800, C7830, C8860, CF4830, CF5030, CF5830, CF6030, CF6830, GLOBUS 50, TREKKER 55, 65, 70, 75, 85, VIGNETI REX CAB 55, 65
	


KR-VPE3402	OEM: 1446128M91, 1446222M91, 2485668
Temperature: 78°C	
Diameter: 70.0mm	Suitable for:
Height: 47.2mm	6000, 7000, 9500, 10000, C6000
	


KR-VPE3405	OEM: 1447384M1, 2485613, 70998113
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	60GE/V, 95GTP, 6060, 6070, 7860, 8860, 9060, 9080, 9500, 9550, 9880, 10000, 12500, 13000, 14500, 16000, 16500, ADVANTAGE 60, 95, ATLAS 75, 85, BLIZZARD 60, 95, CF6060, GLOBUS 55, LEGEND 105, 115, 130, 145, 165, NEW LEGEND 115, TREKKER 60F, 95, VIGNETI REX CAB 60V
	


KR-VPE3414	OEM:
Temperature: 89°C	
Diameter: 54.2mm	Suitable for:
Height: 39.5mm	6500, 6530, 6550, 6560, 6830, 6840, 6860, 6870, 6880, 7500, 7530, 7550, 7560, 7830, 7860, 7870, 7880, 8500, 8530, 8550, 8560, 8830, 8860, 8870, 8880, ADVANTAGE 65, 75, 85, BLIZZARD 65, 75, 85
	


KR-VPE3435	OEM: 2485C025, 2485C027, 2485C034, 2485C036, 4222845M1, 4223770M1, 4224624M1, 4224639M1
Temperature: 82°C	
Diameter: 67.0mm	Suitable for: 6860, 8860, ATLAS 70, 80, 90, 100, GHIBLI 80, 90, 100, GLOBUS 65, 75, 80, MYTHOS 90, 100, REX 70, 80, 90, 100, TREKKER 70, 80, 90, 100, VISION 80, 90, 100
Height: 54.5mm	
	


KR-VPE3452	OEM: 4215604M2
Temperature: 80°C	
Diameter: 58.0mm	Suitable for: LANDPOWER 125, 135, 145, 165
Height: 52.0mm	
	

KR-VPE3453	OEM: 4215605M1
Temperature: 81°C	
Diameter: 58.0mm	Suitable for: 7-180, 7-195, 7-205, 7-220, 7-235
Height: 38.0mm	
	


KR-VPE3901	OEM: 0490184 1650422M1, 1650482M1, 36834169, 4222057M1
Packet of 10x	
	Suitable for: 60GE, 4560, 5500, 5560, 5840, 5860, 6060, BLIZZARD 50, C4500, C4830, C5830, TREKKER 55F
	

KR-VPE4375	OEM: 3689023M1
Temperature:	
Diameter:	Suitable for: 7-185, 7-190, 7-210, 7-230
Height:	
	

KR-NWS00394	OEM: 4222011M1
Temperature:	
Diameter:	Suitable for: Various engine and models
Height:	
	


KR-NWS01855	OEM: 2415H219
Temperature:	
Diameter:	Suitable for: Various engine and models
Height:	
	


Leyland

KR-2485613GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Engine 2.8T, 2.8TD, 3.4TD, 3.8T, 3.8TA, 3.8TD, 4.98DT, 4.98TT, 6.98NT Tractor 255, 262, 270, 272, 282, 285, 344, 384, 462, 472, 482, 485, 602, 604, 702, 704, 802, 804, 2100, 4100, 3/45, 4/65
	

KR-2485666GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	245, 253, 502
	

KR-VPE3401	OEM: AJR4145, AJR4233, ARJ4233
Temperature: 83°C	
Diameter: 54.0mm	Suitable for:
Height: 38.5mm	245, 253, 502
	

KR-VPE3405	OEM: 13H7508
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	Engine 2.8T, 2.8TD, 3.4TD, 3.8T, 3.8TA, 3.8TD, 4.98DT, 4.98TT, 6.98NT Tractor 255, 262, 270, 272, 282, 285, 344, 384, 462, 472, 482, 485, 602, 604, 702, 704, 802, 804, 2100, 4100, 3/45, 4/65
	

KR-VPE3901	OEM: AJR4177
Packet of 10x	
	Suitable for:
	245, 253, 502
	

Massey Ferguson



KR-2485613GP	OEM: 2485613
Temperature:	
Diameter:	Suitable for:
Height:	165, 360, 363, 364, 365, 375, 390, 390T, 393, 394, 397T, 398, 399, 490T, 492T, 660, 698T, 699, 1004, 1004T, 1007, 1014, 1114, 1134, 1250, 2620, 2625, 2640, 2645, 2680, 2685, 2720, 2725, 3050, 3060, 3065, 3070, 3075, 3080, 3085, 3090, 3095, 3115, 3120, 3120T, 3125, 3140, 3610, 3615, 3630, 3635, 3645, 3650, 3655, 3660, 3680, 3690, 4225, 4235, 4240, 4245, 4255, 4260, 4270, 4360, 4370, 5300T, 5310T, 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190, 8110, 8120, 8130
	

KR-2485666GP	OEM: 2485666
Temperature:	
Diameter:	Suitable for:
Height:	35, 35X, 135, 140, 145, 148, 152, 168, 174, 174-4, 175, 178, 184, 184-4, 185, 188, 194, 194-4, 230, 240, 245, 250, 254, 255, 265, 274, 275, 284, 284-4, 285, 290, 294, 294-4, 298, 340, 342, 350, 352, 353, 354, 355, 356, 360, 362, 372, 373, 374, 376, 377, 382, 383, 384, 387, 393, 394, 396, 397, 440, 465, 475, 490, 550, 560, 565, 575, 590, 595, 675, 690, 698, 1014, 1080, 1100, 1200
	

KR-2485668GP	OEM: 2485668
Temperature:	
Diameter:	Suitable for:
Height:	65, 165
	

KR-AT22963N	OEM:
Temperature: 88°C	
Diameter:	Suitable for:
Height:	35, 165, 168, 175, 178, 185, 188, 265, 275, 285, 290, 374, 384, 393, 394, 565, 575, 590
	

KR-VPE3401	OEM: 1446127M1, 1446127M91, 1446165M1, 1446165M91, 2485666, 70998003, 826306M1, 828139M1, 886000M1
Temperature: 83°C	
Diameter: 54.0mm	Suitable for:
Height: 38.5mm	35, 35X, 135, 140, 145, 148, 152, 168, 174, 174-4, 175, 178, 184-4, 185, 188, 194-4, 230, 240, 250, 254, 255, 265, 274, 275, 284-4, 285, 290, 294-4, 298, 340, 342, 350, 352, 353, 354, 355, 356, 360, 362, 372, 373, 374, 376, 377, 382, 383, 384, 387, 393, 394, 396, 397, 440, 465, 475, 490, 550, 565, 575, 590, 595, 675, 690, 698, 1014, 1080, 1200
	

KR-VPE3402	OEM: 1446128M91, 1446222M91, 2485639, 2485662
Temperature: 78°C	
Diameter: 70.0mm	Suitable for:
Height: 47.2mm	65, 165, 560, 765, 1100
	

KR-VPE3405	OEM: 1447384M1, 2485605, 2485613, 70998113
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	165, 360, 363, 364, 365, 375, 390, 390T, 393, 394, 397T, 398, 399, 490T, 492T, 660T, 698T, 699, 1007, 1014, 1114, 1134, 1250, 2620, 2625, 2640, 2645, 2680, 2685, 2720, 2725, 3050, 3060, 3065, 3070, 3075, 3080, 3095, 3090, 3095, 3115, 3120, 3120T, 3125, 3140, 3610, 3630, 3635, 3645, 3650, 3655, 3660, 4225, 4235, 4240, 4245, 4255, 4260, 4270, 4360, 4370, 5300T, 5310T, 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190, 8110, 8120, 8130
	

KR-VPE3414	OEM:
Temperature: 89°C	
Diameter: 54.2mm	Suitable for:
Height: 39.5mm	35, 165, 168, 175, 178, 185, 188, 265, 275, 285, 290, 374, 384, 393, 394, 565, 575, 590
	

KR-VPE3435	OEM: 2485C025, 2485C027, 2485C034, 2485C036, 4222845M1, 4223770M1, 4224639M1, 4224624M1, 836352903, 83666634
Temperature: 82°C	
Diameter: 67.0mm	Suitable for: 374, 394, 3330, 3340, 3350, 3355, 3615, 3625, 3630, 3635, 3640, 3645, 3650, 3660, 4225, 4235, 4240, 4245, 4255, 4265, 4325, 4335, 4345, 4355, 4365, 4435, 4445, 4455, 5465, 5470, 5480, 5608, 5609, 5610, 6235, 6245, 6255, 6260, 6265, 6270, 6280, 6290, 6465, 6475, 6480, 6612, 6613, 6614, 6615, 6616, 7465, 7475, 7480, 8210, 8220
Height: 54.5mm	
	


KR-VPE3455	OEM: 836015156, V836015156
Temperature:	
Diameter:	Suitable for: 3670, 3680, 3690, 5465, 5475, 6465, 6475, 6480, 6485, 6490, 6495, 6497, 6499, 7465, 7475, 7480, 7485, 7490, 7494, 7497, 7499, 7614, 7615, 7616, 7618, 7619, 7620, 7622, 7624, 7714, 7715, 7716, 7718, 7719, 7720, 7722, 7724, 7726, 8140, 8150, 8160, 8170, 8180, 8240, 8250, 8260, 8270, 8280, 8450, 8460, 8470, 8480, 8650, 8660, 8670, 8680, 8690
Height:	
	


KR-VPE3456	OEM: 836331590, V836331590
Temperature:	
Diameter:	Suitable for: 5465, 5475, 6465, 6475, 6480, 6485, 6490, 6495, 6497, 6499, 7465, 7475, 7480, 7485, 7490, 7495, 7497, 7499, 7614, 7615, 7616, 7618, 7619, 7620, 7622, 7624, 7626, 7714, 7715, 7716, 7718, 7719, 7720, 7722, 7724, 7726, 8140, 8150, 8160, 8240, 8250, 8260, 8270, 8280, 8450, 8460, 8470, 8480, 8650, 8660, 8670, 8680, 8690
Height:	
	


KR-VPE3457	OEM: 836115646, 836115718, 836659685, 836666334, V836115646, V836115718, V836659685, V836666334
Temperature:	
Diameter:	Suitable for: 4435, 4445, 4455
Height:	
	

KR-VPE3458	OEM: 4133L507, 4225430M1
Temperature: 82°C	
Diameter:	Suitable for: 5445, 5455, 6445, 6455, 6460, 6470
Height:	
	

KR-VPE3460	OEM: 4133L509, 4225397M1
Temperature: 82°C	
Diameter:	Suitable for: 5410, 5420, 5425, 5430, 5435, 5440, 5445, 5455, 6445, 6455
Height:	
	

KR-VPE3901	OEM: 0490184, 1650422M1, 1650482M1, 4222057M1
Packet of 10x	
	Suitable for: 35, 35X, 135, 140, 145, 148, 152, 230, 240, 250, 254, 255, 340, 342, 350, 352, 353, 354, 355, 356, 360, 363, 364, 550, 4707
	

KR-NWS00394	OEM: 4222011M1
Temperature:	
Diameter:	Suitable for: Various engine and models
Height:	
	

KR-NWS01855	OEM: 2415H219
Temperature:	
Diameter:	Suitable for: Various engine and models
Height:	
	

McCormick



KR-2485613GP	OEM: 2485613
Temperature:	
Diameter:	Suitable for:
Height:	C70, 80, 90, 100, CX70, 75, 80, 85, 90, 95, 100, 105, G-MAX115, 130, 160, MC80, 90, 100, 115
	


KR-VPE3405	OEM: 2485613
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	C70, 80, 90, 100, CX70, 75, 80, 85, 90, 95, 100, 105, G-MAX115, 130, 160, MC80, 90, 100, 115
	

KR-VPE3452	OEM: 4215604M2, 705257A1
Temperature: 80°C	
Diameter: 58.0mm	Suitable for:
Height: 52.0mm	G-MAX125, 135, 145, 165, 180, MC120, 135, MTX120, 135
	


KR-VPE4375	OEM: 3689023M1
Temperature:	
Diameter:	Suitable for:
Height:	G-MAX125, 135, 145, 165, 180, MC120, 135, MTX120, 135, 145, 150, TTX190, 210, 230
	

New Holland



KR-2485613GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Combine Harvester AL59, 519, TF42, 44, 76, 78, TR86, 87, 88, 89, 96, 97, 98, 99, TX30, 32, 34, 36, 62, 63, 64, 65, 66, 67, 68 Tractor 5640, 6640, 7740, 7840, 8160, 8240, 8260, 8340, 8360, 8560, 8670, 8770, 8870, 8970, G170, 190, 210, 240, M100, 115, 135, 160, TM115, 120, 125, 130, 135, 140, 150, 155, 165, 175, 190, TS80, 90, 100, 110, 115, TV140
	

KR-98463637GP	OEM: 98463637, 98463638
Temperature:	
Diameter:	Suitable for:
Height:	Telehandler LM410, 420, 425, 430, 630 Tractor 4635, 4835, 5635, 6635, 7635, L60, 65, 75, 85, 95, T3.50F, 3.55F, 3.65F, 3.75F, TD55D, 60D, 65D, 70D, 75D, 80D, 85D, 90D, 95D TD5.80, 5.90, 5.100, 5.110, TL70, 80, 90, 100, TN55, 60, 65, 70, 75, 80, 85, 90, 95
	

KR-VPE3405	OEM: 87800842, 87802743, 87803664, D8NN8575FB
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	5640, 6640, 7740, 7840, 8160, 8240, 8260, 8340, 8360, 8560, 8670, 8770, 8870, 8970, G170, 190, 210, 240, M100, 115, 135, 160, TM115, 120, 125, 130, 135, 140, 150, 155, 165, 175, 190, TS80, 90, 100, 110, 115, TV140
	

KR-VPE3418	OEM: 4823210, 4823211, 4823226, 98463637, 98463638
Temperature: 79°C	
Diameter: 55.0mm	Suitable for:
Height: 48.0mm	L60, 65, 75, 85, 95
	

KR-VPE3443	OEM: 83999978, 87800842
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	5640, 6640, 7740, 7840, 8240, 8340, TS80, 90, 100, 110, 115
	

KR-VPE3444	OEM: 83912930, 87800842 x2
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	8160, 8260, 8340, 8360, 8560, 8670, 8770, 8870, 8970, G170, 190, 210, 240, M100, 115, 135, 160, TM115, 120, 125, 130, 135, 140, 150, 155, 165, 175, 190, TV140
	


KR-VPE3452	OEM: 2853135, 84383461
Temperature: 80°C	
Diameter: 58.0mm	Suitable for:
Height: 52.0mm	T4020, 4030, 4040, 4050, 4060, T5030, 5040, 5050, 5060, 5070, T6010, 6020, 6030, 6050, 6070, TD5.65, 5.75, 5.85, 5.95, 5.105, 5.115, TD5040, 5050, TS100A, 110A, 115A, 125A, 130A
	

KR-VPE3453	OEM: 84322388
Temperature: 81°C	
Diameter: 58.0mm	Suitable for:
Height: 38.0mm	T6.120, 6.125, 6.145, 6.55, 6.160, 6.165, 6.175, 6.180, T6020, 6030, 6040, 6050, 6060, 6070, 6080, 6090, T7.170, 7.175, 7.185, 7.190, 7.200, 7.210, 7.220, 7.225, 7.230, 7.235, 7.245, 7.250, 7.260, 7.270, T7030, 7040, 7050, 7060, 7070, TS110A, 125A, 135A
	


KR-VPE3454	OEM: 2830734
Temperature: 82°C	
Diameter: 54.0mm	Suitable for: T6.120, TL70A, 80A, 90A, 100A, TS100A, 115A
Height: 52.7mm	
	

KR-VPE3700	OEM: 81820903, C7NN8594B
Temperature:	
Diameter:	Suitable for: 3930
Height:	
	

KR-VPE3891	OEM: 14463281, 4770247, 4848840
Temperature:	
Diameter:	Suitable for: 4635, 4835, 5635, 6635, 7635, TL70, 80, 90, 100
Height:	
	


KR-4823212	OEM: 4823212
Temperature:	
Diameter:	Suitable for: T4.55, T4.65, T4.75, T5.90, T5.100, T5.110, TD5.80, TD5.90, TD5.100, TD5.110, TD65F, TD75F, TD85F
Height:	
	

KR-VPE3920	OEM: 81805624, C2DE8255A
Pack of 10x	
	Suitable for: 3930
	

KR-98482590N	OEM: 98482590
Temperature:	
Diameter:	Suitable for: Various engine and models
Height:	
	

Renault

KR-2485666GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	70-32, 70-34, 80-32, 80-34, ARES 540, 546, 550, 556, 566, 610, 616, 620, 626, 630, 636, 640, 656, 696, 710, 715, 720, 725, 735, 815, 816, 825, 826, 836, CERES 75, 75-4, 75X, 75X-4
	

KR-AR48675N	OEM:
Temperature: 82°C	
Diameter:	Suitable for:
Height:	ARES 540, 550, 610, 620, 630, 640, CERES 85, 85-4, 85X, 85X-4, 95, 95-4, 95X, 95X-4, 330, 330-4, 330X, 330X-4, 340, 340-4, 340X, 340X-4, CERGOS 330, 340, 350
	

KR-VPE3401	OEM: 03334840, 6005022968, 7701028771
Temperature: 83°C	
Diameter: 54.0mm	Suitable for:
Height: 38.5mm	70-32, 70-34, 80-32, 80-34, ARES 540, 546, 550, 556, 566, 610, 616, 620, 626, 630, 636, 640, 656, 696, 710, 715, 720, 725, 735, 815, 816, 825, 826, 836, CERES 75, 75-4, 75X, 75X-4
	


KR-VPE3430	OEM: 6005026272, 6005026617, 6005028990
Temperature: 78°C	
Diameter: 54.0mm	Suitable for:
Height: 53.4mm	ARES 540, 550, 610, 620, 630, 640, CERES 325, 325-4, 325X, 335, 335-4, 335X, 335X-4, 345, 345-4, 345X, 345X-4, 355, 355X, CERGOS 335, 345, 355, TEMIS 550
	

KR-VPE3459	OEM: 0011509820, 6005022968
Temperature: 83°C	
Diameter: 55.0mm	Suitable for:
Height: 45.0mm	ARES 616, 656
	

KR-VPE3860	OEM: 6005023946
Packet of 10x	
	Suitable for:
	ARES 540, 550, 610, 620, 630, 640, CERES 85, 85-4, 85X, 85X-4, 95, 95-4, 95X, 95X-4, 310, 320, 320-4, 320X, 320X-4, 330, 330-4, 330X, 330X-4, 340, 340-4, 340X, 340X-4, CERGOS 330, 340, 350

KR-VPE3911	OEM:
Packet of 10x	
	Suitable for:
	ARES 540, CERES 75, 75-4, 75X, 75X-4, 85, 85-4, 85X, 85X-4, 95, 95-4, 95X, 95X-4, 320, 320-4, 320X, 320X-4, 330, 330-4, 330X, 330X-4, 340, 340-4, 340X, 340X-4, CERGOS 330, 340

KR-98482590N	OEM: 6005025581
Temperature:	
Diameter:	Suitable for:
Height:	TEMIS 610, 630, 650
	


KR-2485613GP	OEM: 2485613
Temperature:	
Diameter:	Suitable for:
Height:	Engine 1004-4, 1004-4T, 1004-42, 1006-6, 1006-6T, 4.41, A4.236, A4.248, A6.354.4, AT3.152.4, AT4.236, AT6.354.4, P4000, P4000T, P4001T
	

KR-2485666GP	OEM: 2485666
Temperature:	
Diameter:	Suitable for:
Height:	Engine A3.144, A3.152, A4.236, A4.248, A4.318, A4.318.2, A6.354.1, A6.354.4, AD3.152, AT3.152.4, P4000
	

KR-VPE3400	OEM:
Temperature: 74°C	
Diameter: 54.0mm	Suitable for:
Height: 40.0mm	Engine F3.144, F3.152
	

KR-VPE3401	OEM: 2485635, 2485648, 2485657, 2485659, 2485666, 32550
Temperature: 83°C	
Diameter: 54.0mm	Suitable for:
Height: 38.5mm	Engine A3.144, A3.152, A4.236, A4.248, A4.318, A4.318.2, A6.354.1, A6.354.4, AD3.152, AT3.152.4, P4000
	


KR-VPE3402	OEM: 2485639, 2485662, 2485668
Temperature: 78°C	
Diameter: 70.0mm	Suitable for:
Height: 47.2mm	Engine A4.192, A6.354, AD4.203
	


KR-VPE3405	OEM: 2485605, 2485613,
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 53.5mm	Engine 1004-4, 1004-4T, 1004-42, 1006-6, 1006-6T, 4.41, A4.236, A4.248, A6.354.4, AT3.152.4, AT4.236, AT6.354.4, P4000, P4000T, P4001T
	


KR-VPE3435	OEM: 2485C025, 2485C027, 2485C034, 2485C036
Temperature: 82°C	
Diameter: 67.0mm	Suitable for:
Height: 54.5mm	Engine 1004-4, 1004-4T, 1004-40T, 1004-40TI, 1004-40TWG, 1004-42, 1004-6, 1006-6T, 1006-60NA, 1006-60T, 1006-60TW, 1106C-E60TA
	


KR-VPE3455	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Engine 1106C-E60TA, 1106C-E66TA, 1106D-E66TA
	


KR-VPE3456	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Engine 1106C-E60TA, 1106C-E66TA, 1106D-E66TA
	

KR-VPE3458	OEM: 4133L507
Temperature:	
Diameter:	Suitable for:
Height:	Engine 1104C-44T, 1104C-E44TA
	

KR-VPE3901	OEM: 0490184, 36834169
Packet of 10x	
	Suitable for:
	Engine A3.144, A3.152, AD3.152, AT3.152.4
	

KR-NWS00394	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Various engine and models
	


KR-NWS01855	OEM: 2415H219
Temperature:	
Diameter:	Suitable for:
Height:	Various engine and models
	

KR-VPE3435	OEM:
Temperature: 82°C	
Diameter: 67.0mm	Suitable for:
Height: 54.5mm	Engine 33AWIC, 33CTA, 33DT, 33DTA, 44CTA, 44DT, 44DTA, 49AWI, 49CTA
	

KR-VPE3455	OEM: 836015156, V836015156
Temperature:	
Diameter:	Suitable for:
Height:	Engine 66AWF, 66AWI, 66CTA, 66ETA, 74AWF, 74AWI, 74CTA, 74ETA, 84CTA, 84ETA, 612DS, 620DS, 634DS, 634TCC, 645DS, 645TCC
	

KR-VPE3456	OEM: 836331590, V836331590,
Temperature:	
Diameter:	Suitable for:
Height:	Engine 66AWF, 66AWI, 66ETA, 74AWF, 74AWI, 74CTA, 74ETA, 84CTA, 74ETA, 620DS, 634DS, 634TCC, 645TCC
	

KR-VPE3457	OEM: 836115718, 836659685, 836666334, V836115646, V836659685, V836666334
Temperature:	
Diameter:	Suitable for:
Height:	Engine 33DT, 33DTA, 44DT, 44DTA
	


KR-VPE3901	OEM:
Packet of 10x	
	Suitable for:
	Engine AP33
	

KR-98463637GP	OEM: 98463637, 98463638
Temperature:	
Diameter:	Suitable for:
Height:	360 COMPACT, 370 COMPACT, 375 COMPACT
	

KR-VPE3452	OEM: 84383461
Temperature: 80°C	
Diameter: 58.0mm	Suitable for:
Height: 52.0mm	4085 COMPACT, 4095 COMPACT, 4100 PROFI, 4110 PROFI, 6125 PROFI, 6140 PROFI, 6165CVT, 6180CVT, 6200CT, 6210CVT, 6225CVT
	

KR-VPE3453	OEM: 84322388
Temperature: 81°C	
Diameter: 58.0mm	Suitable for:
Height: 38.0mm	4110 PROFI, 4115 PROFI, 4120 PROFI, 4125 PROFI, 4135 PROFI, 4145 PROFI, 6115 PROFI, 6125 PROFI, 6130CVT, 6135 PROFI, 6140 PROFI, 6145 PROFI, 6145CVT, 6160CVT, 6170CVT, 6230CVT
	


Timberjack


KR-AR48675N	OEM:
Temperature: 82°C	
Diameter:	Suitable for:
Height:	Forest Harvester 1270D
	


KR-VPE3406	OEM:
Temperature: 82°C	
Diameter: 54.0mm	Suitable for:
Height: 46.3mm	Forest Harvester 1270D
	

Ursus

KR-VPE3416	OEM: 89005904
Temperature: 77°C	
Diameter: 67.2mm	Suitable for: 932, 934, 1032, 1034, 1132, 1134, 1232, 1234, 1434, 1634
Height: 55.5mm	
	

KR-80005086	OEM:
Temperature:	
Diameter:	Suitable for: 912, 914, 932, 934, 1012, 1014, 1023, 1034, 1132, 1134, 1222, 1224, 1232, 1234, 1434, 1614, 1634, C-385
Height:	
	

KR-80005087	OEM:
Temperature:	
Diameter:	Suitable for: 912, 914, 932, 934, 1012, 1014, 1032, 1034, 1132, 1134, 1222, 1224, 1232, 1234, 1434, 1614, 1634, C-385
Height:	
	

KR-VPE3901	OEM:
Packet of 10x	
	Suitable for: 2802, 2812, 3502, 3512, 3514, MF231
	

Valtra-Valmet

KR-2485666GP	OEM: 2485666
Temperature:	
Diameter:	Suitable for:
Height:	205, 305, 315, 355, 405, 415, 455, 500, 502, 504, 555, 602, 604, 612, 700, 702, 703, 802, 803, 900, 1100
	


KR-VPE3401	OEM: 836115489
Temperature: 83°C	
Diameter: 54.0mm	Suitable for:
Height: 38.5mm	205, 305, 315, 355, 405, 415, 455, 500, 502, 504, 555, 602, 604, 612, 700, 702, 703, 802, 803, 900, 1100
	

KR-VPE3435	OEM: 836352903, 836666334
Temperature: 82°C	
Diameter: 67.0mm	Suitable for:
Height: 54.5mm	255, 355, 365, 455, 465, 505, 515, 555, 565, 600, 605, 615, 665, 700, 702, 705, 715, 755, 800, 805, 815, 855, 865, 900, 903, 1102, 1103, 1203, 6000, 6100, 6200, 6250, 6300, 6350, 6400, 6550, 6600, 6650, 6750, 6800, 6850, 6900, 8000, 8050, 8100, 8150, 8200, 8350, 8400, 8450, 8550, 8750, 8950, A65, 72, 75, 82, 83, 85, 92, 93, 95, C90, 100, 110, 120, 130, 150, M120, 130, 150, MEGA 8000, 8050, 8100, 8150, 8200, 8450, 8550, 8750, N82, 91, 92, 93, 101, 103, 111, 113, 121, 122, 123, 141, 142, 143, 163, S230, 240, 260, 280, T120, 121, 130, 131, 132, 140, 150, 151, 152, 160, 161, 162, 170, 171, 172, 180, 182, 190, 191, 202, X100, 110, 120, XM130, 150
	

KR-VPE3455	OEM: 836015156, V836015156
Temperature:	
Diameter:	Suitable for:
Height:	205, 305, 315, 355, 405, 415, 455, 555, 8050, 8100, 8150, 8200, 8350, 8400, 8450, 8550, 8750, 8950, MEGA 8000, 8050, 8100, 8150, 8200, 8450, 8550, 8750, S230, 232, 233, 240, 260, 262, 263, 280, 292, 293, 322, 323, 352, 353, T120, 121, 130, 131, 132, 133, 140, 150, 151, 152, 153, 160, 161, 162, 163, 170, 171, 172, 173, 180, 182, 183, 190, 191, 193, 202, 203, 213
	


KR-VPE3456	OEM: 836331590, V836331590
Temperature:	
Diameter:	Suitable for:
Height:	905, 915, 8050, 8150, 8300, 8350, 8450, 8550, 8600, 8750, 8950, MEGA 8050, 8150, 8450, 8550, 8750, S232, 233, 262, 263, 292, 293, 322, 323, 352, 353, T120, 121, 130, 131, 132, 133, 140, 150, 151, 152, 153, 160, 161, 162, 163, 170, 171, 172, 173, 180, 182, 183, 190, 191, 193, 202, 203, 213
	

KR-VPE3457	OEM: 836115718, 836659685, 836666334, V836115646, V836659685, V836666334
Temperature:	
Diameter:	Suitable for:
Height:	255, 355, 365, 455, 465, 555, 565, 600, 665, 700, 800, 865, 900, 6000, 6100, 6200, 6250, 6300, 6350, 6400, 6550, 6600, 6750, 6800, 6850, A65, 75, 85, 95, X100, 110, 120
	

KR-98463637GP	OEM:
Temperature:	
Diameter:	Suitable for:
Height:	Wheel Loader LM 640
	

KR-VPE3416	OEM: 531989005904, 69011348, 70011316, 70011316W, 80005908, 89005904
Temperature: 77°C	
Diameter: 67.2mm	Suitable for:
Height: 55.5mm	3320, 3340, 4320, 4340, 4911, 5011, 5211, 5245, 5320, 5340, 5511, 5516, 5545, 5611, 5645, 5647, 5711, 5718, 5745, 5748, 5911, 5945, 6011, 6045, 6211, 6245, 6320, 6340, 6711, 6718, 6745, 6748, 6911, 6945, 7011, 7045, 7211, 7245, 7320, 7321, 7340, 7341, 7711, 7745, 8011, 8045, 8111, 8145, 10111, 10145, 12011, 12045, 12111, 12145, 16145
	

KR-70011303	OEM: 70011303
Temperature:	
Diameter:	Suitable for:
Height:	3320, 3340, 4320, 4340, 4712, 4911, 5011, 5211, 5245, 5320, 5340, 6011, 6045, 6211, 6245, 6320, 6340, 6911, 7011, 7045, 7211, 7245, 7320T, 7321T, 7340T, 7341T, 7711, 7711T, 7745, 7745T
	

KR-80005086	OEM: 80005086
Temperature:	
Diameter:	Suitable for:
Height:	Engine Z8002.1, Z8002.134, Z8401, Z8602
	Tractor 8011, 8045, 8111, 8145, 8211, 8245, 9111, 9145, 9211, 9245, 10111, 10145, 10211, 10245, 11211, 11245, 12011, 12045, 12111, 12145, 12211, 12245, 14145, 14245, 16145, 16245

KR-80005087	OEM: 80005087, 800050872
Temperature:	
Diameter:	Suitable for:
Height:	Engine Z8002.1, Z8002.134, Z8401, Z8602
	Tractor 8011, 8045, 8111, 8145, 8211, 8245, 9111, 9145, 9211, 9245, 10111, 10145, 10211, 10245, 11211, 11245, 12011, 12045, 12111, 12145, 12211, 12245, 14145, 14245, 16145, 16245

