

# THERMOSTATS


## CATALOGUE





# CONTENTS

Case-IH .....	3
Claas .....	5
David Brown .....	6
Fiat .....	7
Fiat-Hitachi .....	8
Ford .....	9
FTP .....	11
Hydrema .....	12
Iveco .....	13
JCB .....	14
John Deere .....	15
Landini .....	17
Leyland .....	19
Massey Ferguson .....	20
McCormick .....	22
New Holland .....	23
Renault .....	25
Perkins .....	26
Sisu .....	28
Steyr .....	29
Timberjack .....	30
Ursus .....	31
Valtra-Valmet .....	32
Volvo .....	33
Zetor .....	34


# Case-IH


<b>KR-2485613GP</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	C70, 80, 90, 100, CX70, 80, 90, 100, MX80C, 90C, 100C, MXM120, 130, 135, 140, 150, 155, 165, 175, 180, 190
	


<b>KR-2485666GP</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine BD144, BD154 Tractor 250, 275, 276, 354, 374, 384, 414, 434, 444, 1194, 1294, 1394, 1494, 1594, 1694
	

<b>KR-3059676R91N</b>	<b>OEM:</b> 3059676R91, 3059676R92
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine D155, 179, 206, 239, 246, 268, 310, 358, DT239, 268, 358, 402 Tractor 353, 383, 385, 395, 423, 433, 440, 453, 454, 474, 484, 485, 495, 523, 533, 540, 553, 574, 584, 585, 595, 624, 633, 640, 644, 645, 654, 674, 684, 685, 695, 724, 733, 734, 740, 743, 744, 745, 784, 785, 795, 824, 833, 834, 840, 844, 845, 856, 884, 885, 895, 940, 946, 955, 956, 995, 1046, 1055, 1056, 1246, 1255, 1455, 3210, 3220, 3230, 4210, 4220, 4230, 4240
	


<b>KR-47616858</b>	<b>OEM:</b> 47616858
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Tracked Excavator CX130, CX160, Tractor 5120, 5130, 5140, 5150, MX100, 110, 120, 135, 150, 170, Wheel Loader 621B, 621C, 621D
	


<b>KR-98463637GP</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	JX55, 60, 65, 70, 75, 80, 85, 90, 95, JX70U, 80U, 90U, 100U, JX1060, 1070, 1075, 1095, MXM175, 190
	


<b>KR-VPE3401</b>	<b>OEM:</b> 3042303R92, K208039, K917962
Temperature: 83°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 38.5mm	Engine BD144, BD154 Tractor 250, 275, 276, 354, 374, 384, 414, 434, 444, 1194, 1294, 1394, 1494, 1594, 1694
	


<b>KR-VPE3402</b>	<b>OEM:</b> 3118127R1
Temperature: 78°C	
Diameter: 70.0mm	<b>Fitment Information:</b>
Height: 47.2mm	475
	

<b>KR-VPE3405</b>	<b>OEM:</b> 153618356, 218039A1, 87800842, 87803664
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.5mm	C70, 80, 90, 100, CX70, 80, 90, 100, MX80C, 90C, 100C, MXM120, 130, 135, 140, 150, 155, 165, 175, 180, 190
	

<b>KR-VPE3444</b>	<b>OEM:</b> 83912930, 87800842 x 2
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b> MXM120, 130, 135, 140, 150, 155, 165, 175, 180, 190
Height: 53.5mm	
	

<b>KR-VPE3452</b>	<b>OEM:</b> 84383461
Temperature: 80°C	
Diameter: 58.0mm	<b>Fitment Information:</b> JXU75, 85, 95, 105, 115, MAXXUM 100, 110, 115, 125, 140, MXU100, 115, 130, QUANTUM 95, 105
Height: 52.0mm	
	


<b>KR-VPE3453</b>	<b>OEM:</b> 84322388
Temperature: 81°C	
Diameter: 58.0mm	<b>Fitment Information:</b> MAXXUM 110, 115, 120, 125, 130, 135, 140, 145, 150, MXM120, 130, 140, MXU110, 125, 135, PUMA 115, 125, 130, 140, 145, 150, 155, 160, 165, 170, 180, 185, 195, 200, 210, 215, 220, 225, 230, 240
Height: 38.0mm	
	

<b>KR-VPE3454</b>	<b>OEM:</b> 2830734
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b> JX1070U, 1080U, 1090U, 1100U, MXU100, 115
Height: 52.7mm	
	

<b>KR-VPE9616</b>	<b>OEM:</b> 4661543
Temperature:	
Diameter:	<b>Fitment Information:</b> FARMALL JX75, JX55, 60, 65, 70, 80, 85, 90, 95, JX1060, 1070, 1075, 1095
Height:	
	

<b>KR-VPE3891</b>	<b>OEM:</b> 14463281, 4770247, 4848840
Temperature:	
Diameter:	<b>Fitment Information:</b> JX70U, 80U, 90U, 100U
Height:	
	

<b>KR-2485613GP</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Combine Harvester DOMINATOR 88, 98, LEXION 410-405, 430-410, 430-415, MEGA 202, 204-203
	

<b>KR-2485666GP</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	ARES 540, 546, 547, 550, 556, 557, 566, 567, 577, 616, 617, 630, 640, 656, 657, 696, 815, 826, CELTIS 426, 436, 446, 456
	


<b>KR-VPE3401</b>	<b>OEM:</b> 03334840, 6005022968, 7701028771
Temperature: 83°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 38.5mm	ARES 540, 546, 547, 550, 556, 557, 566, 567, 577, 616, 617, 630, 640, 656, 657, 696, 815, 826, CELTIS 426, 436, 446, 456
	

<b>KR-VPE3430</b>	<b>OEM:</b> 6005026272, 6005026617, 6005028990
Temperature: 78°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.4mm	CELTIS 426, 436, 446, 456
	

<b>KR-VPE3453</b>	<b>OEM:</b> 0011500020
Temperature: 81°C	
Diameter: 58.0mm	<b>Fitment Information:</b>
Height: 38.0mm	ARION 410, 420, 430, 440, 450, 460, AXION 810, 820, 830, 840, 850
	


<b>KR-VPE3454</b>	<b>OEM:</b> 6005031321
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 52.7mm	NECTIS 217, 227, 237, 247, 257, 267
	


<b>KR-VPE3459</b>	<b>OEM:</b> 0011509820, 6005022968
Temperature: 83°C	
Diameter: 55.0mm	<b>Fitment Information:</b>
Height: 45.0mm	ARES 547, 557, 567, 577, 616, 656, CELTIS 426, 436, 446, 456
	


<b>KR-VPE4373</b>	<b>OEM:</b> 6005031322
Outside Diameter: 59mm	
Inside Diameter: 50.5mm	<b>Fitment Information:</b>
Section: 16.6 x 4.5mm	NECTIS 217, 227, 237, 247, 257, 267
	


# David Brown





<b>KR-2485666GP</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine 165004, 2200002, 2200004, 220008, 220101, 220103, 220105, 330001, 330002, 330101, 330102, AD3/55, AD4/55, AD4/55T, AD6/55, AD6/55T, Tractor 1190, 1194, 1290, 1294, 1390, 1394, 1490, 1494, 1594, 1690, 169
	


<b>KR-K200831N</b>	<b>OEM: K200831</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	770, 780, 850, 880, 885, 990, 995, 996, 1200, 1210, 1212
	

<b>KR-VPE3401</b>	<b>OEM: 3042303R92, K208039, K917962</b>
Temperature: 83°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 38.5mm	Engine 165004, 2200002, 2200004, 220008, 220101, 220103, 220105, 330001, 330002, 330101, 330102, AD3/55, AD4/55, AD4/55T, AD6/55, AD6/55T, Tractor 1190, 1194, 1290, 1294, 1390, 1394, 1490, 1494, 1594, 1690, 1694
	


<b>KR-VPE3404</b>	<b>OEM: K200831, K900368</b>
Temperature: 78°C	
Diameter: 50.6mm	<b>Fitment Information:</b>
Height: 41.0mm	Engine 35501, 355011, 449001, 455009, 455011, 455031, 455051, 455071, A4155A, AD3/49A, AD3/55A, AD4/47, Tractor 770, 780, 880, 885, 990, 995, 996, 1200, 1210, 1212, 1410, 1412
	


<b>KR-8830331N</b>	<b>OEM: 8830331</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	650, 750, 850, 880
	

<b>KR-98463637GP</b>	<b>OEM: 98463637, 98463638</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	60/94, 65/88, 65/94, 70/88, 72/94, 80/88, 82/94, 88/94
	

<b>KR-VPE3418</b>	<b>OEM: 4823210, 4823211, 4823226, 98463637, 98463638</b>
Temperature: 79°C	
Diameter: 55.0mm	<b>Fitment Information:</b>
Height: 48.0mm	250, 350, 446, 450, 460, 466, 480, 500, 540, 550, 566, 570, 580, 605C, 640, 665C, 666, 670, 680, 766, 780, 880/5, 980, 1000, 1180, 1280, 1380, 45/66, 50/66, 55/46, 55/56, 55/66, 55/88, 55/90, 60/46, 60/56, 60/66, 60/90, 60/93, 60/94, 65/46, 65/56, 65/66, 65/90, 65/93, 65/94, 70/56, 70/65, 70/66, 70/90, 72/93, 72/94, 80/66, 80/90, 82/93, 82/94, 85/90, 88/94, 90/90, 95/90, 100/90, 110/90, 115/90, 130/90, 140/90, F100, F110, F115, F120, F130, F140
	

<b>KR-VPE9616</b>	<b>OEM: 4599810, 4661543</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	350, 446, 450, 460, 466, 480, 500, 540, 550, 566, 570, 580, 605C, 640, 666, 670, 680, 766, 780, 880/5, 980, 1000, 1180, 1280, 1380, 45/66, 50/66, 55/46, 55/56, 55/66, 55/88, 55/90, 60/46, 60/56, 60/66, 60/90, 60/93, 60/94, 65/46, 65/56, 65/66, 65/90, 65/93, 65/94, 70/56, 70/65, 70/66, 70/90, 72/93, 72/94, 80/66, 80/90, 82/93, 82/94, 85/90, 88/94, 90/90, 95/90, 100/90, 110/90, 115/90, 130/90, 140/90, F100, F110, F115, F120, F130, F140
	

<b>KR-4837222N</b>	<b>OEM: 4837222</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	450, 466, 480, 500, 540, 566, 580, 640, 666, 680, 780, 880/5, 1000, 55/90, 60/90, 65/90, 70/90, 80/90, 90/90, 100/90, 115/90, 130/90,
	


<b>KR-VPE3890</b>	<b>OEM: 14462881, 4615794, 4673807, 4673810, 72089674V</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	250, 350, 420, 446, 450, 460, 466, 480, 500, 540, 550, 566, 570, 580, 600, 605C, 640, 665C, 666, 670, 680, 766, 780, 880/5, 980, 1000, 1180, 1280, 1380
	


<b>KR-VPE3891</b>	<b>OEM: 14463281, 4770247, 4848840</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	45/66, 50/66, 55/46, 55/56, 55/66, 55/88, 55/90, 60/46, 60/56, 60/66, 60/90, 65/46, 65/56, 65/66, 65/90, 70/56, 70/65, 70/66, 70/90, 80/66, 80/90, 85/90, 90/90, 95/90, 100/90, 110/90, 115/90, 130/90, 140/90
	

# Fiat - Hitachi

KR-98463637GP	OEM: 98463637
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Wheel Loader FR90, FR100
	




<b>KR-2485613GP</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine BSD442, 444, 666, 666T, 666TI, GENESIS 4.4, 5.0T, 6.6, POWERSTAR 4.4, 5.0, 5.0T, 6.6, 7.5, 7.5T, 7.5TI
	Tractor 1164, 1164TW, 1184TW, 4830, 5030, 5610, 5640, 6610, 6640, 6810, 7610, 7740, 7810, 7840, 7910, 8000, 8200, 8210, 8240, 8340, 8530, 8600, 8630, 8700, 8730, 8830, 9000, 9200, 9600, 9700, TW5, TW10, TW15, TW20, TW25, TW30, TW35


<b>KR-83916916N</b>	<b>OEM:</b> 83916916
Temperature: 87°C	
Diameter:	<b>Fitment Information:</b>
Height:	2000, 2310, 2600, 2610, 2910, 3000, 3600, 3610, 3910, 4000, 4100, 4110, 4600, 4610, 5000, 5110, 5600, 5610, 6600, 6610, 6700, 6710, 7000, 7600, 7610, 7700, 7710, TW10, TW20
	


<b>KR-98463637GP</b>	<b>OEM:</b> 98463637, 98463638
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	3435, 3935, 4135
	

<b>KR-VPE3400</b>	<b>OEM:</b> 81805714, 81814071, 81821482, 81822100, 83913835, 957E8575, C5NE8575A, C5NE8575D, C9NN8575A, C9NN8575C, D8NN8575AA
Temperature: 74°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 40.00mm	Engine BSD326, 329, 330, 332, 333, 438, 442, 442T, 444, 444T
	Tractor 654, 754, 764, 774, 944, 964, 974, 2000, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3600, 3610, 3900, 3910, 4000, 4100, 4110, 4600, 4610, 5000, 5110, 5600, 5610, 5700, 5900, 6410, 6600, 6610, 6700, 6710, 6810, 7000, 7410, 7600, 7610, 7700, 7710, DEXTA, SUPER DEXTA

<b>KR-VPE3405</b>	<b>OEM:</b> 87800842, 87802743, 87803664, D8NN8575FB
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.5mm	Engine BSD442, 444, 666, 666T, 666TI, GENESIS 4.4, 5.0T, 6.6, POWERSTAR 4.4, 5.0, 5.0T, 6.6, 7.5, 7.5T, 7.5TI
	Tractor 1164, 1164TW, 1184TW, 4830, 5030, 5610, 5640, 6610, 6640, 6810, 7610, 7740, 7810, 7840, 7910, 8000, 8200, 8210, 8240, 8340, 8530, 8600, 8630, 8700, 8730, 8830, 9000, 9200, 9600, 9700, TW5, TW10, TW15, TW20, TW25, TW30, TW35


<b>KR-VPE3418</b>	<b>OEM:</b> 4823210, 4823211, 4823226, 98463637, 98463638
Temperature: 79°C	
Diameter: 55.0mm	<b>Fitment Information:</b>
Height: 48.00mm	3435, 3935, 4135
	

<b>KR-VPE3443</b>	<b>OEM:</b> 83999978, 87800842
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.5mm	Engine GENESIS 4.4, 5.0T, 6.6, POWERSTAR 4.4, 5.0, 5.0T, 6.6, 7.5, 7.5T,
	Tractor 5610, 5640, 6610, 6640, 6810, 7610, 7740, 7810, 7840, 8240, 8340


<b>KR-VPE3444</b>	<b>OEM:</b> 83912930, 87800842 x 2
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.5mm	Engine BSD666, 666T, 666TI, POWERSTAR 7.5, 7.5T, 7.5TI, Tractor 7810, 7910, 8210, 8340, 8530, 8630, 8730, 8830, TW5, TW10, TW15, TW20, TW25, TW30, TW35
	

<b>KR-VPE3700</b>	<b>OEM:</b> 81820903, C7NN8594B
Temperature:	
Diameter:	<b>Fitment Information:</b> Engine BSD326, 329, 330, 332, 333, 438, 442, 442T, 444, 444T, Tractor 2600, 2610, 3230, 3430, 3600, 3610, 3910, 3930, 4000, 4100, 4110, 4130, 4600, 4610, 4630, 5110, 5600, 5610, 5900, 6410, 6600, 6610, 6710, 6810, 7600, 7610, 7700, 7710
Height:	
	


<b>KR-VPE9616</b>	<b>OEM:</b> 4661543
Temperature:	
Diameter:	<b>Fitment Information:</b> 3010S, 3435, 3935, 4010S, 4135, 5010S
Height:	
	


<b>KR-VPE3920</b>	<b>OEM:</b> 81805624, C2DE8255A
Temperature:	
Diameter:	<b>Fitment Information:</b> 654, 754, 764, 774, 944, 964, 974, 1164, 2000, 2310, 2600, 2610, 2810, 2910, 3000, 3055, 3230, 3430, 3600, 3610, 3900, 3910, 3930, 4000, 4100, 4110, 4130, 4600, 4610, 4630, 4830, 5000, 5030, 5110, 5600, 5610, 5700, 5900, 6410, 6600, 6610, 6700, 6710, 6810, 7000, 7410, 7600, 7610, 7700, 7710, 8000, 8200, 8600, 8700, 9000, 9200, 9600, 9700
Height:	
	

<b>KR-VPE3891</b>	<b>OEM:</b> 14463281, 4770247, 4848840
Temperature:	
Diameter:	<b>Fitment Information:</b> 3010S, 4010S, 5010S
Height:	
	


<b>KR-98482590N</b>	<b>OEM:</b> 98482590
Temperature:	
Diameter:	<b>Fitment Information:</b> Various engine and models
Height:	
	


KR-VPE3452	OEM:
Temperature: 80°C	
Diameter: 58.0mm	<b>Fitment Information:</b> Engine F5C, NEF4.5T, 4.5TI, 6.7TI
Height: 52.0mm	
	

KR-VPE3453	OEM:
Temperature: 81°C	
Diameter: 58.0mm	<b>Fitment Information:</b> Engine F4D, NEF4.5TI, 6.7TI
Height: 38.0mm	
	

KR-VPE3454	OEM:
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b> Engine F4D, NEF4.5, 4.5T, 4.5TI, 6.7TI
Height: 52.7mm	
	


# Hydrema


KR-2485666GP	OEM:
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Backhoe Loader 806 CLS
	

<b>KR-VPE3418</b>	<b>OEM:</b>
Temperature: 79°C	
Diameter: 55.0mm	<b>Fitment Information:</b>
Height: 48.0mm	Engine 8035.06
	

<b>KR-VPE9616</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine 8035.05, 8035.06, 8035.25, 8045.05, 8045.06, 8045.25, 8045.45
	

<b>KR-VPE3891</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine 8035.05, 8035.06, 8045.06, 8045.06, 8045.25
	


<b>KR-2485613GP</b>	<b>OEM: 2485613</b>
Temperature: Info	
Diameter: Info	<b>Fitment Information:</b> Backhoe Loader 3C/CX, 3D, 3D/DS, 4C, 4C TURBO Rough Terrain Forklift 926, 930 Telehandler 520, 525, 530, 540 Tractor FASTRAC 125, 130, 135, 145T, 150T, 155, 1115, 1135, 2115, 2125, 2135, 2150, 3155 Wheel Loader 410, 412, 420, 430
Height: Info	
	

<b>KR-2485666GP</b>	<b>OEM: 2485666</b>
Temperature: Info	
Diameter: Info	<b>Fitment Information:</b> Backhoe Loader 3C/CX, 3D/DS, 4C Rough Terrain Forklift 926, 930 Telehandler 520, 525, 530, 540 Wheel Loader 406, 410
Height: Info	
	


<b>KR-VPE3405</b>	<b>OEM: 02100192, 02300056</b>
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b> FASTRAC 125, 135, 145T, 150T, 155, 1115, 1135
Height: 53.5mm	
	

# John Deere




<b>KR-2485613GP</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine 3179D, 3179T, 4239D, 4239T
	Tractor 840, 940, 1040, 1140, 1350, 1550, 1640, 1750, 1840, 1850, 1950, 2040, 2130, 2135, 2140, 2155, 2250, 2355, 2450, 2650, 2850


<b>KR-2485666GP</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	820, 830, 930, 1020, 1030, 1120, 1130, 1350, 1530, 1550, 1630, 1750, 1830, 1850, 1950, 2020, 2030, 2120, 2204, 2440, 6010, 6110, 6210, 6310, 6320, 6410, 6420, 6510, 6520, 6610, 6620, 6810, 6820, 6910, 6920, 7195, 7200, 7210, 7220, 7225, 7320, 7400, 7410, 7420, 7510, 7520, 7600, 7610, 7630, 7710, 7715, 7730, 7815, 7830, 7930, 9120, 9200, 9220, 9300, 9320, 9400, 9420, 9520, 9620, SE6010, SE6110, SE6210, SE6310, SE6320, SE6410, SE6420, SE6510, SE6520, SE6610
	


<b>KR-AR48675N</b>	<b>OEM: AR48675</b>
Temperature: 82°C	
Diameter:	<b>Fitment Information:</b>
Height:	2840, 2940, 2950, 3030, 3040, 3050, 3130, 3140, 3150, 3340, 3350, 3640, 3650, 4040, 4050, 4055, 4240, 4250, 4255, 4350, 4430, 4440, 4450, 4455, 4555, 4630, 4640, 4650, 4755, 4840, 4850, 4955, 5200, 5300, 5400, 5500, 6010, 6100, 6110, 6200, 6210, 6300, 6310, 6320, 6400, 6410, 6420, 6500, 6506, 6510, 6520, 6600, 6610, 6620, 6800, 6810, 6820, 6900, 6910, 6920, 7185, 7200, 7205, 7210, 7220, 7320, 7400, 7410, 7420, 7500, 7510, 7515, 7520, 7600, 7610, 7700, 7710, 7715, 7720, 7800, 7810, 7815, 7820, 7920, 8100, 8110, 8120, 8200, 8210, 8220, 8300, 8310, 8320, 8400, 8410, 8420, 8440, 8450, 8520, 8570, 8630, 8640, 8770, 8870, 9100, SE6010, SE6100, SE6110, SE6200, SE6210, SE6300, SE6310, SE6400, SE6410, SE6510, SE6520, SE6610
	


<b>KR-AT22963N</b>	<b>OEM: AT22963</b>
Temperature: 88°C	
Diameter:	<b>Fitment Information:</b>
Height:	Combine Harvester 925, 930, 932, 935, 940, 942, 945, 952, 1032, 1042, 1052, 1133, 1144, 1155
	Engine 3152D, 3164D, 3179D, 4202D, 4219D
	Tractor 820, 830, 920, 930, 1020, 1030, 1120, 1130, 1350, 1530, 1550, 1630, 1750, 1830, 1850, 1950, 2020, 2030, 2120, 2440


<b>KR-VPE3401</b>	<b>OEM: AT22961, DZ120917, R33705, RE501052, RE506374, RE64354</b>
Temperature: 83°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 38.5mm	Engine 3152D, 3164D, 3179D, 3179T, 4045D, 4045H, 4045T, 4202D, 4219D, 6059D, 6068D, 6068H, 6068R, 6068T, 6081H
	Tractor 820, 830, 930, 1020, 1030, 1120, 1130, 1350, 1530, 1550, 1630, 1750, 1830, 1850, 1950, 2020, 2030, 2120, 2204, 2440, 6010, 6110, 6210, 6310, 6320, 6410, 6420, 6510, 6520, 6610, 6620, 6810, 6820, 6910, 6920, 7195, 7200, 7210, 7220, 7225, 7320, 7400, 7410, 7420, 7510, 7520, 7600, 7610, 7630, 7710, 7715, 7730, 7815, 7830, 7930, SE6010, SE6110, SE6210, SE6310, SE6320, SE6410, SE6420, SE6510, SE6610


<b>KR-VPE3405</b>	<b>OEM: AR61538</b>
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.5mm	Engine 3179D, 3179T, 4239D, 4239T
	Tractor 840, 940, 1040, 1140, 1350, 1445, 1550, 1640, 1745, 1750, 1840, 1845, 1850, 1950, 2040, 2130, 2135, 2140, 2155, 2250, 2345, 2355, 2450, 2650, 2850


<b>KR-VPE3406</b>	<b>OEM: AR48675, RE524562</b>
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 46.3mm	2840, 2940, 2950, 3030, 3040, 3130, 3140, 3340, 3640, 4040, 4050, 4055, 4240, 4250, 4255, 4350, 4430, 4440, 4450, 4455, 4555, 4630, 4640, 4650, 4755, 4840, 4850, 4955, 5500, 6320, 6420, 6520, 6620, 6820, 6920, 7185, 7205, 7220, 7320, 7420, 7515, 7520, 7720, 7815, 7820, 8100, 8110, 8120, 8200, 8210, 8220, 8300, 8310, 8320, 8400, 8410, 8420, 8440, 8450, 8570, 8630, 8640, 8770, 8870, 9100, SE6610
	


<b>KR-VPE3414</b>	<b>OEM: AT22963</b>
Temperature: 89°C	
Diameter: 54.2mm	<b>Fitment Information:</b>
Height: 39.5mm	Engine 3152D, 3164D, 3179D, 4202D, 4219D
	Tractor 820, 830, 930, 1020, 1120, 1530, 1630, 1830, 2020, 2030, 2120, 2440

<b>KR-VPE3416</b>	<b>OEM:</b>
Temperature: 77°C	
Diameter: 67.2mm	<b>Fitment Information:</b>
Height: 55.5mm	2000, 2100, 2200, 2300, 2400, 2700, 2800
	


<b>KR-VPE3430</b>	<b>OEM:</b> DZ120502, RE501622, RE507225, RE517011
Temperature: 78°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.4mm	Engine 4045D, 4045H, 4045T, 6068D, 6068H, 6068T Tractor 5070, 5080, 5090, 5100, 5620, 5720, 5820, 6010, 6020, 6105, 6110, 6120, 6125, 6130, 6210, 6220, 6230, 6310, 6320, 6330, 6410, 6420, 6430, 6510, 6520, 6530, 6534, 6620, 6630, 6830, 6930, 7130, 7220, 7230, 7320, 7330, 7405, 7420, 7425, 7430, 7520, 7525, SE6010, SE6020, SE6110, SE6120, SE6210, SE6220, SE6310, SE6320, SE6410, SE6420, SE6520, SE6620, SE6920
	

<b>KR-VPE3439</b>	<b>OEM:</b> R31378 x2, R48583, R501373, R54641, RE64354
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine 4039T, 4045D, 4045T, 6059T, 6068D, 6068T, 6359D Tractor 3150, 3350, 6100, 6200, 6300, 6400, 6500, 6506, 6600, 6603, 6800, 6900, SE6100, SE6200, SE6300, SE6400
	


<b>KR-VPE3453</b>	<b>OEM:</b>
Temperature: 81°C	
Diameter: 58.0mm	<b>Fitment Information:</b>
Height: 38.0mm	Engine 4045H, 6068H
	

<b>KR-VPE3459</b>	<b>OEM:</b>
Temperature: 83°C	
Diameter: 55.0mm	<b>Fitment Information:</b>
Height: 45.0mm	Engine 4045D, 4045H, 4045T, 6068T
	


<b>KR-R70736N</b>	<b>OEM:</b> R70736
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	840, 940, 1040, 1140, 1350, 1550, 1640, 1750, 1840, 1850, 1950, 2040, 2140, 2150, 2240, 2250, 2255, 2450, 2555, 2650, 2750, 2850, 2855, 5200, 5300, 5400, 5500
	

<b>KR-VPE3703</b>	<b>OEM:</b> T23620
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine 3152D, 3164D, 3179D, 3179T, 4202D, 4219D, 4239D, 4276D, Tractor 820, 830, 930, 1020, 1030, 1120, 1130, 1350, 1530, 1550, 1630, 1750, 1830, 1850, 1950, 2020, 2030, 2040, 2120, 2130, 2155, 2240, 2355, 2440, 2640
	


<b>KR-VPE3860</b>	<b>OEM:</b> R501373, R54638
Packet of 10x	
	<b>Fitment Information:</b>
	2840, 2940, 2950, 3030, 3040, 3050, 3130, 3140, 3150, 3340, 3350, 3640, 3650, 4040, 4050, 6010, 6100, 6110, 6200, 6210, 6300, 6310, 6320, 6400, 6410, 6420, 6500, 6506, 6510, 6520, 6600, 6610, 6620, 6800, 6810, 6820, 6900, 6910, 6920, 7185, 7200, 7205, 7210, 7220, 7320, 7400, 7410, 7420, 7510, 7515, 7520, 7600, 7610, 7715, 7720, 7815, 7820, SE6010, SE6100, SE6110, SE6200, SE6210, SE6300, SE6310, SE6400, SE6410, SE6510, SE6520, SE6610, SE6620


<b>KR-VPE3911</b>	<b>OEM:</b> T20215
Packet of 10x Info	
	<b>Fitment Information:</b>
	Engine 3029D, 3152D, 3164D, 3179D, 3179T, 4039D, 4039T, 4045D, 4202D, 4219D, 4239D, 4239T, 4276D Tractor 820, 830, 840, 930, 940, 1020, 1030, 1040, 1120, 1130, 1140, 1350, 1530, 1550, 1630, 1640, 1750, 1830, 1840, 1850, 1950, 2020, 2030, 2040, 2120, 2130, 2135, 2140, 2155, 2240, 2250, 2355, 2440, 2450, 2640, 2650, 2850, 3100, 3110, 3200, 3210, 3300, 3310, 3400, 3410



<b>KR-2485613GP</b>	<b>OEM: 2485613</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	60GE/V, 95GTP, 6060, 6070, 7860, 8860, 9060, 9080, 9500, 9550, 9880, 10000, 12500, 13000, 14500, 16000, 16500, ADVANTAGE 60, 95, ATLAS 75, 85, BLIZZARD 60, 95, CF6060, GLOBUS 55, 60, 70, LEGEND 105, 115, 130, 145, 165, NEW LEGEND 115, TREKKER 60F, 95, VIGNETI REX CAB 60V
	


<b>KR-2485666GP</b>	<b>OEM: 2485666</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	55GTP/V, 65GTP/V, 75GTP/V, 85GTP, 4000, 4500, 4530, 4560, 5000, 5500, 5530, 5560, 5830, 5840, 5860, 5870, 6030, 6040, 6500, 6530, 6550, 6560, 6830, 6840, 6860, 6870, 6880, 7000, 7500, 7530, 7550, 7560, 7830, 7860, 7880, 8000, 8500, 8530, 8550, 8560, 8830, 8860, 8870, 8880, 10000, ADVANTAGE 55, 65, 75, 85, BLIZZARD 50, 65, 75, 85, C4500, C4830, C5000, C5500, C5830, C6500, C6830, C7800, C7830, C8860, CF4830, CF5030, CF5830, CF6030, CF6830, GLOBUS 50, TREKKER 55, 65, 70, 75, 85, VIGNETI REX CAB 55, 65
	

<b>KR-2485668GP</b>	<b>OEM: 2485668</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	9500
	

<b>KR-AT22963N</b>	<b>OEM:</b>
Temperature: 88°C	
Diameter:	<b>Fitment Information:</b>
Height:	6500, 6530, 6550, 6560, 6830, 6840, 6860, 6870, 6880, 7500, 7530, 7550, 7560, 7830, 7860, 7870, 7880, 8500, 8530, 8550, 8560, 8830, 8860, 8870, 8880, ADVANTAGE 65, 75, 85, BLIZZARD 65, 75, 85
	


<b>KR-VPE3401</b>	<b>OEM: 1446127M1, 1446127M91, 1446165M1, 1446165M91, 2485666, 70998003, 826306M1, 828139M1, 886000M1</b>
Temperature: 83°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 38.5mm	55GTP/V, 65GTP/V, 75GTP/V, 85GTP, 4000, 4530, 4560, 5000, 5500, 5530, 5560, 5830, 5840, 5860, 5870, 6030, 6040, 6500, 6530, 6550, 6560, 6830, 6840, 6860, 6870, 6880, 7000, 7500, 7530, 7550, 7560, 7830, 7860, 7880, 8000, 8500, 8530, 8550, 8560, 8830, 8860, 8870, 8880, 10000, ADVANTAGE 55, 65, 75, 85, BLIZZARD 50, 65, 75, 85, C4500, C4830, C5000, C5500, C5830, C6500, C6830, C7800, C7830, C8860, CF4830, CF5030, CF5830, CF6030, CF6830, GLOBUS 50, TREKKER 55, 65, 70, 75, 85, VIGNETI REX CAB 55, 65
	


<b>KR-VPE3402</b>	<b>OEM: 1446128M91, 1446222M91, 2485668</b>
Temperature: 78°C	
Diameter: 70.0mm	<b>Fitment Information:</b>
Height: 47.2mm	6000, 7000, 9500, 10000, C6000
	


<b>KR-VPE3405</b>	<b>OEM: 1447384M1, 2485613, 70998113</b>
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.5mm	60GE/V, 95GTP, 6060, 6070, 7860, 8860, 9060, 9080, 9500, 9550, 9880, 10000, 12500, 13000, 14500, 16000, 16500, ADVANTAGE 60, 95, ATLAS 75, 85, BLIZZARD 60, 95, CF6060, GLOBUS 55, LEGEND 105, 115, 130, 145, 165, NEW LEGEND 115, TREKKER 60F, 95, VIGNETI REX CAB 60V
	


<b>KR-VPE3414</b>	<b>OEM:</b>
Temperature: 89°C	
Diameter: 54.2mm	<b>Fitment Information:</b>
Height: 39.5mm	6500, 6530, 6550, 6560, 6830, 6840, 6860, 6870, 6880, 7500, 7530, 7550, 7560, 7830, 7860, 7870, 7880, 8500, 8530, 8550, 8560, 8830, 8860, 8870, 8880, ADVANTAGE 65, 75, 85, BLIZZARD 65, 75, 85
	


<b>KR-VPE3435</b>	<b>OEM:</b> 2485C025, 2485C027, 2485C034, 2485C036, 4222845M1, 4223770M1, 4224624M1, 4224639M1
Temperature: 82°C	
Diameter: 67.0mm	<b>Fitment Information:</b> 6860, 8860, ATLAS 70, 80, 90, 100, GHIBLI 80, 90, 100, GLOBUS 65, 75, 80, MYTHOS 90, 100, REX 70, 80, 90, 100, TREKKER 70, 80, 90, 100, VISION 80, 90, 100
Height: 54.5mm	
	


<b>KR-VPE3452</b>	<b>OEM:</b> 4215604M2
Temperature: 80°C	
Diameter: 58.0mm	<b>Fitment Information:</b> LANDPOWER 125, 135, 145, 165
Height: 52.0mm	
	

<b>KR-VPE3453</b>	<b>OEM:</b> 4215605M1
Temperature: 81°C	
Diameter: 58.0mm	<b>Fitment Information:</b> 7-180, 7-195, 7-205, 7-220, 7-235
Height: 38.0mm	
	

<b>KR-VPE3901</b>	<b>OEM:</b> 0490184 1650422M1, 1650482M1, 36834169, 4222057M1
Packet of 10x	
	<b>Fitment Information:</b> 60GE, 4560, 5500, 5560, 5840, 5860, 6060, BLIZZARD 50, C4500, C4830, C5830, TREKKER 55F
	


<b>KR-VPE4375</b>	<b>OEM:</b> 3689023M1
Temperature:	
Diameter:	<b>Fitment Information:</b> 7-185, 7-190, 7-210, 7-230
Height:	
	


<b>KR-NWS00394</b>	<b>OEM:</b> 4222011M1
Temperature:	
Diameter:	<b>Fitment Information:</b> Various engine and models
Height:	
	


<b>KR-NWS01855</b>	<b>OEM:</b> 2415H219
Temperature:	
Diameter:	<b>Fitment Information:</b> Various engine and models
Height:	
	


# Leyland




<b>KR-2485613GP</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine 2.8T, 2.8TD, 3.4TD, 3.8T, 3.8TA, 3.8TD, 4.98DT, 4.98TT, 6.98NT
	Tractor 255, 262, 270, 272, 282, 285, 344, 384, 462, 472, 482, 485, 602, 604, 702, 704, 802, 804, 2100, 4100, 3/45, 4/65

<b>KR-2485666GP</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	245, 253, 502
	


<b>KR-VPE3401</b>	<b>OEM:</b> AJR4145, AJR4233, ARJ4233
Temperature: 83°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 38.5mm	245, 253, 502
	


<b>KR-VPE3405</b>	<b>OEM:</b> 13H7508
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.5mm	Engine 2.8T, 2.8TD, 3.4TD, 3.8T, 3.8TA, 3.8TD, 4.98DT, 4.98TT, 6.98NT
	Tractor 255, 262, 270, 272, 282, 285, 344, 384, 462, 472, 482, 485, 602, 604, 702, 704, 802, 804, 2100, 4100, 3/45, 4/65


<b>KR-VPE3901</b>	<b>OEM:</b> AJR4177
Packet of 10x	
	<b>Fitment Information:</b>
	245, 253, 502


# Massey Ferguson




<b>KR-2485613GP</b>	<b>OEM: 2485613</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	165, 360, 363, 364, 365, 375, 390, 390T, 393, 394, 397T, 398, 399, 490T, 492T, 660, 698T, 699, 1004, 1004T, 1007, 1014, 1114, 1134, 1250, 2620, 2625, 2640, 2645, 2680, 2685, 2720, 2725, 3050, 3060, 3065, 3070, 3075, 3080, 3085, 3090, 3095, 3115, 3120, 3120T, 3125, 3140, 3610, 3615, 3630, 3635, 3645, 3650, 3655, 3660, 3680, 3690, 4225, 4235, 4240, 4245, 4255, 4260, 4270, 4360, 4370, 5300T, 5310T, 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190, 8110, 8120, 8130
	

<b>KR-2485666GP</b>	<b>OEM: 2485666</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	35, 35X, 135, 140, 145, 148, 152, 168, 174, 174-4, 175, 178, 184, 184-4, 185, 188, 194, 194-4, 230, 240, 245, 250, 254, 255, 265, 274, 275, 284, 284-4, 285, 290, 294, 294-4, 298, 340, 342, 350, 352, 353, 354, 355, 356, 360, 362, 372, 373, 374, 376, 377, 382, 383, 384, 387, 393, 394, 396, 397, 440, 465, 475, 490, 550, 560, 565, 575, 590, 595, 675, 690, 698, 1014, 1080, 1100, 1200
	


<b>KR-2485668GP</b>	<b>OEM: 2485668</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	65, 165
	

<b>KR-AT22963N</b>	<b>OEM:</b>
Temperature: 88°C	
Diameter:	<b>Fitment Information:</b>
Height:	35, 165, 168, 175, 178, 185, 188, 265, 275, 285, 290, 374, 384, 393, 394, 565, 575, 590
	

<b>KR-VPE3401</b>	<b>OEM: 1446127M1, 1446127M91, 1446165M1, 1446165M91, 2485666, 70998003, 826306M1, 828139M1, 886000M1</b>
Temperature: 83°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 38.5mm	35, 35X, 135, 140, 145, 148, 152, 168, 174, 174-4, 175, 178, 184-4, 185, 188, 194-4, 230, 240, 250, 254, 255, 265, 274, 275, 284-4, 285, 290, 294-4, 298, 340, 342, 350, 352, 353, 354, 355, 356, 360, 362, 372, 373, 374, 376, 377, 382, 383, 384, 387, 393, 394, 396, 397, 440, 465, 475, 490, 550, 565, 575, 590, 595, 675, 690, 698, 1014, 1080, 1200
	


<b>KR-VPE3402</b>	<b>OEM: 1446128M91, 1446222M91, 2485639, 2485662</b>
Temperature: 78°C	
Diameter: 70.0mm	<b>Fitment Information:</b>
Height: 47.2mm	65, 165, 560, 765, 1100
	


<b>KR-VPE3405</b>	<b>OEM: 1447384M1, 2485605, 2485613, 70998113</b>
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.5mm	165, 360, 363, 364, 365, 375, 390, 390T, 393, 394, 397T, 398, 399, 490T, 492T, 660T, 698T, 699, 1007, 1014, 1114, 1134, 1250, 2620, 2625, 2640, 2645, 2680, 2685, 2720, 2725, 3050, 3060, 3065, 3070, 3075, 3080, 3095, 3090, 3095, 3115, 3120, 3120T, 3125, 3140, 3610, 3630, 3635, 3645, 3650, 3655, 3660, 4225, 4235, 4240, 4245, 4255, 4260, 4270, 4360, 4370, 5300T, 5310T, 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190, 8110, 8120, 8130
	

<b>KR-VPE3414</b>	<b>OEM:</b>
Temperature: 89°C	
Diameter: 54.2mm	<b>Fitment Information:</b>
Height: 39.5mm	35, 165, 168, 175, 178, 185, 188, 265, 275, 285, 290, 374, 384, 393, 394, 565, 575, 590
	

<b>KR-VPE3435</b>	<b>OEM:</b> 2485C025, 2485C027, 2485C034, 2485C036, 4222845M1, 4223770M1, 4224639M1, 4224624M1, 836352903, 83666634
Temperature: 82°C	
Diameter: 67.0mm	<b>Fitment Information:</b> 374, 394, 3330, 3340, 3350, 3355, 3615, 3625, 3630, 3635, 3640, 3645, 3650, 3660, 4225, 4235, 4240, 4245, 4255, 4265, 4325, 4335, 4345, 4355, 4365, 4435, 4445, 4455, 5465, 5470, 5480, 5608, 5609, 5610, 6235, 6245, 6255, 6260, 6265, 6270, 6280, 6290, 6465, 6475, 6480, 6612, 6613, 6614, 6615, 6616, 7465, 7475, 7480, 8210, 8220
Height: 54.5mm	
	


<b>KR-VPE3455</b>	<b>OEM:</b> 836015156, V836015156
Temperature:	
Diameter:	<b>Fitment Information:</b> 3670, 3680, 3690, 5465, 5475, 6465, 6475, 6480, 6485, 6490, 6495, 6497, 6499, 7465, 7475, 7480, 7485, 7490, 7494, 7497, 7499, 7614, 7615, 7616, 7618, 7619, 7620, 7622, 7624, 7714, 7715, 7716, 7718, 7719, 7720, 7722, 7724, 7726, 8140, 8150, 8160, 8170, 8180, 8240, 8250, 8260, 8270, 8280, 8450, 8460, 8470, 8480, 8650, 8660, 8670, 8680, 8690
Height:	
	


<b>KR-VPE3456</b>	<b>OEM:</b> 836331590, V836331590
Temperature:	
Diameter:	<b>Fitment Information:</b> 5465, 5475, 6465, 6475, 6480, 6485, 6490, 6495, 6497, 6499, 7465, 7475, 7480, 7485, 7490, 7495, 7497, 7499, 7614, 7615, 7616, 7618, 7619, 7620, 7622, 7624, 7626, 7714, 7715, 7716, 7718, 7719, 7720, 7722, 7724, 7726, 8140, 8150, 8160, 8240, 8250, 8260, 8270, 8280, 8450, 8460, 8470, 8480, 8650, 8660, 8670, 8680, 8690
Height:	
	


<b>KR-VPE3457</b>	<b>OEM:</b> 836115646, 836115718, 836659685, 836666334, V836115646, V836115718, V836659685, V836666334
Temperature:	
Diameter:	<b>Fitment Information:</b> 4435, 4445, 4455
Height:	
	

<b>KR-VPE3458</b>	<b>OEM:</b> 4133L507, 4225430M1
Temperature: 82°C	
Diameter:	<b>Fitment Information:</b> 5445, 5455, 6445, 6455, 6460, 6470
Height:	
	

<b>KR-VPE3460</b>	<b>OEM:</b> 4133L509, 4225397M1
Temperature: 82°C	
Diameter:	<b>Fitment Information:</b> 5410, 5420, 5425, 5430, 5435, 5440, 5445, 5455, 6445, 6455
Height:	
	


<b>KR-VPE3901</b>	<b>OEM:</b> 0490184, 1650422M1, 1650482M1, 4222057M1
Packet of 10x	
	<b>Fitment Information:</b> 35, 35X, 135, 140, 145, 148, 152, 230, 240, 250, 254, 255, 340, 342, 350, 352, 353, 354, 355, 356, 360, 363, 364, 550, 4707
	

<b>KR-NWS00394</b>	<b>OEM:</b> 4222011M1
Temperature:	
Diameter:	<b>Fitment Information:</b> Various engine and models
Height:	
	

<b>KR-NWS01855</b>	<b>OEM:</b> 2415H219
Temperature:	
Diameter:	<b>Fitment Information:</b> Various engine and models
Height:	
	


# McCormick



<b>KR-2485613GP</b>	<b>OEM: 2485613</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	C70, 80, 90, 100, CX70, 75, 80, 85, 90, 95, 100, 105, G-MAX115, 130, 160, MC80, 90, 100, 115
	


<b>KR-VPE3405</b>	<b>OEM: 2485613</b>
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.5mm	C70, 80, 90, 100, CX70, 75, 80, 85, 90, 95, 100, 105, G-MAX115, 130, 160, MC80, 90, 100, 115
	

<b>KR-VPE3452</b>	<b>OEM: 4215604M2, 705257A1</b>
Temperature: 80°C	
Diameter: 58.0mm	<b>Fitment Information:</b>
Height: 52.0mm	G-MAX125, 135, 145, 165, 180, MC120, 135, MTX120, 135
	

<b>KR-VPE4375</b>	<b>OEM: 3689023M1</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	G-MAX125, 135, 145, 165, 180, MC120, 135, MTX120, 135, 145, 150, TTX190, 210, 230
	

# New Holland




<b>KR-2485613GP</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Combine Harvester AL59, 519, TF42, 44, 76, 78, TR86, 87, 88, 89, 96, 97, 98, 99, TX30, 32, 34, 36, 62, 63, 64, 65, 66, 67, 68 Tractor 5640, 6640, 7740, 7840, 8160, 8240, 8260, 8340, 8360, 8560, 8670, 8770, 8870, 8970, G170, 190, 210, 240, M100, 115, 135, 160, TM115, 120, 125, 130, 135, 140, 150, 155, 165, 175, 190, TS80, 90, 100, 110, 115, TV140
	


<b>KR-98463637GP</b>	<b>OEM:</b> 98463637, 98463638
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Telehandler LM410, 420, 425, 430, 630 Tractor 4635, 4835, 5635, 6635, 7635, L60, 65, 75, 85, 95, T3.50F, 3.55F, 3.65F, 3.75F, TD55D, 60D, 65D, 70D, 75D, 80D, 85D, 90D, 95D TD5.80, 5.90, 5.100, 5.110, TL70, 80, 90, 100, TN55, 60, 65, 70, 75, 80, 85, 90, 95
	


<b>KR-VPE3405</b>	<b>OEM:</b> 87800842, 87802743, 87803664, D8NN8575FB
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.5mm	5640, 6640, 7740, 7840, 8160, 8240, 8260, 8340, 8360, 8560, 8670, 8770, 8870, 8970, G170, 190, 210, 240, M100, 115, 135, 160, TM115, 120, 125, 130, 135, 140, 150, 155, 165, 175, 190, TS80, 90, 100, 110, 115, TV140
	

<b>KR-VPE3418</b>	<b>OEM:</b> 4823210, 4823211, 4823226, 98463637, 98463638
Temperature: 79°C	
Diameter: 55.0mm	<b>Fitment Information:</b>
Height: 48.0mm	L60, 65, 75, 85, 95
	


<b>KR-VPE3443</b>	<b>OEM:</b> 83999978, 87800842
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.5mm	5640, 6640, 7740, 7840, 8240, 8340, TS80, 90, 100, 110, 115
	

<b>KR-VPE3444</b>	<b>OEM:</b> 83912930, 87800842 x2
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.5mm	8160, 8260, 8340, 8360, 8560, 8670, 8770, 8870, 8970, G170, 190, 210, 240, M100, 115, 135, 160, TM115, 120, 125, 130, 135, 140, 150, 155, 165, 175, 190, TV140
	


<b>KR-VPE3452</b>	<b>OEM:</b> 2853135, 84383461
Temperature: 80°C	
Diameter: 58.0mm	<b>Fitment Information:</b>
Height: 52.0mm	T4020, 4030, 4040, 4050, 4060, T5030, 5040, 5050, 5060, 5070, T6010, 6020, 6030, 6050, 6070, TD5.65, 5.75, 5.85, 5.95, 5.105, 5.115, TD5040, 5050, TS100A, 110A, 115A, 125A, 130A
	


<b>KR-VPE3453</b>	<b>OEM:</b> 84322388
Temperature: 81°C	
Diameter: 58.0mm	<b>Fitment Information:</b>
Height: 38.0mm	T6.120, 6.125, 6.145, 6.55, 6.160, 6.165, 6.175, 6.180, T6020, 6030, 6040, 6050, 6060, 6070, 6080, 6090, T7.170, 7.175, 7.185, 7.190, 7.200, 7.210, 7.220, 7.225, 7.230, 7.235, 7.245, 7.250, 7.260, 7.270, T7030, 7040, 7050, 7060, 7070, TS110A, 125A, 135A
	


<b>KR-VPE3454</b>	<b>OEM: 2830734</b>
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b> T6.120, TL70A, 80A, 90A, 100A, TS100A, 115A
Height: 52.7mm	
	

<b>KR-VPE3700</b>	<b>OEM: 81820903, C7NN8594B</b>
Temperature:	
Diameter:	<b>Fitment Information:</b> 3930
Height:	
	

<b>KR-VPE3891</b>	<b>OEM: 14463281, 4770247, 4848840</b>
Temperature:	
Diameter:	<b>Fitment Information:</b> 4635, 4835, 5635, 6635, 7635, TL70, 80, 90, 100
Height:	
	


<b>KR-4823212</b>	<b>OEM: 4823212</b>
Temperature:	
Diameter:	<b>Fitment Information:</b> T4.55, T4.65, T4.75, T5.90, T5.100, T5.110, TD5.80, TD5.90, TD5.100, TD5.110, TD65F, TD75F, TD85F
Height:	
	


<b>KR-VPE3920</b>	<b>OEM: 81805624, C2DE8255A</b>
Pack of 10x	
	<b>Fitment Information:</b> 3930
	

<b>KR-98482590N</b>	<b>OEM: 98482590</b>
Temperature:	
Diameter:	<b>Fitment Information:</b> Various engine and models
Height:	
	



# Renault


<b>KR-2485666GP</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	70-32, 70-34, 80-32, 80-34, ARES
	540, 546, 550, 556, 566, 610, 616, 620, 626, 630, 636, 640, 656, 696, 710, 715, 720, 725, 735, 815, 816, 825, 826, 836, CERES 75, 75-4, 75X, 75X-4


<b>KR-AR48675N</b>	<b>OEM:</b>
Temperature: 82°C	
Diameter:	<b>Fitment Information:</b>
Height:	ARES 540, 550, 610, 620, 630, 640, CERES 85, 85-4, 85X, 85X-4, 95, 95-4, 95X, 95X-4, 330, 330-4, 330X, 330X-4, 340, 340-4, 340X, 340X-4, CERGOS 330, 340, 350
	


<b>KR-VPE3401</b>	<b>OEM:</b> 03334840, 6005022968, 7701028771
Temperature: 83°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 38.5mm	70-32, 70-34, 80-32, 80-34, ARES
	540, 546, 550, 556, 566, 610, 616, 620, 626, 630, 636, 640, 656, 696, 710, 715, 720, 725, 735, 815, 816, 825, 826, 836, CERES 75, 75-4, 75X, 75X-4

<b>KR-VPE3430</b>	<b>OEM:</b> 6005026272, 6005026617, 6005028990
Temperature: 78°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.4mm	ARES 540, 550, 610, 620, 630, 640, CERES 325, 325-4, 325X, 335, 335-4, 335X, 335X-4, 345, 345-4, 345X, 345X-4, 355, 355X, CERGOS 335, 345, 355, TEMIS 550
	

<b>KR-VPE3459</b>	<b>OEM:</b> 0011509820, 6005022968
Temperature: 83°C	
Diameter: 55.0mm	<b>Fitment Information:</b>
Height: 45.0mm	ARES 616, 656
	

<b>KR-VPE3860</b>	<b>OEM:</b> 6005023946
Packet of 10x	
	<b>Fitment Information:</b>
	ARES 540, 550, 610, 620, 630, 640, CERES 85, 85-4, 85X, 85X-4, 95, 95-4, 95X, 95X-4, 310, 320, 320-4, 320X, 320X-4, 330, 330-4, 330X, 330X-4, 340, 340-4, 340X, 340X-4, CERGOS 330, 340, 350


<b>KR-VPE3911</b>	<b>OEM:</b>
Packet of 10x	
	<b>Fitment Information:</b>
	ARES 540, CERES 75, 75-4, 75X, 75X-4, 85, 85-4, 85X, 85X-4, 95, 95-4, 95X, 95X-4, 320, 320-4, 320X, 320X-4, 330, 330-4, 330X, 330X-4, 340, 340-4, 340X, 340X-4, CERGOS 330, 340


<b>KR-98482590N</b>	<b>OEM:</b> 6005025581
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	TEMIS 610, 630, 650
	

# Perkins




<b>KR-2485613GP</b>	<b>OEM: 2485613</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine 1004-4, 1004-4T, 1004-42, 1006-6, 1006-6T, 4.41, A4.236, A4.248, A6.354.4, AT3.152.4, AT4.236, AT6.354.4, P4000, P4000T, P4001T
	


<b>KR-2485666GP</b>	<b>OEM: 2485666</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine A3.144, A3.152, A4.236, A4.248, A4.318, A4.318.2, A6.354.1, A6.354.4, AD3.152, AT3.152.4, P4000
	


<b>KR-VPE3400</b>	<b>OEM:</b>
Temperature: 74°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 40.0mm	Engine F3.144, F3.152
	

<b>KR-VPE3401</b>	<b>OEM: 2485635, 2485648, 2485657, 2485659, 2485666, 32550</b>
Temperature: 83°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 38.5mm	Engine A3.144, A3.152, A4.236, A4.248, A4.318, A4.318.2, A6.354.1, A6.354.4, AD3.152, AT3.152.4, P4000
	


<b>KR-VPE3402</b>	<b>OEM: 2485639, 2485662, 2485668</b>
Temperature: 78°C	
Diameter: 70.0mm	<b>Fitment Information:</b>
Height: 47.2mm	Engine A4.192, A6.354, AD4.203
	


<b>KR-VPE3405</b>	<b>OEM: 2485605, 2485613,</b>
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 53.5mm	Engine 1004-4, 1004-4T, 1004-42, 1006-6, 1006-6T, 4.41, A4.236, A4.248, A6.354.4, AT3.152.4, AT4.236, AT6.354.4, P4000, P4000T, P4001T
	


<b>KR-VPE3435</b>	<b>OEM: 2485C025, 2485C027, 2485C034, 2485C036</b>
Temperature: 82°C	
Diameter: 67.0mm	<b>Fitment Information:</b>
Height: 54.5mm	Engine 1004-4, 1004-4T, 1004-40T, 1004-40TI, 1004-40TWG, 1004-42, 1004-6, 1006-6T, 1006-60NA, 1006-60T, 1006-60TW, 1106C-E60TA
	


<b>KR-VPE3455</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine 1106C-E60TA, 1106C-E66TA, 1106D-E66TA
	

KR-VPE3456	OEM:
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine 1106C-E60TA, 1106C-E66TA, 1106D-E66TA
	


KR-VPE3458	OEM: 4133L507
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine 1104C-44T, 1104C-E44TA
	

KR-VPE3901	OEM: 0490184, 36834169
Packet of 10x	
	<b>Fitment Information:</b>
	Engine A3.144, A3.152, AD3.152, AT3.152.4
	

KR-NWS00394	OEM:
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Various engine and models
	


KR-NWS01855	OEM: 2415H219
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Various engine and models
	

<b>KR-VPE3435</b>	<b>OEM:</b>
Temperature: 82°C	
Diameter: 67.0mm	<b>Fitment Information:</b> Engine 33AWIC, 33CTA, 33DT, 33DTA, 44CTA, 44DT, 44DTA, 49AWI, 49CTA
Height: 54.5mm	
	

<b>KR-VPE3455</b>	<b>OEM:</b> 836015156, V836015156
Temperature:	
Diameter:	<b>Fitment Information:</b> Engine 66AWF, 66AWI, 66CTA, 66ETA, 74AWF, 74AWI, 74CTA, 74ETA, 84CTA, 84ETA, 612DS, 620DS, 634DS, 634TCC, 645DS, 645TCC
Height:	
	


<b>KR-VPE3456</b>	<b>OEM:</b> 836331590, V836331590,
Temperature:	
Diameter:	<b>Fitment Information:</b> Engine 66AWF, 66AWI, 66ETA, 74AWF, 74AWI, 74CTA, 74ETA, 84CTA, 74ETA, 620DS, 634DS, 634TCC, 645TCC
Height:	
	

<b>KR-VPE3457</b>	<b>OEM:</b> 836115718, 836659685, 836666334, V836115646, V836659685, V836666334
Temperature:	
Diameter:	<b>Fitment Information:</b> Engine 33DT, 33DTA, 44DT, 44DTA
Height:	
	

<b>KR-VPE3901</b>	<b>OEM:</b>
Packet of 10x	
	<b>Fitment Information:</b> Engine AP33
	


<b>KR-98463637GP</b>	<b>OEM:</b> 98463637, 98463638
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	360 COMPACT, 370 COMPACT, 375 COMPACT
	


<b>KR-VPE3452</b>	<b>OEM:</b> 84383461
Temperature: 80°C	
Diameter: 58.0mm	<b>Fitment Information:</b>
Height: 52.0mm	4085 COMPACT, 4095 COMPACT, 4100 PROFI, 4110 PROFI, 6125 PROFI, 6140 PROFI, 6165CVT, 6180CVT, 6200CT, 6210CVT, 6225CVT
	

<b>KR-VPE3453</b>	<b>OEM:</b> 84322388
Temperature: 81°C	
Diameter: 58.0mm	<b>Fitment Information:</b>
Height: 38.0mm	4110 PROFI, 4115 PROFI, 4120 PROFI, 4125 PROFI, 4135 PROFI, 4145 PROFI, 6115 PROFI, 6125 PROFI, 6130CVT, 6135 PROFI, 6140 PROFI, 6145 PROFI, 6145CVT, 6160CVT, 6170CVT, 6230CVT
	


# Timberjack





KR-AR48675N	OEM:
Temperature: 82°C	
Diameter:	<b>Fitment Information:</b>
Height:	Forest Harvester 1270D
	


KR-VPE3406	OEM:
Temperature: 82°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 46.3mm	Forest Harvester 1270D
	

# Ursus

<b>KR-VPE3416</b>	<b>OEM:</b> 89005904
Temperature: 77°C	
Diameter: 67.2mm	<b>Fitment Information:</b> 932, 934, 1032, 1034, 1132, 1134, 1232, 1234, 1434, 1634
Height: 55.5mm	
	

<b>KR-80005086</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b> 912, 914, 932, 934, 1012, 1014, 1023, 1034, 1132, 1134, 1222, 1224, 1232, 1234, 1434, 1614, 1634, C-385
Height:	
	

<b>KR-80005087</b>	<b>OEM:</b>
Temperature:	
Diameter:	<b>Fitment Information:</b> 912, 914, 932, 934, 1012, 1014, 1032, 1034, 1132, 1134, 1222, 1224, 1232, 1234, 1434, 1614, 1634, C-385
Height:	
	

<b>KR-VPE3901</b>	<b>OEM:</b>
Packet of 10x	
	<b>Fitment Information:</b> 2802, 2812, 3502, 3512, 3514, MF231
	

# Valtra-Valmet


<b>KR-2485666GP</b>	<b>OEM: 2485666</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	205, 305, 315, 355, 405, 415, 455, 500, 502, 504, 555, 602, 604, 612, 700, 702, 703, 802, 803, 900, 1100
	

<b>KR-VPE3401</b>	<b>OEM: 836115489</b>
Temperature: 83°C	
Diameter: 54.0mm	<b>Fitment Information:</b>
Height: 38.5mm	205, 305, 315, 355, 405, 415, 455, 500, 502, 504, 555, 602, 604, 612, 700, 702, 703, 802, 803, 900, 1100
	


<b>KR-VPE3435</b>	<b>OEM: 836352903, 836666334</b>
Temperature: 82°C	
Diameter: 67.0mm	<b>Fitment Information:</b>
Height: 54.5mm	255, 355, 365, 455, 465, 505, 515, 555, 565, 600, 605, 615, 665, 700, 702, 705, 715, 755, 800, 805, 815, 855, 865, 900, 903, 1102, 1103, 1203, 6000, 6100, 6200, 6250, 6300, 6350, 6400, 6550, 6600, 6650, 6750, 6800, 6850, 6900, 8000, 8050, 8100, 8150, 8200, 8350, 8400, 8450, 8550, 8750, 8950, A65, 72, 75, 82, 83, 85, 92, 93, 95, C90, 100, 110, 120, 130, 150, M120, 130, 150, MEGA 8000, 8050, 8100, 8150, 8200, 8450, 8550, 8750, N82, 91, 92, 93, 101, 103, 111, 113, 121, 122, 123, 141, 142, 143, 163, S230, 240, 260, 280, T120, 121, 130, 131, 132, 140, 150, 151, 152, 160, 161, 162, 170, 171, 172, 180, 182, 190, 191, 202, X100, 110, 120, XM130, 150
	

<b>KR-VPE3455</b>	<b>OEM: 836015156, V836015156</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	205, 305, 315, 355, 405, 415, 455, 555, 8050, 8100, 8150, 8200, 8350, 8400, 8450, 8550, 8750, 8950, MEGA 8000, 8050, 8100, 8150, 8200, 8450, 8550, 8750, S230, 232, 233, 240, 260, 262, 263, 280, 292, 293, 322, 323, 352, 353, T120, 121, 130, 131, 132, 133, 140, 150, 151, 152, 153, 160, 161, 162, 163, 170, 171, 172, 173, 180, 182, 183, 190, 191, 193, 202, 203, 213
	


<b>KR-VPE3456</b>	<b>OEM: 836331590, V836331590</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	905, 915, 8050, 8150, 8300, 8350, 8450, 8550, 8600, 8750, 8950, MEGA 8050, 8150, 8450, 8550, 8750, S232, 233, 262, 263, 292, 293, 322, 323, 352, 353, T120, 121, 130, 131, 132, 133, 140, 150, 151, 152, 153, 160, 161, 162, 163, 170, 171, 172, 173, 180, 182, 183, 190, 191, 193, 202, 203, 213
	


<b>KR-VPE3457</b>	<b>OEM: 836115718, 836659685, 836666334, V836115646, V836659685, V836666334</b>
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	255, 355, 365, 455, 465, 555, 565, 600, 665, 700, 800, 865, 900, 6000, 6100, 6200, 6250, 6300, 6350, 6400, 6550, 6600, 6750, 6800, 6850, A65, 75, 85, 95, X100, 110, 120
	




KR-98463637GP	OEM:
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Wheel Loader LM 640
	

<b>KR-VPE3416</b>	<b>OEM:</b> 531989005904, 69011348, 70011316, 70011316W, 80005908, 89005904
Temperature: 77°C	
Diameter: 67.2mm	<b>Fitment Information:</b>
Height: 55.5mm	3320, 3340, 4320, 4340, 4911, 5011, 5211, 5245, 5320, 5340, 5511, 5516, 5545, 5611, 5645, 5647, 5711, 5718, 5745, 5748, 5911, 5945, 6011, 6045, 6211, 6245, 6320, 6340, 6711, 6718, 6745, 6748, 6911, 6945, 7011, 7045, 7211, 7245, 7320, 7321, 7340, 7341, 7711, 7745, 8011, 8045, 8111, 8145, 10111, 10145, 12011, 12045, 12111, 12145, 16145
	

<b>KR-70011303</b>	<b>OEM:</b> 70011303
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	3320, 3340, 4320, 4340, 4712, 4911, 5011, 5211, 5245, 5320, 5340, 6011, 6045, 6211, 6245, 6320, 6340, 6911, 7011, 7045, 7211, 7245, 7320T, 7321T, 7340T, 7341T, 7711, 7711T, 7745, 7745T
	

<b>KR-80005086</b>	<b>OEM:</b> 80005086
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine Z8002.1, Z8002.134, Z8401, Z8602
	Tractor 8011, 8045, 8111, 8145, 8211, 8245, 9111, 9145, 9211, 9245, 10111, 10145, 10211, 10245, 11211, 11245, 12011, 12045, 12111, 12145, 12211, 12245, 14145, 14245, 16145, 16245

<b>KR-80005087</b>	<b>OEM:</b> 80005087, 800050872
Temperature:	
Diameter:	<b>Fitment Information:</b>
Height:	Engine Z8002.1, Z8002.134, Z8401, Z8602
	Tractor 8011, 8045, 8111, 8145, 8211, 8245, 9111, 9145, 9211, 9245, 10111, 10145, 10211, 10245, 11211, 11245, 12011, 12045, 12111, 12145, 12211, 12245, 14145, 14245, 16145, 16245

